

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Reports
06/10/2021

Well Name: R.F.U. Well Location: T26S / R37E / SEC 5 / County or Parish/State: LEA /

SWNE /

Well Number: 55 Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

ELL

Lease Number: NMLC030177B Unit or CA Name: RHODES FEDERAL Unit or CA Number:

UNIT NMNM71022X

US Well Number: 3002534453 Well Status: Producing Gas Well Operator: FAE II OPERATING

LLC

Notice of Intent

Type of Submission: Notice of Intent

Type of Action Recompletion

Date Sundry Submitted: 06/09/2021 Time Sundry Submitted: 04:43

Date proposed operation will begin: 07/11/2021

Procedure Description: Est 5 days with workover rig. MIRU. POOH w/ tbg. RIH w/ pkr. Squeeze YATES perfs (gas). POOH w/ pkr. PU bit, drill out cmt. POOH w/ bit. RIH w/ perf guns on wireline. Perf SEVEN RIVERS (oil). POOH w/ wireline. TIH w/ pkr. Set pkr above perfs. Acidize perfs w/ 5000 gals 15% NEFE HCL acid, 1500# rock salt diverter & flush w/ 500 bbls 2% KCL water. POOH w/ pkr. TIH w/ tbg. RIH w/ pump & rods. RTP Change pool designation from [83810] RHODES; YATES-SEVEN RIVERS (GAS) to [52250] RHODES; YATES-SEVEN RIVERS (OIL)

Pool corrected LANGLIE MATTIX;7 RVRS-Q-GRAYBURG [37240] KZ

Surface Disturbance

Is any additional surface disturbance proposed?: No

Conditions of Approval

Specialist Review

COA_General_Recompletion_20210610073105.pdf

eceived by OCD: 8/23/2021 8:53:56 AM Well Name: R.F.U.

Lease Number: NMLC030177B

Well Location: T26S / R37E / SEC 5 /

SWNE /

County or Parish/State: LEA/

Allottee or Tribe Name:

M

Well Number: 55

Type of Well: CONVENTIONAL GAS

WELL

Unit or CA Name: RHODES FEDERAL Unit or CA Number:

UNIT NMNM71022X

US Well Number: 3002534453 Well Status: Producing Gas Well Operator: FAE II OPERATING

LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: VANESSA NEAL Signed on: JUN 09, 2021 04:41 PM

Name: FAE II OPERATING LLC

Title: Reservoir Engineer

Street Address: 11757 KATY FREEWAY, SUITE 1000

City: HOUSTON State: TX

Phone: (832) 219-0990

Email address: VANESSA@FAENERGYUS.COM

Field Representative

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: ZOTA M STEVENS BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345998 BLM POC Email Address: ZSTEVENS@BLM.GOV

Disposition: Approved **Disposition Date:** 06/10/2021

Signature: Zota Stevens

Page 2 of 2

¹ API Number

³ Joint or Infill

Y

4 Consolidation Code

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210

Phone: (575) 748-1283 Fax: (575) 748-9720 <u>District IIII</u> 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

12 Dedicated Acres

40

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

² Pool Code

30-025-34453		3	7240	LANGLIE MATTIX;7R-Q-GB						
⁴ Property Code			⁵ Property Name				⁶ We	⁶ Well Number		
326344			RHODES FEDERAL UNIT						#055	
⁷ OGRID No.			⁸ Operator Name					9 F	⁹ Elevation	
32932	329326		FAE II OPERATING, LLC					2	2981'	
	¹⁰ Surface Location									
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County	
G	05	26S	37E		1980	N	1980	E	LEA	
" Bottom Hole Location If Different From Surface										
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County	
G	05	26S	37E		1980	N	1980	E	LEA	

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

⁵ Order No.

16				¹⁷ OPERATOR CERTIFICATION
				I hereby certify that the information contained herein is true and complete to
				the best of my knowledge and belief, and that this organization either owns a
				working interest or unleased mineral interest in the land including the
				proposed bottom hole location or has a right to drill this well at this location
				pursuant to a contract with an owner of such a mineral or working interest,
		1980'		or to a voluntary pooling agreement or a compulsory pooling order
				heretofore entered by the division
				8/23/2021
				Signature Date
				Signature
				VANESSA NEAL
	SW/4 NE/4		1980'	Printed Name
	Sec 5 (40 acres)	U		vanessa@faenergyus.com
	, , ,			E-mail Address
				18SURVEYOR CERTIFICATION
				I hereby certify that the well location shown on this plat
				was plotted from field notes of actual surveys made by
				me or under my supervision, and that the same is true
				and correct to the best of my belief.
				Date of Survey
				Signature and Seal of Professional Surveyor:
				Certificate Number

I. Operator:

FAE II Operating LLC

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically
Via E-permitting

08/23/2021

Date:

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

329326

OGRID:

II. Type: □ Original □ Amendment due to □ 19.15.27.9.D(6)(a) NMAC □ 19.15.27.9.D(6)(b) NMAC ☒ Other.							
if Other, please describe	If Other, please describe: Recomplete Rhodes Federal Unit #055 from[83810] Rhodes (Gas) Pool to [52250] Rhodes (Oil) Pool						
III. Well(s): Provide the be recompleted from a s					vells proposed to	be drilled or proposed to	
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D	
RHODES FEDERAL UNIT #055	30-025-34453	G-05-26S-37E	1980' FNL & 1980' FEL	5	15	13	
IV. Central Delivery Point Name: RHODES FEDERAL UNIT BATTERY [See 19.15.27.9(D)(1) NMAC] V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.							
Well Name	API	Spud Date	TD Reached Date	Completion Commencement			
RHODES FEDERAL UNIT #055	30-025-34453	9/1/2021	9/1/2021	9/1/2021	9/8/20	21 9/8/2021	
VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture. VII. Operational Practices: Attach a complete description of the actions Operator will take to comply with the requirements of							
Subsection A through F	of 19.15.27.8	NMAC.				·	
VIII. Best Management Practices: ⊠ Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.							

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

EFFECTIVE APRIL 1, 2022					
	2022, an operator the complete this section		with its statewide natural ga	as capture requirement for the applicable	
	s that it is not require for the applicable re		ion because Operator is in c	ompliance with its statewide natural gas	
IX. Anticipated Na	tural Gas Productio	on:			
Well		API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF	
X. Natural Gas Ga	thering System (NC	GGS):			
Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in	
production operation the segment or porti	ns to the existing or p on of the natural gas . The natural gas gat	planned interconnect of the gathering system(s) to v	he natural gas gathering systewhich the well(s) will be com will not have capacity to g	atticipated pipeline route(s) connecting the em(s), and the maximum daily capacity of nected. Eather 100% of the anticipated natural gas	
XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).					
☐ Attach Operator's plan to manage production in response to the increased line pressure.					
Section 2 as provide	ed in Paragraph (2) o		27.9 NMAC, and attaches a f	SA 1978 for the information provided in full description of the specific information	

Section 3 - Certifications Effective May 25, 2021

<u> </u>				
Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:				
☑ Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or				
hundred percent of the into account the current	able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. box, Operator will select one of the following:			
Well Shut-In. □ Opera D of 19.15.27.9 NMAC	tor will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection; or			
	lan. Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential			
	es for the natural gas until a natural gas gathering system is available, including:			
(a)	power generation on lease;			
(b)	power generation for grid;			
(c)	compression on lease;			
(d)	liquids removal on lease;			
(e)	reinjection for underground storage;			
(f)	reinjection for temporary storage; reinjection for enhanced oil recovery;			
(g) (h)	fuel cell production; and			
(II) (i)	other alternative beneficial uses approved by the division			

Section 4 - Notices

- 1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:
- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act. Signature: Printed Name: Vanessa Neal Title: Sr. Reservoir Engineer E-mail Address: vanessa@faenergyus.com Date: 23 AUG 2021 Phone: 832-219-0990 **OIL CONSERVATION DIVISION** (Only applicable when submitted as a standalone form) Approved By: Title: Approval Date: Conditions of Approval:

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct

FAE II Operating, LLC ("FAE") Natural Gas Management Plan

VI. Separation Equipment

- Separation equipment is sized to allow for retention time and velocity to adequately separate oil, gas, and water at anticipated peak rates.
- Valves and meters are designed to service without flow interruption or venting of gas.
- Gas from treater and wellhead will be tied into the sales line.

VII. Operational Practices

19.15.27.8 (A)

FAE's field operations are designed with the goal of minimizing venting of natural gas. Wellhead and existing production equipment are tied into the gas sales line.

19.15.27.8 (B) Venting and Flaring during drilling operations

- Venting will only occur if there is an equipment malfunction and/or to avoid risk of an immediate and substantial adverse impact on safety, public health, or the environment.
- Daily vented volumes during drilling operations will be estimated on the daily report.
- All equipment will be available to process wellhead production upon completion of the well.

19.15.27.8 (C) Venting and Flaring during completions or recompletions operations.

- During all phases of flowback, wells will flow through a sand separator, or other appropriate flowback separation equipment, and the well stream will be directed to a central tank battery (CTB) through properly sized flowlines.
- The CTB will have properly sized separation equipment for maximum anticipated flowrates.
- All gas from wellhead and treater will be routed to a sales outlet. Fluids will be routed to tanks; vented gas volumes from oil tanks will be estimated based on annual GOR since expected production from will is <60 MCFPD.

19.15.27.8 (D) Venting and Flaring during production operations.

- During production, the well stream will be routed to the CTB where multiple stages of separation will separate gas from liquids. All gas from wellhead and treater will be routed to a sales outlet. Fluids will be routed to tanks; vented gas volumes from oil tanks will be estimated based on annual GOR since expected production from will is <60 MCFPD.
- AVO inspections will be conducted on the well and facility as required (weekly or monthly) based on actual daily production from the well or facility. Records of inspections will be kept for no less than 5 years. Any active leaks or releases will be reported as required and repaired in a timely manner.
- Gas sales volumes are recorded and monitored via EFMS.

19.15.27.8 (E) Performance Standards

- Production equipment will be designed to handle maximum anticipated rates and pressure.
- AVO inspections will be conducted on the well and facility as required (weekly or monthly) based on actual daily production from the well or facility. Records of inspections will be kept for no less than 5 years. Any active leaks or releases will be reported as required and repaired in a timely manner.
- Gas/H2S detectors will be installed throughout the facilities and wellheads to detect leaks and enable timely repairs.

19.15.27.8 (F) Measurement or estimation of vented and flared natural gas

- All gas from wellhead and treater will be routed to a sales outlet.
- When metering is not practical due to low pressure/low rate (<60 MCFPD), the vented volume will be estimated based on annual GOR.

VIII. Best Management Practices

- FAE will use best management practices to vent as minimally as possible during well intervention operations and downhole well maintenance.
- All gas from wellhead and treater will be routed to a sales outlet. Fluids will be routed to tanks; vented gas volumes from oil tanks will be estimated based on annual GOR since expected production from will is <60 MCFPD. All venting events will be recorded and all start-up, shutdown, maintenance logs will be kept for control equipment</p>
- All equipment will be maintained to provide highest run-time possible.
- AVO inspections will be conducted on the well and facility as required (weekly or monthly) based on actual daily production from the well or facility. Records of inspections will be kept for no less than 5 years. Any active leaks or releases will be reported as required and repaired in a timely manner.
- Gas sales volumes are recorded and monitored via EFMS.
- All procedures are drafted to keep venting to the absolute minimum.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 43668

CONDITIONS

Operator:	OGRID:
FAE II Operating LLC	329326
11757 Katy Freeway, Suite 1000	Action Number:
Houston, TX 77079	43668
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By	Condition	Condition Date
pkautz	None	8/24/2021