Received by UCD: \$4/2021 4:18:21 PM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Report 08/03/2021
Well Name: LLITTLE BOX CANYON AOX FEDERAL	N Well Location: T21S / R22E / SEC 7 / SESW /	County or Parish/State: EDDY /
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM12241A	Unit or CA Name:	Unit or CA Number:
US Well Number: 300152474700X1	Well Status: Abandoned	Operator: EOG RESOURCES INCORPORATED
	Accepted for record – NMOCD gc 8/20/2021	

Subsequent Report

Type of Submission: Subsequent Report
Date Sundry Submitted: 07/27/2021

Date Operation Actually Began: 06/17/2021

Type of Action: Plug and Abandonment Time Sundry Submitted: 08:56 5

Actual Procedure: Please see attached. Thank you.

SR Attachments

Actual Procedure

Little_Box_Canyon_AOX_Federal_1_7_27_21_20210727085646.pdf

Received by OCD: 8/4/2021 4:18:21 PM Well Name: LLITTLE BOX CANYON AOX FEDERAL	Well Location: T21S / R22E / SEC 7 / SESW /	County or Parish/State: EDDY/2 of NM			
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:			
Lease Number: NMNM12241A	Unit or CA Name:	Unit or CA Number:			
US Well Number: 300152474700X1	Well Status: Abandoned	Operator: EOG RESOURCES INCORPORATED			

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: TINA HUERTA Name: EOG RESOURCES INCORPORATED Title: Regulatory Specialist Street Address: 104 SOUTH FOURTH STREET City: Artesia State: NM Phone: (575) 748-4168

Email address: tina_huerta@eogresources.com

Field Representative

Representative Name: Street Address: City: State: Phone: Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS BLM POC Phone: 5752345927 Disposition: Accepted Signature: James A. Amos

BLM POC Title: Acting Assistant Field Manager BLM POC Email Address: jamos@blm.gov Disposition Date: 08/02/2021

Zip:

Signed on: JUL 27, 2021 08:56 AM

Little Box Canyon AOX Federal 1 – Sub P&A

6/17/21 - MIRU and NU BOP. RIH to unset packer to reduce drag. May have bad casing. Squeezed casing hole reported between 5045 ft – 5493 ft. Called Jim Amos BLM-Carlsbad and received approval to push packer below CIBP depth, earlier today received approval from Jim Amos to omit plug and start with plug 2. Push packer to 7695 ft, set packer and released on/off tool and tagged packer.

6/18/21 – RIH with GR to 7900 ft, clear for CIBP. Set a 5-1/2 inch CIBP at 7896 ft, tagged. Loaded well with 180 bbls water. Pressure tested to 500 psi for 5 min, held good. Spotted 65 sx Class H cement on top of CIBP to 7308 ft calc TOC. WOC.

6/21/21 – Tagged TOC 7390 ft. Low tag, Gabriel Benneway with BLM did not approve. Approval to spot 45 sx Class C cement at 7390 ft. Spotted a 45 sx Class C cement plug from 7390 ft – 6935 ft calc TOC, no tag.

6/22/21 – Perforated at 6782 ft. Pressure tested, held good. Gabriel Benneway of BLM approved perforating for the next plug. Perforated at 6245 ft. Pressure tested, held good. Spotted an 85 sx Class C cement plug from 6832 ft – 5972 ft calc TOC.

6/23/21 – Tagged TOC 6045 ft. Perforated at 5886 ft. Pressure tested, held good. Spotted a 30 sx Class C cement plug from 5936 ft – 5633 ft calc TOC. Tagged TOC 5623 ft. Perforated at 4725 ft. Pressure tested, held good. Spotted a 30 sx Class C cement plug from 4775 ft – 4472 ft calc TOC.

6/24/21 – Tagged TOC 4475 ft. Perforated at 3481 ft. Pressure tested, held good. Spotted a 30 sx Class C cement plug from 3531 ft – 3228 ft calc TOC. Tagged TOC 3280 ft. Perforated at 2895 ft. Pressure tested, held good. Spotted a 25 sx Class C cement plug from 2945 ft – 2642 ft calc TOC.

6/25/21 - Tagged TOC 2705 ft. Perforated at 1859 ft. Pressure tested, held good. Spotted a 25 sx Class C cement plug from 1909 ft – 1606 ft. Tagged TOC 1625 ft. Perforated at 418 ft. Pressure tested and failed, perfs broke down. Squeezed with 130 sx Class C cement from 418 ft in casing and annulus up to surface.

7/13/21 - Cut off wellhead. Installed dry hole marker as per BLM. Cover cellar and cut off anchors. <u>WELL IS</u> <u>PLUGGED AND ABANDONED.</u>

-

ug 9	x Canyon AO	X Federal 1		c-TWN-RNG					30-015-24747 4429			
ug 9												
				G DETAIL	1							
	Α —		#	HOLE SIZE	SIZE	WGHT	GRADE	Тор	Bottom	Sx Cmt	Circ/TOC	TOC Met
			A	17 1/2	13 3/8	54.5	J-55	0	366	525	Circ	l
			В	12 1/4	9 5/8	36	K-55	0	1,800	1375	Circ	101.1.10
ug 8	в		С	8 3/4	5 1/2	17	J-55	0	8,450	375	6699	Yld. 1.18 Excess C
ug 7			FORM	ATION TOPS								
				Formation	Тор		Formation	Тор		Formation	Тор	
ug 6				Tubb	2831		B Upper Bank	6164		L Morrow	8044	
	i			Abo	3414		Strawn	7104		Austin	8224	1
ug 5				Wolfcamp	4652		L Strawn	7458		Chester	8310	1
				Cisco	5756		Atoka	7696		Mississippian	8404	(
				T Upper Bank	5836		Morrow	7938				
ole in Casing: 5045' - 5493'				G DETAIL			1					
			#	Joints	Description	Length	OD	ID	Grade	Wt (lb/ft):	Top (ftKB):	Btm (ft
					2-7/8" Tubing a	and packer				<u> </u>	7,695	L
ug 4			PLUGS	<u></u>								
	ļ l		#	SX	Class	Тор	Battam	Tee	Notoo		ر	
	i i		1	65	Class H	7390	Bottom 7896	Tag Y	Notes			
			2	45	С	6935						
ug 3 C ~ 6699' by 0% Excess Calc.		X		-	c		7390	N	Darfarata			
			3	85		6045	6832	Y	Perforate			
Sqz'd Circulation Perfs @ 6800'			4	30	С	5623	5936	Y	Perforate			<u> </u>
			5	30	С	4475	4775	Y	Perforate			<u> </u>
			6	30	C	3280	3531	Y	Perforate			
			7	25	С	2705	2945	Y	Perforate			
			8	25	С	1625	1909	Y	Perforate			
			9	130	C	0	418	N	Perforate			
ug 2												
ug 1								I				i
isting Morrow Perfs: 7946' -			PERFC	RATION DETAIL								
isting Morrow Perfs: 8069' -8	8131'			Formation		Bottom						
isting CIBP Parts at 8300'				Morrow	7,946	8,131						

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
	Action Number:
Midland, TX 79702	40031
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	8/20/2021

CONDITIONS

Page 5 of 5

.

Action 40031