

Well Name: SAND 7 FEDERAL	Well Location: T18S / R31E / SEC 7 / NESW /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM33437A	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001525901	Well Status: Abandoned	Operator: DEVON ENERGY PRODUCTION COMPANY LP

Accepted for record – NMOCD gc 8/27/2021

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 08/04/2021	Time Sundry Submitted: 03:26
Date Operation Actually Began: 07/19/2021	
Actual Procedure: null	

SR Attachments

Actual Procedure

Sand_7_Federal_1_Sundry_report_complete_20210804152629.pdf

Well Name: SAND 7 FEDERAL	Well Location: T18S / R31E / SEC 7 / NESW /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM33437A	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001525901	Well Status: Abandoned	Operator: DEVON ENERGY PRODUCTION COMPANY LP

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHERYL BOBBITT
Signed on: AUG 04, 2021 03:26 PM
Name: DEVON ENERGY PRODUCTION COMPANY LP
Title: Production Technologist
Street Address: 333 W. SHERIDAN AVE.
City: OKLAHOMA CITY **State:** OK
Phone: (405) 552-8155
Email address: SHERYL.BOBBITT@DVN.COM

Field Representative

Representative Name:
Street Address:
City: **State:** **Zip:**
Phone:
Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS	BLM POC Title: Acting Assistant Field Manager
BLM POC Phone: 5752345927	BLM POC Email Address: jamos@blm.gov
Disposition: Accepted	Disposition Date: 08/05/2021
Signature: James A. Amos	

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.5. Lease Serial No. NMNM33437A
6. If Indian, Allottee or Tribe Name**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator Devon Energy Production Co.,LP

3a. Address 333 West Sheridan Ave, Oklahoma City, OK
731023b. Phone No. (include area code)
(405) 552-4615

4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)

Sec 7 T18S R31E; UNIT K; 1980 FSL 2121FWL 32.7602081,-103.9099884

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No. SAND 7 FEDERAL 1

9. API Well No. 30-015-25901

10. Field and Pool or Exploratory Area
SHUGART BONE SPRING NORTH11. Country or Parish, State
EDDY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

7-19-21. Move in P&A Equipment & Rig. Spot equipment.

7-20-21. Open well with 0 psi on tbg & 200 psi on casing. Unseat pump & TOH laying down rods. (101 X 7/8" & 233 X 3/4"). Blow casing down to tank. Pumped 80 bbl.'s of BW. N/D wellhead & N/U BOP's. Release TAC & R/U tbg equipment.

7-21-21. Open well with 0 psi on tbg & 100 psi on casing. Blow well down to tank. Pumped 60 bbl.'s down casing. POOH laying down 278 jts. R/U W-L. Set 5 1/2" CIBP @ 7674' Tag CIBP @ 7674'. TOH & R/D W-L.

7-22-21. Open well with 0 psi on casing. Pick up 4' perf sub & TIH picking up tbg. (249 jts). Circulate well around with 180 bbl.'s of Salt Gel. Tested casing @ 500 psi & held for 30 mins. Release psi. Pump plug @ 7674'-7474'. (25 sxs Class H). POOH laying down 69 jts. Pump plug @ 5550'-5300'. (25 sxs Class C). POOH laying down 42 jts. Reverse circulate.

7-23-21. Open well with 0 psi on tbg & casing. Pump plug @ 4250'-4000'. (25 sxs Class C). TOH laying down 55 jts. Pump plug @ 2560'-0'. (260 sxs Class C). POOH laying down 83 jts. Top well off with cement. R/D rig. Wash out rig tank.

7-24-21. Open well with 0 psi on casing. N/D BOP's & R/D P&A Equipment. Dig out wellhead. Cut off wellhead & weld on cap. Welded on above ground marker. Restore wellhead site.

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

Trey Smith- SPN Well Services

Title Manager

Signature

Date

07/29/2021

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: SAND 7 FED 1	Field: Hackberry North
Location: 1980 FSL 2121 FWL SEC 7-T185-R31E	County: Eddy State: New Mexico
Elevation: 3605' GL	Spud Date: 6/20/1988 Compl Date: 8/18/1988
API#: 30-015-25901 Prepared by: Armon Radfar	Date: 8/17/21 Rev:

FINAL WELLBORE

1. Spot 260 sx CI C from 2560' to surface.
2. Cut WH off 3' BGL, set dry hole marker.
(Shoe @ 2510'; Yates @ 1811'; Shoe @ 647')

17-1/2" Hole

11-3/4", 42#, H-40, ST&C @ 647'

Cmt'd w/950 sx to surface

11" Hole

8-5/8", 24#, K-55, ST&C @ 2510'

Cmt'd w/650 sx to surface

10# MUD

- Spot 25 sx CI C from 4250'-4000'.
(T. Delaware @ 4175')

10# MUD

- Spot 25 sx CI C from 5550'-5300'.
(T. Bone Spring @ 5420')

10# MUD

1. Set CIBP @ 7674'. Tag. Circ 10# salt gel.
2. Spot 25 sx CI H from 7674'-7474'.
(Perfs @ 7724')

Perforations: (Bone Spring)

7724'-7834'

8294'-8356'

7-7/8" Hole

5-1/2", 17#, K-55, LT&C @ 8635'

Cmt'd w/1550 sx surface (circulated)

8635' TVD

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: SAND 7 FED 1	Field: Hackberry North
Location: 1980 FSL 2121 FWL SEC 7-T185-R31E	County: Eddy State: New Mexico
Elevation: 3605' GL	Spud Date: 6/20/1988 Compl Date: 8/18/1988
API#: 30-015-25901 Prepared by: Armon Radfar	Date: 8/17/21 Rev:

FINAL WELLBORE

1. Spot 260 sx CI C from 2560' to surface.
2. Cut WH off 3' BGL, set dry hole marker.
(Shoe @ 2510'; Yates @ 1811'; Shoe @ 647')

17-1/2" Hole

11-3/4", 42#, H-40, ST&C @ 647'

Cmt'd w/950 sx to surface

11" Hole

8-5/8", 24#, K-55, ST&C @ 2510'

Cmt'd w/650 sx to surface

10# MUD

- Spot 25 sx CI C from 4250'-4000'.
(T. Delaware @ 4175')

10# MUD

- Spot 25 sx CI C from 5550'-5300'.
(T. Bone Spring @ 5420')

10# MUD

1. Set CIBP @ 7674'. Tag. Circ 10# salt gel.
2. Spot 25 sx CI H from 7674'-7474'.
(Perfs @ 7724')

Perforations: (Bone Spring)

7724'-7834'

8294'-8356'

7-7/8" Hole

5-1/2", 17#, K-55, LT&C @ 8635'

Cmt'd w/1550 sx surface (circulated)

8635' TVD

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 42670

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 42670
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	8/27/2021