

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Centennial Resource Production, LLC 1001 17th St., Ste. 1800 Denver CO 80202		² OGRID Number 372165	
		³ Reason for Filing Code/ Effective Date NW 5-30-21	
⁴ API Number 30 - 0 25-46615	⁵ Pool Name OJO Chiso; Bone Spring		⁶ Pool Code 96553
⁷ Property Code 326729	⁸ Property Name Chimichangas 12 State Com		⁹ Well Number 602H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	12	22S	34E	A	730	N	1200	E	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	13	22S	34E	P	89	S	358	E	LEA
¹² Lse Code S	¹³ Producing Method Code A.L.	¹⁴ Gas Connection Date 5/30/21	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
329971	ORYX Delaware Oil Gathering NM, LLC	O
371960	Lucid 3100 McKinno St., Ste. 800 Dallas TX 75201	G

IV. Well Completion Data

²¹ Spud Date 4-29-21	²² Ready Date 5-30-21	²³ TD 21,326	²⁴ PBTD 21,284	²⁵ Perforations 11,461 - 21,280	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2	13-3/8	1840	1545 CLC & CLH		
12-1/4	9-5/8	5719	1840 CLC & Prolite		
8-3/4 & 8-1/2	5-1/2	21316	3330 CLC & Prolite		
	Request tubing exception				

V. Well Test Data

³¹ Date New Oil 5/31/21	³² Gas Delivery Date 5/31/21	³³ Test Date 6/11/21	³⁴ Test Length 24	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 560
³⁷ Choke Size 1.125	³⁸ Oil 4048	³⁹ Water 4995	⁴⁰ Gas 4472		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Sandra Belt</i>			OIL CONSERVATION DIVISION Approved by: KURT SIMMONS Title: NMOCD, SANTA FE Approval Date: 09/07/2021		
Printed name: Sandra Belt					
Title: Regulatory Analyst					
E-mail Address: sandra@permianregulatory.com					
Date: 6/23/21	Phone: 432-413-9797				

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-46615		² Pool Code 96553	³ Pool Name OJO Chiso; Bone Spring	
⁴ Property Code 326729	⁵ Property Name CHIMICHANGAS 12 STATE COM			⁶ Well Number 602H
⁷ OGRID No. 372165	⁸ Operator Name CENTENNIAL RESOURCE PRODUCTION, LLC			⁹ Elevation 3588.9'

¹⁰Surface Location

UL or lot no. A	Section 12	Township 22S	Range 34E	Lot Idn	Feet from the 730	North/South line NORTH	Feet from the 1200	East/West line EAST	County LEA
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	---------------

" Bottom Hole Location If Different From Surface

UL or lot no. P	Section 13	Township 22S	Range 34E	Lot Idn	Feet from the 89	North/South line SOUTH	Feet from the 358	East/West line EAST	County LEA
¹² Dedicated Acres 320		¹³ Joint or Infill Infill		¹⁴ Consolidation Code		¹⁵ Order No.			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

16

NAD 83 (SURFACE HOLE LOCATION)
LATITUDE = 32°24'41.30" (32.411472°)
LONGITUDE = 103°25'08.04" (103.418900°)
STATE PLANE NAD 83 (N.M. EAST)
Y: 514631.83' X: 823532.80'
UTM, NAD 83 (ZONE 13)
Y: 11768826.46' X: 2128213.02'

NAD 83 (AS-DRILLED KOP)
LATITUDE = 32°24'47.70" (32.413251°)
LONGITUDE = 103°24'57.72" (103.416034°)
STATE PLANE NAD 83 (N.M. EAST)
Y: 515286.65' X: 824411.68'
UTM, NAD 83 (ZONE 13)
Y: 11769486.66' X: 2129087.69'

NAD 83 (AS-DRILLED FTP)
LATITUDE = 32°24'42.42" (32.411783°)
LONGITUDE = 103°24'57.86" (103.416073°)
STATE PLANE NAD 83 (N.M. EAST)
Y: 514752.52' X: 824404.30'
UTM, NAD 83 (ZONE 13)
Y: 11768952.57' X: 2129083.64'

NAD 83 (AS-DRILLED LTP)
LATITUDE = 32°23'05.34" (32.384818°)
LONGITUDE = 103°24'58.52" (103.416256°)
STATE PLANE NAD 83 (N.M. EAST)
Y: 504941.74' X: 824432.12'
UTM, NAD 83 (ZONE 13)
Y: 11759143.40' X: 2129172.64'

NAD 83 (AS-DRILLED BHL)
LATITUDE = 32°23'04.89" (32.384691°)
LONGITUDE = 103°24'58.51" (103.416252°)
STATE PLANE NAD 83 (N.M. EAST)
Y: 504895.77' X: 824433.68'
UTM, NAD 83 (ZONE 13)
Y: 11759097.45' X: 2129174.48'

Detail "A"
No Scale

- = SURFACE HOLE LOCATION
- ◆ = AS-DRILLED KICK OFF POINT/TAKE POINT
- = AS-DRILLED BOTTOM HOLE LOCATION
- ▲ = SECTION CORNER LOCATED

Detail "B"
No Scale

NOTE:

- Distances referenced on plat to section lines are perpendicular.
- Basis of Bearing is a Transverse Mercator Projection with a Central Meridian of W103°53'00" (NAD 83)
- Well Bore data provided by Centennial Resource Production, LLC.
- As-Drilled well head has not been field verified.

**"1" OPERATOR
CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Sandra Belt 6/8/21

Signature

Date

Sandra Belt

Printed Name

sandra@permianregulatory

E-mail Address

**"18" SURVEYOR
CERTIFICATION**

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

October 01, 2019

Date of Survey

Signature and Seal of Professional Surveyor:

Certificate Number:

**APPROXIMATE WELL BORE
DISTANCE FROM FTP TO LTP**

SECTION 12	4,665.67
SECTION 13	5,149.82
TOTAL	9,815.49'

SCALE

DRAWN BY: D.J.S. 06-02-21



Centennial Resources Development, Inc.

**Lea County, NM (NAD83 - UTM Zone 13)
Chimichangas 12 State Com
602H**

OH / 67668

Survey: Phoenix MWD Surveys

Standard Survey Report

13 May, 2021





Survey Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well 602H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3613.90usft (H&P 653)
Site:	Chimichangas 12 State Com	MD Reference:	RKB @ 3613.90usft (H&P 653)
Well:	602H	North Reference:	True
Wellbore:	OH / 67668	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 653)	Database:	USA Compass

Project	Lea County, NM (NAD83 - UTM Zone 13)		
Map System:	Universal Transverse Mercator (US Survey Fee	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Zone 13N (108 W to 102 W)		Using geodetic scale factor

Site	Chimichangas 12 State Com		
Site Position:		Northing:	11,768,826.46 usft
From:	Map	Easting:	2,128,213.02 usft
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 24' 41.299049 N
		Longitude:	103° 25' 8.040480 W
		Grid Convergence:	0.85 °

Well	602H		
Well Position	+N/-S	0.00 usft	Northing: 11,768,826.46 usft
	+E/-W	0.00 usft	Easting: 2,128,213.02 usft
Position Uncertainty	1.00 usft	Wellhead Elevation:	usft
		Latitude:	32° 24' 41.299049 N
		Longitude:	103° 25' 8.040480 W
		Ground Level:	3,588.90 usft

Wellbore	OH / 67668		
Magnetics	Model Name	Sample Date	Declination (°)
	MVHD	6/5/2021	6.46
			Dip Angle (°) 60.11
			Field Strength (nT) 47,851.03377518

Design	Surveys (H&P 653)		
Audit Notes:			
Version:	1.0	Phase:	ACTUAL
		Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)
	0.00	0.00	0.00
			Direction (°) 175.03

Survey Program	Date 5/13/2021		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name
186.00	21,326.00	Phoenix MWD Surveys (OH / 67668)	MWD+IFR1+MS
			Description OWSG MWD + IFR1 + Multi-Station Correction

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
186.00	0.51	187.52	186.00	-0.82	-0.11	0.81	0.27	0.27	0.00
First Phoenix MWD Survey									
276.00	0.53	185.14	275.99	-1.63	-0.20	1.61	0.03	0.02	-2.64
366.00	0.53	172.48	365.99	-2.46	-0.18	2.43	0.13	0.00	-14.07
454.00	0.49	181.39	453.99	-3.24	-0.14	3.22	0.10	-0.05	10.13
545.00	0.42	163.82	544.98	-3.95	-0.05	3.93	0.17	-0.08	-19.31
636.00	0.32	169.85	635.98	-4.52	0.08	4.51	0.12	-0.11	6.63
726.00	0.52	201.72	725.98	-5.15	-0.02	5.12	0.33	0.22	35.41
835.00	0.43	177.30	834.98	-6.01	-0.19	5.98	0.20	-0.08	-22.40
924.00	0.61	174.41	923.97	-6.82	-0.12	6.78	0.20	0.20	-3.25



Survey Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well 602H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3613.90usft (H&P 653)
Site:	Chimichangas 12 State Com	MD Reference:	RKB @ 3613.90usft (H&P 653)
Well:	602H	North Reference:	True
Wellbore:	OH / 67668	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 653)	Database:	USA Compass

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
1,013.00	0.45	177.99	1,012.97	-7.64	-0.07	7.61	0.18	-0.18	4.02
1,102.00	0.41	192.04	1,101.97	-8.30	-0.12	8.26	0.13	-0.04	15.79
1,193.00	0.44	174.69	1,192.96	-8.97	-0.16	8.92	0.14	0.03	-19.07
1,284.00	0.47	171.99	1,283.96	-9.68	-0.07	9.64	0.04	0.03	-2.97
1,377.00	0.19	190.69	1,376.96	-10.21	-0.05	10.17	0.32	-0.30	20.11
1,468.00	0.30	172.12	1,467.96	-10.60	-0.04	10.55	0.15	0.12	-20.41
1,558.00	0.09	177.65	1,557.96	-10.90	-0.01	10.86	0.23	-0.23	6.14
1,653.00	0.37	197.69	1,652.96	-11.27	-0.10	11.22	0.30	0.29	21.09
1,747.00	0.49	241.17	1,746.95	-11.75	-0.54	11.66	0.36	0.13	46.26
1,773.00	0.27	208.26	1,772.95	-11.86	-0.67	11.76	1.16	-0.85	-126.58
1,936.00	0.65	131.07	1,935.95	-12.80	-0.15	12.74	0.40	0.23	-47.36
2,031.00	2.52	99.85	2,030.91	-13.52	2.31	13.67	2.10	1.97	-32.86
2,125.00	4.10	87.74	2,124.75	-13.74	7.71	14.35	1.83	1.68	-12.88
2,219.00	4.76	67.83	2,218.48	-12.13	14.68	13.36	1.77	0.70	-21.18
2,314.00	5.75	60.69	2,313.08	-8.32	22.48	10.23	1.25	1.04	-7.52
2,408.00	6.40	62.03	2,406.55	-3.55	31.21	6.24	0.71	0.69	1.43
2,502.00	7.73	61.66	2,499.83	1.90	41.40	1.69	1.42	1.41	-0.39
2,597.00	9.33	58.49	2,593.78	8.96	53.59	-4.29	1.75	1.68	-3.34
2,691.00	11.12	53.50	2,686.28	18.34	67.37	-12.43	2.12	1.90	-5.31
2,786.00	11.35	52.82	2,779.46	29.44	82.19	-22.21	0.28	0.24	-0.72
2,880.00	11.43	51.84	2,871.61	40.78	96.88	-32.23	0.22	0.09	-1.04
2,975.00	11.65	52.55	2,964.69	52.43	111.90	-42.54	0.28	0.23	0.75
3,069.00	11.94	53.21	3,056.71	64.02	127.22	-52.76	0.34	0.31	0.70
3,164.00	12.04	54.06	3,149.63	75.73	143.11	-63.04	0.21	0.11	0.89
3,258.00	12.27	53.58	3,241.53	87.41	159.08	-73.30	0.27	0.24	-0.51
3,353.00	11.23	53.06	3,334.53	98.96	174.60	-83.46	1.10	-1.09	-0.55
3,447.00	11.46	53.14	3,426.70	110.06	189.39	-93.24	0.25	0.24	0.09
3,542.00	11.14	53.24	3,519.86	121.22	204.29	-103.06	0.34	-0.34	0.11
3,636.00	9.50	49.78	3,612.33	131.66	217.49	-112.33	1.86	-1.74	-3.68
3,731.00	9.26	48.29	3,706.06	141.81	229.18	-121.42	0.36	-0.25	-1.57
3,825.00	9.12	48.68	3,798.86	151.76	240.43	-130.36	0.16	-0.15	0.41
3,919.00	8.94	47.42	3,891.69	161.62	251.40	-139.23	0.28	-0.19	-1.34
4,014.00	8.57	46.40	3,985.58	171.50	261.96	-148.16	0.42	-0.39	-1.07
4,109.00	8.34	47.18	4,079.55	181.06	272.14	-156.81	0.27	-0.24	0.82
4,203.00	8.59	46.78	4,172.53	190.50	282.25	-165.33	0.27	0.27	-0.43
4,298.00	8.61	46.98	4,266.46	200.21	292.62	-174.11	0.04	0.02	0.21
4,392.00	8.61	47.60	4,359.40	209.76	302.96	-182.72	0.10	0.00	0.66
4,486.00	8.55	48.34	4,452.35	219.15	313.38	-191.17	0.13	-0.06	0.79
4,581.00	8.36	50.57	4,546.32	228.23	323.99	-199.30	0.40	-0.20	2.35
4,675.00	8.89	49.10	4,639.25	237.32	334.76	-207.43	0.61	0.56	-1.56
4,770.00	8.76	48.58	4,733.13	246.92	345.73	-216.04	0.16	-0.14	-0.55
4,864.00	9.09	45.26	4,825.99	256.88	356.37	-225.04	0.65	0.35	-3.53
4,958.00	9.41	43.61	4,918.77	267.67	366.95	-234.87	0.44	0.34	-1.76



Survey Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well 602H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3613.90usft (H&P 653)
Site:	Chimichangas 12 State Com	MD Reference:	RKB @ 3613.90usft (H&P 653)
Well:	602H	North Reference:	True
Wellbore:	OH / 67668	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 653)	Database:	USA Compass

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5,053.00	10.08	45.49	5,012.40	279.12	378.23	-245.30	0.78	0.71	1.98
5,147.00	10.11	45.24	5,104.94	290.70	389.96	-255.82	0.06	0.03	-0.27
5,241.00	10.14	44.89	5,197.48	302.37	401.66	-266.43	0.07	0.03	-0.37
5,336.00	11.09	46.08	5,290.85	314.63	414.14	-277.57	1.03	1.00	1.25
5,430.00	11.06	47.05	5,383.10	327.04	427.25	-288.80	0.20	-0.03	1.03
5,525.00	11.30	47.00	5,476.30	339.60	440.73	-300.14	0.25	0.25	-0.05
5,645.00	11.23	46.35	5,593.99	355.68	457.78	-314.69	0.12	-0.06	-0.54
5,736.00	10.93	46.82	5,683.29	367.70	470.48	-325.56	0.34	-0.33	0.52
5,830.00	10.69	45.77	5,775.62	379.88	483.23	-336.59	0.33	-0.26	-1.12
5,924.00	12.21	54.71	5,867.76	391.71	497.59	-347.13	2.48	1.62	9.51
6,019.00	12.53	55.50	5,960.55	403.35	514.29	-357.28	0.38	0.34	0.83
6,114.00	11.34	57.24	6,053.50	414.24	530.63	-366.71	1.31	-1.25	1.83
6,208.00	10.86	56.40	6,145.74	424.14	545.78	-375.27	0.54	-0.51	-0.89
6,302.00	11.43	55.05	6,237.96	434.38	560.79	-384.16	0.67	0.61	-1.44
6,397.00	11.75	54.35	6,331.03	445.41	576.37	-393.80	0.37	0.34	-0.74
6,491.00	11.99	53.49	6,423.02	456.80	591.99	-403.79	0.32	0.26	-0.91
6,586.00	11.70	53.66	6,515.99	468.38	607.68	-413.97	0.31	-0.31	0.18
6,680.00	11.09	53.88	6,608.14	479.35	622.66	-423.61	0.65	-0.65	0.23
6,774.00	10.72	53.49	6,700.44	489.88	636.99	-432.86	0.40	-0.39	-0.41
6,869.00	10.46	53.31	6,793.82	500.29	651.01	-442.01	0.28	-0.27	-0.19
6,963.00	10.74	54.72	6,886.22	510.45	665.00	-450.92	0.41	0.30	1.50
7,057.00	10.12	56.87	6,978.67	520.02	679.07	-459.24	0.78	-0.66	2.29
7,152.00	9.68	56.42	7,072.25	529.00	692.71	-467.00	0.47	-0.46	-0.47
7,246.00	9.89	55.46	7,164.88	537.95	705.94	-474.77	0.28	0.22	-1.02
7,341.00	9.45	53.76	7,258.54	547.19	718.95	-482.84	0.55	-0.46	-1.79
7,435.00	9.12	55.25	7,351.30	555.99	731.30	-490.55	0.43	-0.35	1.59
7,529.00	8.89	56.60	7,444.14	564.24	743.48	-497.71	0.33	-0.24	1.44
7,624.00	8.44	56.95	7,538.06	572.08	755.46	-504.48	0.48	-0.47	0.37
7,718.00	7.71	57.26	7,631.13	579.25	766.54	-510.67	0.78	-0.78	0.33
7,812.00	7.28	57.27	7,724.32	585.88	776.86	-516.38	0.46	-0.46	0.01
7,907.00	7.00	57.01	7,818.59	592.29	786.78	-521.90	0.30	-0.29	-0.27
8,001.00	6.74	56.67	7,911.91	598.44	796.19	-527.21	0.28	-0.28	-0.36
8,095.00	6.59	58.81	8,005.28	604.26	805.41	-532.22	0.31	-0.16	2.28
8,190.00	6.08	60.73	8,099.70	609.55	814.46	-536.70	0.58	-0.54	2.02
8,284.00	5.99	60.58	8,193.18	614.39	823.08	-540.77	0.10	-0.10	-0.16
8,379.00	5.33	60.21	8,287.71	619.02	831.23	-544.68	0.70	-0.69	-0.39
8,473.00	4.82	60.49	8,381.34	623.13	838.45	-548.15	0.54	-0.54	0.30
8,567.00	4.23	61.07	8,475.05	626.75	844.92	-551.20	0.63	-0.63	0.62
8,662.00	3.89	55.91	8,569.81	630.26	850.66	-554.19	0.52	-0.36	-5.43
8,756.00	3.61	58.76	8,663.61	633.58	855.83	-557.05	0.36	-0.30	3.03
8,851.00	3.35	64.59	8,758.44	636.32	860.89	-559.34	0.46	-0.27	6.14
8,945.00	3.55	64.72	8,852.27	638.74	866.00	-561.31	0.21	0.21	0.14
9,039.00	3.48	65.47	8,946.09	641.17	871.23	-563.28	0.09	-0.07	0.80



Survey Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well 602H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3613.90usft (H&P 653)
Site:	Chimichangas 12 State Com	MD Reference:	RKB @ 3613.90usft (H&P 653)
Well:	602H	North Reference:	True
Wellbore:	OH / 67668	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 653)	Database:	USA Compass

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9,134.00	1.83	101.08	9,040.99	642.07	875.34	-563.83	2.38	-1.74	37.48
9,228.00	1.61	103.83	9,134.95	641.47	878.10	-562.98	0.25	-0.23	2.93
9,323.00	1.51	88.27	9,229.91	641.19	880.65	-562.48	0.46	-0.11	-16.38
9,417.00	1.57	82.25	9,323.88	641.40	883.16	-562.48	0.18	0.06	-6.40
9,511.00	0.47	60.16	9,417.86	641.77	884.77	-562.70	1.22	-1.17	-23.50
9,606.00	0.72	348.41	9,512.86	642.54	884.99	-563.46	0.76	0.26	-75.53
9,795.00	1.21	12.47	9,701.83	645.66	885.18	-566.54	0.33	0.26	12.73
9,889.00	1.44	17.86	9,795.81	647.75	885.76	-568.58	0.28	0.24	5.73
9,984.00	1.29	16.82	9,890.78	649.91	886.43	-570.67	0.16	-0.16	-1.09
10,078.00	1.24	19.88	9,984.76	651.88	887.08	-572.58	0.09	-0.05	3.26
10,173.00	0.26	139.89	10,079.75	652.68	887.57	-573.33	1.46	-1.03	126.33
10,268.00	0.28	112.17	10,174.75	652.43	887.93	-573.05	0.14	0.02	-29.18
10,362.00	0.37	115.82	10,268.75	652.21	888.41	-572.79	0.10	0.10	3.88
10,457.00	0.61	215.67	10,363.74	651.66	888.39	-572.25	0.81	0.25	105.11
10,545.00	1.77	240.42	10,451.72	650.61	886.94	-571.33	1.41	1.32	28.13
10,594.00	1.99	230.83	10,500.70	649.70	885.62	-570.53	0.78	0.45	-19.57
10,688.00	13.77	202.20	10,593.66	638.27	880.11	-559.62	12.83	12.53	-30.46
10,783.00	22.01	199.19	10,683.99	610.94	869.97	-533.28	8.73	8.67	-3.17
10,877.00	30.88	183.23	10,768.18	570.09	862.80	-493.20	12.02	9.44	-16.98
10,972.00	39.44	174.37	10,845.82	515.58	864.39	-438.76	10.47	9.01	-9.33
11,066.00	46.74	176.32	10,914.43	451.62	869.52	-374.60	7.89	7.77	2.07
11,160.00	52.94	176.03	10,975.02	379.98	874.32	-302.81	6.60	6.60	-0.31
11,255.00	59.12	179.80	11,028.09	301.30	877.09	-224.19	7.29	6.51	3.97
11,349.00	63.91	182.10	11,072.91	218.73	875.68	-142.04	5.53	5.10	2.45
11,444.00	75.36	181.60	11,105.92	129.86	872.82	-53.75	12.06	12.05	-0.53
11,539.00	81.07	180.67	11,125.31	36.92	870.99	38.68	6.09	6.01	-0.98
11,602.00	90.42	180.68	11,129.98	-25.83	870.25	101.13	14.84	14.84	0.02
11,656.00	91.36	179.51	11,129.14	-79.82	870.16	154.91	2.78	1.74	-2.17
11,750.00	91.61	179.06	11,126.71	-173.79	871.34	248.62	0.55	0.27	-0.48
11,844.00	90.35	178.62	11,125.10	-267.75	873.24	342.40	1.42	-1.34	-0.47
11,939.00	89.81	178.07	11,124.97	-362.71	875.98	437.24	0.81	-0.57	-0.58
12,033.00	89.65	177.32	11,125.41	-456.63	879.76	531.13	0.82	-0.17	-0.80
12,127.00	89.64	178.62	11,125.99	-550.57	883.09	625.00	1.38	-0.01	1.38
12,222.00	89.53	179.07	11,126.68	-645.55	885.01	719.79	0.49	-0.12	0.47
12,317.00	89.76	178.66	11,127.27	-740.53	886.89	814.58	0.49	0.24	-0.43
12,411.00	90.10	177.64	11,127.38	-834.48	889.92	908.44	1.14	0.36	-1.09
12,506.00	90.05	179.07	11,127.26	-929.43	892.65	1,003.27	1.51	-0.05	1.51
12,600.00	90.61	181.12	11,126.72	-1,023.43	892.49	1,096.90	2.26	0.60	2.18
12,695.00	90.04	180.06	11,126.18	-1,118.42	891.52	1,191.45	1.27	-0.60	-1.12
12,789.00	89.30	179.18	11,126.72	-1,212.41	892.14	1,285.14	1.22	-0.79	-0.94
12,884.00	91.12	182.54	11,126.37	-1,307.38	890.71	1,379.64	4.02	1.92	3.54
12,978.00	90.78	182.10	11,124.81	-1,401.29	886.91	1,472.86	0.59	-0.36	-0.47
13,072.00	89.98	180.82	11,124.19	-1,495.26	884.51	1,566.27	1.61	-0.85	-1.36
13,167.00	89.47	180.07	11,124.65	-1,590.25	883.78	1,660.84	0.95	-0.54	-0.79



Survey Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well 602H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3613.90usft (H&P 653)
Site:	Chimichangas 12 State Com	MD Reference:	RKB @ 3613.90usft (H&P 653)
Well:	602H	North Reference:	True
Wellbore:	OH / 67668	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 653)	Database:	USA Compass

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
13,261.00	88.90	181.89	11,125.98	-1,684.23	882.17	1,754.32	2.03	-0.61	1.94
13,355.00	87.56	181.10	11,128.89	-1,778.15	879.72	1,847.67	1.65	-1.43	-0.84
13,450.00	87.37	180.44	11,133.09	-1,873.04	878.44	1,942.11	0.72	-0.20	-0.69
13,544.00	86.85	179.78	11,137.83	-1,966.92	878.26	2,035.62	0.89	-0.55	-0.70
13,638.00	88.58	180.37	11,141.58	-2,060.85	878.14	2,129.17	1.94	1.84	0.63
13,732.00	89.02	180.49	11,143.54	-2,154.82	877.43	2,222.74	0.49	0.47	0.13
13,827.00	88.64	179.77	11,145.48	-2,249.80	877.22	2,317.34	0.86	-0.40	-0.76
13,921.00	90.35	180.65	11,146.31	-2,343.79	876.87	2,410.95	2.05	1.82	0.94
14,015.00	91.12	181.61	11,145.11	-2,437.76	875.02	2,504.41	1.31	0.82	1.02
14,110.00	90.65	180.74	11,143.64	-2,532.73	873.07	2,598.85	1.04	-0.49	-0.92
14,204.00	90.25	179.44	11,142.90	-2,626.73	872.92	2,692.48	1.45	-0.43	-1.38
14,299.00	90.70	181.76	11,142.11	-2,721.71	871.93	2,787.02	2.49	0.47	2.44
14,394.00	92.83	183.81	11,139.19	-2,816.54	867.32	2,881.09	3.11	2.24	2.16
14,488.00	89.73	182.79	11,137.09	-2,910.35	861.91	2,974.08	3.47	-3.30	-1.09
14,583.00	89.15	181.85	11,138.02	-3,005.27	858.06	3,068.31	1.16	-0.61	-0.99
14,677.00	89.07	180.42	11,139.48	-3,099.24	856.20	3,161.76	1.52	-0.09	-1.52
14,772.00	89.38	179.77	11,140.76	-3,194.23	856.04	3,256.38	0.76	0.33	-0.68
14,866.00	89.04	179.75	11,142.06	-3,288.22	856.44	3,350.05	0.36	-0.36	-0.02
14,961.00	88.82	179.25	11,143.83	-3,383.20	857.27	3,444.74	0.57	-0.23	-0.53
15,055.00	87.80	178.42	11,146.60	-3,477.13	859.18	3,538.49	1.40	-1.09	-0.88
15,150.00	89.55	180.13	11,148.80	-3,572.09	860.38	3,633.20	2.58	1.84	1.80
15,244.00	89.93	180.49	11,149.23	-3,666.09	859.87	3,726.80	0.56	0.40	0.38
15,339.00	89.84	180.18	11,149.42	-3,761.09	859.31	3,821.39	0.34	-0.09	-0.33
15,433.00	89.88	179.71	11,149.65	-3,855.09	859.40	3,915.05	0.50	0.04	-0.50
15,527.00	89.64	179.31	11,150.04	-3,949.08	860.21	4,008.76	0.50	-0.26	-0.43
15,622.00	90.18	178.74	11,150.19	-4,044.07	861.82	4,103.53	0.83	0.57	-0.60
15,716.00	89.82	178.47	11,150.19	-4,138.04	864.11	4,197.34	0.48	-0.38	-0.29
15,811.00	87.80	180.02	11,152.16	-4,233.00	865.37	4,292.06	2.68	-2.13	1.63
15,906.00	87.20	179.76	11,156.31	-4,327.91	865.55	4,386.63	0.69	-0.63	-0.27
16,000.00	89.61	181.68	11,158.92	-4,421.86	864.37	4,480.12	3.28	2.56	2.04
16,094.00	90.19	182.02	11,159.09	-4,515.81	861.33	4,573.45	0.72	0.62	0.36
16,189.00	90.35	181.93	11,158.64	-4,610.75	858.06	4,667.75	0.19	0.17	-0.09
16,283.00	90.01	181.38	11,158.34	-4,704.71	855.34	4,761.12	0.69	-0.36	-0.59
16,377.00	90.93	181.60	11,157.57	-4,798.67	852.90	4,854.52	1.01	0.98	0.23
16,472.00	91.09	180.42	11,155.90	-4,893.64	851.22	4,948.99	1.25	0.17	-1.24
16,566.00	89.47	179.85	11,155.44	-4,987.64	851.00	5,042.61	1.83	-1.72	-0.61
16,660.00	88.47	179.67	11,157.13	-5,081.62	851.40	5,136.28	1.08	-1.06	-0.19
16,755.00	87.87	178.29	11,160.16	-5,176.55	853.09	5,231.00	1.58	-0.63	-1.45
16,849.00	86.82	177.32	11,164.52	-5,270.38	856.68	5,324.79	1.52	-1.12	-1.03
16,944.00	89.36	178.01	11,167.68	-5,365.24	860.55	5,419.62	2.77	2.67	0.73
17,038.00	89.25	177.82	11,168.82	-5,459.17	863.97	5,513.50	0.23	-0.12	-0.20
17,132.00	88.50	177.89	11,170.67	-5,553.09	867.49	5,607.36	0.80	-0.80	0.07
17,226.00	85.82	179.74	11,175.33	-5,646.94	869.43	5,701.03	3.46	-2.85	1.97



Survey Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well 602H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3613.90usft (H&P 653)
Site:	Chimichangas 12 State Com	MD Reference:	RKB @ 3613.90usft (H&P 653)
Well:	602H	North Reference:	True
Wellbore:	OH / 67668	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 653)	Database:	USA Compass

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
17,320.00	87.19	180.10	11,181.06	-5,740.76	869.56	5,794.51	1.51	1.46	0.38
17,415.00	89.14	180.66	11,184.10	-5,835.71	868.93	5,889.05	2.14	2.05	0.59
17,509.00	89.85	180.31	11,184.93	-5,929.70	868.14	5,982.62	0.84	0.76	-0.37
17,604.00	89.85	179.76	11,185.18	-6,024.70	868.08	6,077.25	0.58	0.00	-0.58
17,698.00	89.65	179.52	11,185.59	-6,118.70	868.67	6,170.95	0.33	-0.21	-0.26
17,792.00	89.15	179.19	11,186.57	-6,212.68	869.73	6,264.67	0.64	-0.53	-0.35
17,887.00	89.01	178.95	11,188.10	-6,307.66	871.27	6,359.43	0.29	-0.15	-0.25
18,076.00	88.65	178.01	11,191.96	-6,496.55	876.28	6,548.04	0.53	-0.19	-0.50
18,170.00	89.96	179.23	11,193.10	-6,590.51	878.54	6,641.85	1.90	1.39	1.30
18,265.00	89.88	179.24	11,193.23	-6,685.51	879.81	6,736.59	0.08	-0.08	0.01
18,359.00	89.47	180.53	11,193.76	-6,779.50	880.00	6,830.25	1.44	-0.44	1.37
18,454.00	88.10	182.53	11,195.78	-6,874.44	877.47	6,924.61	2.55	-1.44	2.11
18,548.00	88.07	182.63	11,198.92	-6,968.29	873.24	7,017.74	0.11	-0.03	0.11
18,642.00	87.76	182.07	11,202.34	-7,062.15	869.38	7,110.92	0.68	-0.33	-0.60
18,737.00	87.43	181.24	11,206.32	-7,157.03	866.64	7,205.20	0.94	-0.35	-0.87
18,831.00	88.04	181.01	11,210.04	-7,250.93	864.80	7,298.59	0.69	0.65	-0.24
18,925.00	89.19	181.08	11,212.31	-7,344.89	863.09	7,392.05	1.23	1.22	0.07
19,019.00	88.56	179.96	11,214.16	-7,438.86	862.23	7,485.59	1.37	-0.67	-1.19
19,114.00	89.78	180.66	11,215.53	-7,533.85	861.72	7,580.18	1.48	1.28	0.74
19,208.00	88.96	180.32	11,216.57	-7,627.84	860.91	7,673.75	0.94	-0.87	-0.36
19,303.00	88.30	179.96	11,218.84	-7,722.81	860.68	7,768.34	0.79	-0.69	-0.38
19,397.00	87.88	180.16	11,221.97	-7,816.76	860.58	7,861.93	0.49	-0.45	0.21
19,492.00	87.98	178.66	11,225.40	-7,911.69	861.56	7,956.58	1.58	0.11	-1.58
19,586.00	90.76	181.65	11,226.44	-8,005.66	861.31	8,050.18	4.34	2.96	3.18
19,681.00	90.98	181.21	11,224.99	-8,100.62	858.94	8,144.58	0.52	0.23	-0.46
19,775.00	90.81	180.76	11,223.52	-8,194.60	857.32	8,238.06	0.51	-0.18	-0.48
19,870.00	90.90	180.76	11,222.11	-8,289.58	856.06	8,332.58	0.09	0.09	0.00
19,964.00	91.09	180.27	11,220.47	-8,383.56	855.22	8,426.13	0.56	0.20	-0.52
20,059.00	90.88	181.64	11,218.84	-8,478.53	853.63	8,520.61	1.46	-0.22	1.44
20,153.00	91.07	181.87	11,217.24	-8,572.47	850.75	8,613.95	0.32	0.20	0.24
20,247.00	89.64	182.58	11,216.66	-8,666.40	847.10	8,707.20	1.70	-1.52	0.76
20,342.00	89.79	183.53	11,217.13	-8,761.26	842.04	8,801.27	1.01	0.16	1.00
20,436.00	87.45	184.47	11,219.40	-8,855.00	835.49	8,894.09	2.68	-2.49	1.00
20,531.00	85.62	185.15	11,225.14	-8,949.48	827.54	8,987.53	2.05	-1.93	0.72
20,625.00	86.09	184.10	11,231.93	-9,042.93	819.98	9,079.97	1.22	0.50	-1.12
20,719.00	87.70	181.39	11,237.02	-9,136.67	815.48	9,172.97	3.35	1.71	-2.88
20,813.00	88.07	180.61	11,240.49	-9,230.59	813.85	9,266.40	0.92	0.39	-0.83
20,908.00	89.21	180.41	11,242.75	-9,325.56	813.00	9,360.93	1.22	1.20	-0.21
21,002.00	88.96	180.24	11,244.25	-9,419.55	812.47	9,454.52	0.32	-0.27	-0.18
21,097.00	88.13	179.41	11,246.66	-9,514.52	812.76	9,549.16	1.24	-0.87	-0.87
21,191.00	88.75	178.78	11,249.22	-9,608.47	814.24	9,642.88	0.94	0.66	-0.67
21,265.00	89.18	178.54	11,250.56	-9,682.44	815.97	9,716.72	0.67	0.58	-0.32
Final Phoenix MWD Survey									



Survey Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well 602H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3613.90usft (H&P 653)
Site:	Chimichangas 12 State Com	MD Reference:	RKB @ 3613.90usft (H&P 653)
Well:	602H	North Reference:	True
Wellbore:	OH / 67668	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 653)	Database:	USA Compass

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
21,326.00	89.18	178.54	11,251.43	-9,743.41	817.53	9,777.60	0.00	0.00	0.00
Projection to TD									

Survey Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
186.00	186.00	-0.82	-0.11	First Phoenix MWD Survey
21,265.00	11,250.56	-9,682.44	815.97	Final Phoenix MWD Survey
21,326.00	11,251.43	-9,743.41	817.53	Projection to TD

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude			NAD	

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude			NAD	

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude			NAD	

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017													
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name Chimichangas 12 State Com										
								6. Well Number: 602H										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
8. Name of Operator Centennial Resource Production, LLC						9. OGRID 372165												
10. Address of Operator 1001 17th St., Ste 1800 Denver CO 80202						11. Pool name or Wildcat OJO Chiso; Bone Spring (96553)												
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	A	12	22S	34E		730	N	1200	E	LEA								
BH:	P	13	22S	34E		89	S	358	E	LEA								
13. Date Spudded 4/29/21	14. Date T.D. Reached 5/12/21		15. Date Rig Released 5/12/21		16. Date Completed (Ready to Produce) 5/30/21			17. Elevations (DF and RKB, RT, GR, etc.) 3589..6										
18. Total Measured Depth of Well 21,326 MD 11,251 TVD			19. Plug Back Measured Depth 21,284		20. Was Directional Survey Made? Y			21. Type Electric and Other Logs Run Gamma Ray										
22. Producing Interval(s), of this completion - Top, Bottom, Name 11,461 - 21,280 Bone Spring																		
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
13-3/8		54.5		1,840		17-1/2		1545 sx CLC & CLH										
9-5/8		40		5,719		12-1/4		1840 sx Prolite/CL C										
5-1/2		20		21,316		8-3/4 & 8-1/2		3330 sx Prolite/CLH										
24. LINER RECORD						25. TUBING RECORD												
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET									
26. Perforation record (interval, size, and number) 11,461 - 21,280 Bone Spring 1962 Hole 0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>DEPTH INTERVAL</td> <td>AMOUNT AND KIND MATERIAL USED</td> </tr> <tr> <td>11,461 - 21,280</td> <td>Fluid 21,737,220 gal (15% Produced Water)</td> </tr> <tr> <td></td> <td>Sand 24,892,270 #</td> </tr> <tr> <td></td> <td></td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	11,461 - 21,280	Fluid 21,737,220 gal (15% Produced Water)		Sand 24,892,270 #		
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
11,461 - 21,280	Fluid 21,737,220 gal (15% Produced Water)																	
	Sand 24,892,270 #																	
28. PRODUCTION																		
Date First Production 5/31/21		Production Method (Flowing, gas lift, pumping - Size and type pump) Gas Lift				Well Status (Prod. or Shut-in) Producing												
Date of Test 6/11/21	Hours Tested 24	Choke Size 1.125	Prod'n For Test Period	Oil - Bbl 4,048	Gas - MCF 4,472	Water - Bbl. 4,995	Gas - Oil Ratio 1,105											
Flow Tubing Press.	Casing Pressure 560	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.) 41												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By Derrick Melton											
31. List Attachments C-104, C-102, Survey , Additional Point, C-103 (to be filed on-line)																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:											
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude _____ Longitude _____ NAD83																		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Signature <i>Sandra Belt</i>			Printed Name Sandra Belt			Title Regulatory Analyst			Date 6/23/21									
E-mail Address sandra@permianregulatory.com																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy	C. Canyon	5991	T. Ojo Alamo	T. Penn A"	
Rustler	T. Strawn		T. Kirtland	T. Penn. "B"	
B. Salt	T. Atoka		T. Fruitland	T. Penn. "C"	
T. Yates	T. Miss		T. Pictured Cliffs	T. Penn. "D"	
T. 7 Rivers	T. Devonian		T. Cliff House	T. Leadville	
T. Queen	T. Silurian		T. Menefee	T. Madison	
T. Grayburg	T. Montoya		T. Point Lookout	T. Elbert	
T. San Andres	T. Simpson		T. Mancos	T. McCracken	
T. Glorieta	T. McKee		T. Gallup	T. Ignacio Otzte	
T. Paddock	T. Ellenburger		Base Greenhorn	T. Granite	
T. Blinebry	T. Gr. Wash		T. Dakota		
T. Tubb	T. Delaware Sand		T. Morrison		
T. Drinkard	T. Bone Springs Lime	8532	T. Todilto		
T. Abo	T. FBSG	9605	T. Entrada		
T. Wolfcamp	T. SBSG Carb	9765	T. Wingate		
T. Penn	T. SBSB Sand	10112	T. Chinle		
T. Cisco (Bough C)	T. TBSG Carv	10409	T. Permian		

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 35837

ACKNOWLEDGMENTS

Operator: CENTENNIAL RESOURCE PRODUCTION, LLC 1001 17th Street, Suite 1800 Denver, CO 80202	OGRID: 372165
	Action Number: 35837
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 35837

CONDITIONS

Operator: CENTENNIAL RESOURCE PRODUCTION, LLC 1001 17th Street, Suite 1800 Denver, CO 80202	OGRID: 372165
	Action Number: 35837
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/7/2021