

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: BETONNIE TSOSIE Well Location: T23N / R8W / SEC 10 / County or Parish/State: SAN

WASH UNIT NESE / 36.240989 / -107.661625 JUAN / NM

Well Number: 110H Type of Well: OIL WELL Allottee or Tribe Name:

NAVAJO NATION

Lease Number: NMNM76842 Unit or CA Name: Unit or CA Number:

NMNM135219A

US Well Number: 3004535513 Well Status: Drilling Shut In Operator: DJR OPERATING LLC

Subsequent Report

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 09/03/2021 Time Sundry Submitted: 10:19

Date Operation Actually Began: 08/28/2021

Actual Procedure: Liner Casing & Cement / Depths have been adjusted for 25' KB of production rig 8/28/21: ad 1000 accepted on daywork. NU 11 inch 3M BOP with installed 11 inch 5M Cameron wellhead. PT 7 inch 26# J55 LTC casing 1500 psi for 30 min. Test good & recorded on chart. (3rd party Wilson Services). No regulatory agencies on site to witness. Drill 6.125 inch hole from 5605 ftKB to 5795 ftKB. 8/29/21: Drill 6.125 inch hole from 5795 ftKB to 9224 ftKB. 8/30/21: Drill 6.125 inch hole from 9224 ftKB to 10621 ftKB. 8/31/21: Drill 6.125 inch hole from 10621 ftKB to 11711 ftKB. Encountered pressure spike while performing slide. Circulate. TOH. Pump slug. Stand back non mag collars & MWD. Pull motor. Connection at bottom of bent housing came unscrewed leaving 6.125 inch bit, mandrel, transmission & rotor in hole. Total length of fish is about 25'. Due to low probability of success, decision made not to fish, call total depth of well & run liner. TIH with non mag drill collars. PU 6.125 inch bit & sub. TIH. Tagged top of fish at 11.677' TD (TVD 5308'). 9/1/21: Contacted NMOCD & BLM via email. Revise 4.5 inch liner cement as follows: Planned top at 5366'. Planned bottom at 11667' (assuming bottom of liner will be 45' above TD). 148 bbls (531 sx), Class G cement, 13.3 ppg, 1.56 yield, 40% excess. Revised cement design is attached. RU casing crew. Run 146 jts of 4.5 inch 11.6# BTC P-110 production liner set from TOL: 5353' BOL: 11672'. Float collar at 11658'. Alpha Sleeve at 11636'. Marker its at 5635', 8669', 11454'. RU American Services cement crew. 5000 psi test on lines. Test good. Class G cement with 40% excess. 147 bbls (530 sx) 13.3 ppg, 1.56 yield, 7.70 gps. Bump plug 1887 psi, pressure up to 2909 psi & hold for 5 min. 40 bbls good cement to surface. TOC: 5353' BOC: 11672'. No regulatory agencies on site to witness. RD cementers. 9/2/21: ND BOP. Install packoff. PT to 5000 psi. Test good. Install PV & night cap. Rig AD 1000 released on 9/2/21 at 1530 hrs.

Page 1 of 2

Received by OCD: 9/3/2021 10:23:04 AM
Well Name: BETONNIE TSOSIE

WASH UNIT

Well Location: T23N / R8W / SEC 10 / NESE / 36.240989 / -107.661625

County or Parish/State: SAN

JUAN / NM

Well Number: 110H

Type of Well: OIL WELL

Allottee or Tribe Name:

NAVAJO NATION

Lease Number: NMNM76842

Unit or CA Name:

Unit or CA Number: NMNM135219A

US Well Number: 3004535513

Well Status: Drilling Shut In

Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD Signed on: SEP 03, 2021 10:19 AM

Name: DJR OPERATING LLC Title: Regulatory Specialist Street Address: 1 Road 3263

Street Address. 1 Road 3203

City: Aztec State: NM

Phone: (505) 632-3476

Email address: sford@djrllc.com

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 46391

CONDITIONS

| Operator: | OGRID: |
|--------------------|--------------------------------|
| DJR OPERATING, LLC | 371838 |
| 1 Road 3263 | Action Number: |
| Aztec, NM 87410 | 46391 |
| | Action Type: |
| | [C-103] Sub. Drilling (C-103N) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| ksimmons | None | 9/8/2021 |