

<b>Well Name:</b> BETONNIE TSOSIE WASH UNIT	<b>Well Location:</b> T23N / R8W / SEC 35 / SWNW / 36.186745 / -107.65718	<b>County or Parish/State:</b> SAN JUAN / NM
<b>Well Number:</b> 504H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM76842	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b> NMNM135219A
<b>US Well Number:</b> 3004538240	<b>Well Status:</b> Drilling Well	<b>Operator:</b> DJR OPERATING LLC

Subsequent Report

<b>Sundry ID:</b> 2634149	
<b>Type of Submission:</b> Subsequent Report	<b>Type of Action:</b> Drilling Operations
<b>Date Sundry Submitted:</b> 09/14/2021	<b>Time Sundry Submitted:</b> 01:16
<b>Date Operation Actually Began:</b> 09/10/2021	

**Actual Procedure:** Intermediate Casing & Cement / Depths have been adjusted for 26' KB of production rig. 9/10/21: Drill 8.75 inch hole from 387 ftKB to 1000 ftKB. 9/11/21: Drill 8.75 inch hole from 1000 ftKB to 4214 ftKB. 9/12/21: Drill 8.75 inch hole from 4214 ftKB to 4994 ftKB. KOP 4262'. 9/13/21: Drill 8.75 inch hole from 4994 ftKB to 5282 ftKB. TOH. RU casing crew. Run 124 jts of 7 inch 26# J55 LTC casing set from surface to 5272' MD. Float collar at 5226'MD. RU cement crew. 5000 psi test on lines. Test good. Class g cement with 55% excess on both lead and tail. Lead cement: 152 (369 sx) 12.3 ppg, 2.32 yield, 13.2 gps. Tail cement: 66 bbls (251 sx) 13.5 ppg, 1.49 yield, 7.23 gps. Bump plug 1703 psi, pressure up to 2040 psi & hold for 5 min. 29 bbls good cement back to surface. TOC: surface BOC: 5272'. BLM Rep. "Casey" onsite to witness. 9/14/21: RD cementers. Install 7 inch casing packoff. Secure & test to 5000 psi. Test good. ND BOPE. Rig paused.

<b>Well Name:</b> BETONNIE TSOSIE WASH UNIT	<b>Well Location:</b> T23N / R8W / SEC 35 / SWNW / 36.186745 / -107.65718	<b>County or Parish/State:</b> SAN JUAN / NM
<b>Well Number:</b> 504H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM76842	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b> NMNM135219A
<b>US Well Number:</b> 3004538240	<b>Well Status:</b> Drilling Well	<b>Operator:</b> DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

<b>Operator Electronic Signature:</b> SHAW-MARIE FORD	<b>Signed on:</b> SEP 14, 2021 01:15 PM
<b>Name:</b> DJR OPERATING LLC	
<b>Title:</b> Regulatory Specialist	
<b>Street Address:</b> 1 Road 3263	
<b>City:</b> Aztec	<b>State:</b> NM
<b>Phone:</b> (505) 632-3476	
<b>Email address:</b> sford@djrlc.com	

Field Representative

<b>Representative Name:</b>		
<b>Street Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip:</b>
<b>Phone:</b>		
<b>Email address:</b>		

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 48639

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 48639
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/17/2021