

Well Name: FALCON 25 FED COM

Well Location: T24S / R33E / SEC 25 / SWSW / 32.1820023 / -103.5337894

County or Parish/State: LEA / NM

Well Number: 703H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM19858

Unit or CA Name:

Unit or CA Number:

US Well Number: 300254779300X1

Well Status: Producing Oil Well

Operator: EOG RESOURCES INCORPORATED

Notification

Sundry ID: 1340241

Type of Submission: Notification

Date Sundry Submitted: Feb 2, 2021

Date Operation will begin: Jan 29, 2021

Field Contact Name: C Felts

Rig Name:

Type of Action: Casing and Cementing

Time Sundry Submitted: 9:32:36 AM

Time Operation will begin: 11:00:00 AM

Field Contact Number: 4326363600

Rig Number: HP462

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
SURFACE	0	0	3544	1360	1360	2184

Procedure Description:

Disposition: Accepted

Accepted Date: 07/21/2021

1-30-2021 12 1/4" HOLE

1-30-2021 Surface Hole @ 1,395' MD, 1,322' TVD

Casing shoe @ 1,380' MD

Ran 9-5/8" 40# J-55 LTC

Lead Cement w/ 580 sx Class C (1.60 yld, 13.8 ppg), Trail w/105 sx Class C (1.33 yld, 14.8 ppg)

Test casing to 1,550 psi for 30 min - Good Circ 439 sx cement to surface Resume drilling 8-3/4" hole

Well Name: FALCON 25 FED COM	Well Location: T24S / R33E / SEC 25 / SWSW / 32.1820023 / -103.5337894	County or Parish/State: LEA / NM
Well Number: 703H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM19858	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254779300X1	Well Status: Producing Oil Well	Operator: EOG RESOURCES INCORPORATED

Notification

Sundry ID:	1340933	Type of Action:	Casing and Cementing
Type of Submission:	Notification	Time Sundry Submitted:	8:14:03 AM
Date Sundry Submitted:	Feb 8, 2021	Time Operation will begin:	11:00:00 AM
Date Operation will begin:	Feb 4, 2021	Field Contact Number:	4326363600
Field Contact Name:	C FELT	Rig Number:	HP462
Rig Name:			

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
INTERMEDIATE	0	0	3491	11480	11480	-7936

Procedure Description: 2-5-2021 8-3/4" HOLE
2-5-2021 Intermediate Hole @ 11,852' MD, 11,793' TVD
Casing shoe @ 11,837' MD
Ran 7-5/8", 29.7#, ECP-110 MO-FXL
Lead Cement w/ 425 sx Class H (1.19 yld, 15.6 ppg)
Test casing to 2,650 psi for 30 min - good Did not circ cement to surface, TOC @ 7,000' by Calc
Bradenhead squeeze w/ 1,000 sx Class C (1.52 yld, 14.8 ppg)
Stage 3: Top out w/ 207 sx Class C (1.37 yld, 15.6 ppg), Lines flushed w/ 5 bbls FW, TOC @ 83' by Echometer Resume drilling 6 3/4" hole

Disposition:	Accepted
Accepted Date:	07/09/2021

Well Name: FALCON 25 FED COM	Well Location: T24S / R33E / SEC 25 / SWSW / 32.1820023 / -103.5337894	County or Parish/State: LEA / NM
Well Number: 703H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM19858	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254779300X1	Well Status: Producing Oil Well	Operator: EOG RESOURCES INCORPORATED

Notification

Sundry ID:	1515755	Type of Action:	Casing and Cementing
Type of Submission:	Notification	Time Sundry Submitted:	9:20:10 AM
Date Sundry Submitted:	Feb 18, 2021	Time Operation will begin:	11:00:00 AM
Date Operation will begin:	Feb 14, 2021	Field Contact Number:	4326363600
Field Contact Name:	C FELTS	Rig Number:	HP462
Rig Name:			

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
PRODUCTION	0	0	3491	10980	10980	-7436
PRODUCTION	11480	11480	-7948	22751	12475	-8931
PRODUCTION	10980	10980	-7448	11480	11480	-7936

Procedure Description:	2-15-2021 6-3/4" hole 2-15-2021 Production Hole @ 22,585' MD, 12,401' TVD Casing shoe @ 22,581' MD, 12,401' TVD Ran 5-1/2", 20#, HCP-110 DWC/C IS MS 0' - 11,144' (MJ @ 192', 12018' and 22,097') Ran 5 1/2", 20# HCP-110 TLW-SC 11,144' - 12,018' Ran 5-1/2", 20#, HCP-110 DWC/C IS MS 12,018' - 22,581' Cement w/ 1,075 sx Class H (1.19 yld, 14.5 ppg) Test casing to 4,800 psi for 10 min - good. Did not circ cement to surface, TOC @ 10,837' by Calc RR 2-16-2021 Completion to follow
Disposition:	Accepted
Accepted Date:	07/09/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 50748

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 50748
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/23/2021