# **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

SUNDRY Do not use the	<ul><li>5. Lease Serial No. NMNM31200</li><li>6. If Indian, Allottee or Tribe Name</li></ul>						
abandoned we							
SUBMIT IN	7. If Unit or CA/Agreement, Name and/or No.						
Type of Well     Gas Well □ Oth	8. Well Name and No. LAKEWOOD FED 1						
2. Name of Operator SPUR ENERGY PARTNERS	9. API Well No. 30-015-24231-00-S1						
3a. Address 920 MEMORIAL CITY WAY S HOUSTON, TX 77024	3b. Phone No Ph: 832-93	o. (include area code) 80-8613		10. Field and Pool or Exploratory Area SEVEN RIVERS			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State		
Sec 34 T19S R25E SWSE 660FSL 1993FEL					EDDY COUNTY, NM		
12. CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICA	ΓΕ NATURE O	F NOTICE,	REPORT, OR OTH	ER DA	ATA
TYPE OF SUBMISSION			TYPE O	F ACTION			
□ Notice of Intent	☐ Acidize ☐ D		eepen		ion (Start/Resume)	☐ Water Shut-Off	
☐ Notice of Intent	☐ Alter Casing	☐ Hyd	raulic Fracturing	□ Reclams	] Reclamation		ell Integrity
Subsequent Report	□ Casing Repair	□ New	Construction	☐ Recomp	olete	☐ Oti	her
☐ Final Abandonment Notice	☐ Change Plans	Plug	and Abandon	□ Tempor	☐ Temporarily Abandon		
	☐ Convert to Injection	☐ Plug	Back	■ Water D	Disposal		
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for from 04/30/20 MIRU plugging equipments of 1/20 Set 5 1/2" CIBP @ 2 PSI. Spotted 25 sx class C cm 1305'-1058'. ND BOP. Spotted off.  05/06/20 Moved in backhoe a BLM verified cement to surfact off deadmen, cleaned location 14. I hereby certify that the foregoing is	rk will be performed or provide operations. If the operation repandonment Notices must be filinal inspection.  Dement. ND well head, NU (397'. Circulated hole w/ 5 (2397'-2150'. WOC. 10 (2397'-2150'). Wolden welder, dug out cellar, e. Welded on "Above Gron, and moved off.	BOP. Latche  55 BBLS MLF  Tagged plug (8' & circulated	e completion or recoverequirements, included onto RBP & Pressure tested to surface. Right ead, and Gilbert	A. Required sulterment of the control of the contro	osequent reports must be finew interval, a Form 3160 n, have been completed an 600 s C cmt @ moved	iled witl -4 must	hin 30 days be filed once
Comn	Electronic Submission #	RGY PARTNE	RS LLC, sent to t RAH MCKINNEY	he Carlsbad	20 (20PP1871SE)		
Transe (Transe at Type at ) State at 1	. 011/11/11/11		TALL TREGOL	JATORA DII	CEOTOR		
Signature (Electronic S	Submission)		Date 05/13/2	2020			
epted for record – NMOCD gc 9/21/20	THIS SPACE FO	OR FEDERA	L OR STATE	OFFICE U	SE		
Approved By ACCEPT	ED			H MCKINNE STRUMENT	Y S EXAMINER	I	Date 05/14/2020
Conditions of approval, if any, are attache certify that the applicant holds legal or equivalent would entitle the applicant to conduct the conductive conductive conductive conductive conductive conductive conductive cond	uitable title to those rights in the	s not warrant or e subject lease	Office Carlsba	d			
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent					ake to any department or a	gency o	f the United

(Instructions on page 2) \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\*

## Revisions to Operator-Submitted EC Data for Sundry Notice #515276

**Operator Submitted** 

**BLM Revised (AFMSS)** 

Sundry Type:

ABD SR

ABD SR

Lease: NMNM31200 NMNM31200

Agreement:

Operator:

SPUR ENERGY PARTNERS LLC 920 MEMORIAL CITY WAY SUITE 1000 HOUSTON, TX 77024

Ph: 832-930-8502

SPUR ENERGY PARTNERS LLC 920 MEMORIAL CITY WAY STE 1000 HOUSTON, TX 77024

Ph: 281.795.2286

Admin Contact:

SARAH E CHAPMAN REGULATORY DIRECTOR

E-Mail: SCHAPMAN@SPUREPLLC.COM

Cell: 281-642-5503 Ph: 832-930-8613

SARAH E CHAPMAN REGULATORY DIRECTOR

E-Mail: SCHAPMAN@SPUREPLLC.COM

Cell: 281-642-5503 Ph: 832-930-8613

Tech Contact:

SARAH E CHAPMAN REGULATORY DIRECTOR E-Mail: SCHAPMAN@SPUREPLLC.COM

Cell: 281-642-5503 Ph: 832-930-8613

SARAH E CHAPMAN REGULATORY DIRECTOR

E-Mail: SCHAPMAN@SPUREPLLC.COM

Cell: 281-642-5503 Ph: 832-930-8613

Location:

Field/Pool:

NM EDDY State: County:

NM EDDY

SEVEN RIVERS SEVEN RIVERS

Well/Facility:

LAKEWOOD FEDERAL 1

Sec 34 T19S R25E Mer NMP SWSE 660FSL 1993FEL

32.611469 N Lat, 104.470481 W Lon

LAKEWOOD FED 1

Sec 34 T19S R25E SWSE 660FSL 1993FEL

API#		•	30-015-2					County, ST	Eddy County, NM
Operator		Spur	Energy P		's LLC	Lakewood Fed	leral #1	Sec-Twn-Rng	34-19S-25E
Field			Seven F					Footage	660' FSL and 1993' FE
Spud Date			8/18/1	962				Survey	
Forma	ation (N	1D)	Ī		RKB	7		Well History	
San And		,	İ		GL 3509'	7			
Gloriet	a		İ			<u>-</u>			
Yeso			]		Hole Size 11"				
Bone Spr					TOC surf				
Wolfcar					Method 1"	_			
Canyo			1		F	_			
Strawı					Csg Depth 488'	4			
Atoka					Size 8-5/8"	-			
Morro	w		1		Weight 24ppf Grade	-			
					Connections	-			
					Cement 380sx	1 / 1			
					Centent 5000x				
14-	C:	Darath		ig Det	ail - n/a				
Jts	Size	Depth	Length		Detail	<del></del>			
						<b>─</b>			
							3		
							_	Retreivable Bridge Plug @ 1,450'	
								Netreivable bridge ridg @ 1,450	
							<u>\$</u>		
•			•	-					
					il - n/a			<u>Perforations</u>	
Rods	Size	Depth	Length	Guides	Detail			2442'-2686' (Glorieta/Yeso)	
						<del> </del>			
						<del> </del>			
					L				
			<u> </u>		Hole Size 7-7/8"				
					Hole Size 7-7/8"	 			
					TOC surf				
					TOC surf	]			
					TOC surf Method circ return				
					TOC surf Method circ return  Csg Depth 3148'	]			
			l		TOC surf Method circ return				
					TOC surf Method circ return  Csg Depth 3148' Size 5-1/2" Weight 14ppf				
					TOC surf Method circ return  Csg Depth 3148' Size 5-1/2" Weight 14ppf Grade K55				
					TOC surf Method circ return  Csg Depth 3148' Size 5-1/2" Weight 14ppf				

4/9/2019 GAW

Last Update By PBTD TD MD TD TVD 3122' 3150'

3150'

#### API# 30-015-24231 County, ST Eddy County, NM 34-19S-25E 660' FSL and 1993' FEL Operator Spur Energy Partners LLC Sec-Twn-Rng Lakewood Federal #1 Seven Rivers Field Footage Spud Date 8/18/1982 Survey Formation (MD) RKB **Well History** San Andres GL 3509' Glorieta Hole Size 11" Yeso Bone Spring TOC surf Wolfcamp Method Canyon 488' Strawn Csg Depth Atoka 8-5/8" Morrow Weight 24ppf Grade Connections 380sx Cement Spot 60sx cmt from 3'-538' Spot 25sx cmt from 1200'-1305' Tubing Detail Jts Size Depth Length Detail Spot 25sx cmt from 2145'-2342' ><CIBP at 2342' Rod Detail <u>Perforations</u> 2442'-2686' (Glorieta/Yeso) Size Depth Length Guide Rods Detail Hole Size 7-7/8" TOC surf Method circ returns Csg Depth 3148' Size 5-1/2" Weight 14ppf K55 Grade Connections 500sx Cement PBTD 3122' Last Update 3/9/2017 TD MD 3150' TD TVD 3150' Ву

D 1 1 7 1 0/2//2021 10 22 /2 /3

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 47129

## **CONDITIONS**

Operator:	OGRID:
Spur Energy Partners LLC	328947
9655 Katy Freeway	Action Number:
Houston, TX 77024	47129
	Action Type:
	[C-103] Sub. Plugging (C-103P)

### CONDITIONS

Created By	Condition	Condition Date
gcordero	None	9/21/2021