

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-31550
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator WPX Energy Permian, LLC		6. State Oil & Gas Lease No. 303257
3. Address of Operator 3500 One WILLIAMS Center MD 35 Tulsa, OK 74112		7. Lease Name or Unit Agreement Name Geronimo 34 State Com
4. Well Location Unit Letter <u>H</u> : 1650 feet from the <u>North</u> line and <u>1140</u> feet from the <u>East</u> line Section <u>34</u> Township <u>17S</u> Range <u>28E</u> NMPM Eddy County, <u>NM</u>		8. Well Number 002
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,671' KB		9. OGRID Number 246289
10. Pool name or Wildcat Empire; Penn (Gas)		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐
 OTHER: Devon Company Rep Notified 8/17/21 ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

8-19-21. Move in P&A Equipment & Rig #104. Spot equipment.
 8-20-21 Open well with 0 psi on casing. N/D wellhead & flowline. N/U BOP's. R/U Catwalk & pipe racks. Stand by on tbq. Unload work sting on racks & Tally. TIH picking up 50 jts.
 8-23-21 Open well with 0 psi on tbq & casing. TIH picking up 334 jts. Tagged to of CIBP @ 10384'. Laid down 1 jts. Circulate well around with 220 bbl.'s of Salt Gel. Tested casing @ 500 psi & held for 30 mins. Release psi.
 8-24-21 Open well with 0 psi on tbq & casing. Pump plug @ 10384'-10200'. (25 sxs). POOH laying down 12 jts. Pump plug @ 9901'-9711'. (25 sxs). POOH laying down 5 jts. Rig motor went down. Shut well in. Reverse circulate well around double capacity. (110 bbl.'s).
 8-25-21 Put new motor on rig.
 8-26-21. Open well with 0 psi on tbq & casing. Pump plug # 9770'-9567'. (25 sxs). TOH laying down 9 jts. Pump plug @ 9506'-9316'. (25 sxs). TOH laying down 77 jts. Pump plug @ 7127'-6957' (25sxs). TOH laying down 43 jts. Pump plug @ 5805'-5655'. (25 sxs). TOH laying down 23 jts. Pump plug @ 5091'-4941'. (25 sxs). TOH standing back 10 stands. Reverse circulate.
 8-27-21. Open well with 0 psi on tbq & casing. TIH & tagged @ 4830'. TOH laying down 53 jts. Pump plug @ 3457'-3327'. (25 sxs). TOH laying down 22 jts. Pump plug @ 2765'-2645'. (25 sxs). TOH standing back 10 stands. Reverse circulate.
 8-28-21 Open well with 0 psi on tbq & casing. TIH & tagged @ 2520'. TOH laying down 79 jts. R/U W-L. Perf @ 772'-771'. Pump in @ 3 BPM @ 300 psi. Pump plug @ 772'-393'. (110 sxs). TOH standing back tbq. Reverse circulate & WOC. TIH & Tagged @ 380'. POOH laying down 10 jts. R/U W-L. Perf @ 63'-62'. TOH & R/O W-L. Pump plug @ 63'-0'. (25 sxs). R/D tbq equipment & n/d BOP's. R/D Rig. Olg out wellhead.
 9-1-21 Cut off wellhead. Welded on cap with above ground marker. Restore wellhead site.

Spud Date:

02/03/2001

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge.

SIGNATURE

TITLE Manager

DATE 9/7/21

Type or print name Trey Smith

E-mail address: trsmith@spnws.com

PHONE: 940-372-2836

For State Use Only

APPROVED BY: [Signature]

TITLE Staff Manager

DATE 9/27/2021

Conditions of Approval (if any):

Devon - Internal

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: GERONIMO ` 34` STATE COM 2	Field: Parkway North
Location: 1650 FNL 1140 FEL SEC 34-T17S-R28E	County: Eddy State: New Mexico
Elevation: 3671' GL	Spud Date: 2/3/2001 Compl Date: 5/29/2001
API#: 30-015-31550	Prepared by: Max Lubitz Date: 9/9/21 Rev:

FINAL WELLBORE

13-3/8" @ 443'

Cmt'd w/430 sx to surface

9-5/8" @ 2700'

Cmt'd w/1000 sx to surface

DV Tool @ 5016'

Perforations:
10,461-10,472'5.5" Liner @ 10,600'

Cmt'd w/1810 sx cmt

10# MUD

10# MUD

10# MUD

10# MUD

10# MUD

10# MUD

10# MUD

10# MUD

10,600'

Proposed:

1. Perf @ 63'
2. Sqz 25 sx CI C from 63' - surface.
3. Cut WH off 3' BGL, set dry hole marker

1. Perf @ 772'
2. Sqz 110 sx CI C from 772-380'.
(T. Yates, T. Anhy, 13 3/8 casing shoe)

Spot 25 sx cmt from 2,765-2520'.
(9 5/8 casing shoe)Spot 25 sx cmt from 3,457-3,327'.
(T. Glor)Spot 25 sx cmt from 5,091-4,830'.
(DV Tool)Spot 25 sx cmt from 5,805-5,655'.
(T. Abo)Spot 25 sx cmt from 7,127-6957'.
(T. Wolfcamp)Spot 25 sx CI H from 9506'-9316'.
(T. Strawn)Spot 50 sx CI H from 9901'-9567'.
(T. Atoka)

1. Set CIBP @ 10,384'. Tag. Circ 10# salt gel. Leak test.
2. Spot 55 sx CI H from 10,384'-10,200'.

PBTD @ 10,560'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 49031

CONDITIONS

Operator: WPX Energy Permian, LLC Devon Energy - Regulatory Oklahoma City, OK 73102	OGRID: 246289
	Action Number: 49031
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	9/27/2021