J.S. Department of the Interior		Sundry Print Repor
UREAU OF LAND MANAGEMENT		Alter AND Street
Well Name: SAN JUAN 30-5 UNIT NP	Well Location: T30N / R5W / SEC 34 / NENE / 36.773041 / -107.339127	County or Parish/State: RIO ARRIBA / NM
Well Number: 100	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM012332	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003923175	Well Status: Producing Gas Well	Operator: HILCORP ENERGY COMPANY
		NMOCD - JAG

Notice of Intent

Sundry ID: 2633570

Type of Submission: Notice of Intent

Date Sundry Submitted: 09/10/2021

Date proposed operation will begin: 09/30/2021

Procedure Description: Hilcorp Energy Company requests permission to recomplete the subject well in the Blanco Mesaverde and downhole commingle with the existing Basin Dakota. Please see the attached procedure, wellbore diagram, plat and natural gas management plan. A closed loop system will be used. A pre-reclamation site visit was held on 9/8/2021 with Bob Switzer/BLM. The reclamation plan is attached.

Type of Action: Recompletion

Time Sundry Submitted: 10:18

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

San_Juan_30_5_100_Reclamation_Plan_20210910101806.pdf

San_Juan_30_5_Unit_100_NGMP_20210910101806.pdf

SJ_30_5_Unit_100_C102_20210910101806.pdf

SJ_30_5_Unit_100_WBD_20210910101806.pdf

SAN_JUAN_30_5_UNIT_100___Recompleteion_NOI_20210910101806.pdf

Received by OCD: 9/17/2021 7:30:39 AM Well Name: SAN JUAN 30-5 UNIT NP	Well Location: T30N / R5W / SEC 34 / NENE / 36.773041 / -107.339127	County or Parish/State: RIO
Well Number: 100	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM012332	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003923175	Well Status: Producing Gas Well	Operator: HILCORP ENERGY COMPANY

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: KANDIS ROLAND Name: HILCORP ENERGY COMPANY Title: Operation Regulatory Tech Street Address: 382 Road 3100 City: Farmington State: NM Phone: (505) 599-3400 Email address: kroland@hilcorp.com

Field Representative

Representative Name: Street Address: City: State: Phone: Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Phone: 5055647742 Disposition: Approved Signature: Kenneth Rennick BLM POC Title: Petroleum Engineer BLM POC Email Address: krennick@blm.gov

Zip:

Signed on: SEP 10, 2021 10:18 AM

Disposition Date: 09/16/2021

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Page 3 of 12

Permit 300381

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-039-23175	72319	BLANCO-MESAVERDE (PRORATED GAS)
4. Property Code	5. Property Name	6. Well No.
318433	SAN JUAN 30 5 UNIT	100
7. OGRID No.	8. Operator Name	9. Elevation
372171	HILCORP ENERGY COMPANY	6926

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
A	. 34	30N	05W		1150	N	1150	E	RIO
									ARRIBA
	•	-		-					

11. Bottom Hole Location If Different From Surface UL - Lot Lot Idn Feet From N/S Line Feet From E/W Line Section Township Range County 12. Dedicated Acres 13. Joint or Infill 14. Consolidation Code 15. Order No. 320.00 N/2

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
E-Signed By: Kandis Roland Title: Regulatory Tech Date: 9/10/2021
SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
Surveyed By: Fred Kerr
Date of Survey: 11/8/1982
Certificate Number: 3950



HILCORP ENERGY COMPANY SAN JUAN 30-5 UNIT 100 MESA VERDE RECOMPLETION SUNDRY

JOB PROCEDURES

- 1. MIRU Service rig and associated equipment, test BOP. Check Bradenhead pressures daily and record throughout the recomplete project. Notify NMOCD and BLM if any anomalous pressures changes occur on the Bradenhead.
- 2. TOOH with 2 3/8" tubing set at 8,215'.
- 3. Set a 4-1/2" plug at +/- 8,170' or deeper to isolate the Dakota.
- 4. Fill hole with water and run CBL to evaluate cement top. Inform agencies of results, and if recomplete is deemed to be viable make plan for squeezing if additional cement coverage is needed above proposed production zones. If existing cement provides adequate isolation, continue with recomplete procedure.
- 5. Fill hole and perform MIT, providing 24 hr notice to BLM and NMOCD. Once completed, review and submit MIT test results to both agencies. If MIT fails, discuss and gain approval for plan of action to remediate wellbore. Test again to ensure integrity if remedial action was completed.
- 6. Optionally set a bridge plug below the intended recomplete interval. Complete any needed squeeze work if zonal isolation is needed.
- 7. N/D BOP, N/U frac stack and pressure test frac stack to maximum frac pressure.
- 8. Perforate and frac the Mesa Verde formation within depths 5,650' 6,470'
- 9. Optionally set a kill plug above recomplete interval for casing fracs.
- 10. ND the frac stack, NU the BOP and test.
- 11. MU and TIH with a mill. Tag and drill out the top isolation plug and Mesa Verde frac plugs if applicable
- 12. Clean out the wellbore to the top of the Dakota isolation plug.
- 13. Circulate air to clean up well. Once water and sand rates are acceptable, if commingle is desired drill out the Dakota isolation plug and cleanout to PBTD of 8,350'. TOOH
- 14. TIH and land production tubing. Obtain a flowrate for intial production and for allocation purposes if Mesaverde and Dakota are commingled.

Hilcorp Energy Company

WBD

Well Name: SAN JUAN 30-5 UNIT #100

003923175 ound Elevation	(54)	Lahee Casing Flange Elevation	Area AREA 12 on (ft) KB-Ground Dista	Field Name DK	Route 1204 KB-Casing Flange Distance (License No.	State/Province NEW MEXICO Rig Release Date
926.00	(11)	Casing Flange Elevation	13.00	nce (II)	KB-Casing Flange Distance (t) Original Spud Date 6/20/1984 00:00	4/7/1984 00:00
D: 8,369	.0		Vertical,	Original Hole,	8/20/2021 1:00:03 PM		
MD (ftKB)	DL S			Vert	ical schematic (actual)		
	DL —						
-202.8 —							
12.8 –		(final)					
13.0 -	m		MANUALA DALAMANI MANUALA MANUALA MANUALA				RAUTALIONULAD KULIMBAU AMURAUMBURAUKADA
13.1 –							
199.6			SING CEMENT; Cemer 13.00-386.00 ftK	В		· · · · · · · · · · · · · · · · · · ·	
386.2 -		Surface Casing; 9 9	5/8 in; 8.92 in; 36.00 lb/ K-55; 13.00-386.00 ftK				
1,443.1 —							
2,500.0 -							
2,750.0 -							
3,000.0 -		– Ojo Alamo (final) INTERMEDIATE CA	SING CEMENT; Cemer	nt;			
3,611.1 –		Pictured Cliffs (final)	2,500.00-4,222.00 ftK				
4,222.1 -		Intermediate Casing K	; 7 in; 6.46 in; 20.00 lb/ (-55; 13.00-4,222.00 ftK SING CEMENT; Cemer	В		1-1; Tubing; 2 3/8 8,214.89; 8,202.0	3; 2.00; 4.70; J-55; 12.89-)0
6,218.5 –	-	· · ·	3,000.00-8,369.00 ftK	В			
8,214.9 –	_	Green Horn (final) 💻					
8,217.5 —							
8,220.1 —						BASIN::DAKOTA	A; 8,220.00-8,278.00
8,249.0 -		SWF; 8,22	0.00-8,278.00; 8/24/198	34•		Perf; 8,220.14-8, Perforated	277.89; 8/22/1984;
8,277.9 —							
8,323.5 –							
8,369.1 –		Production Casin Ib/ft; K	ıg; 4 1/2 in; 4.00 in; 11.6 -55; 13.00-8,369.00 ftK	80 В			
8,578.3 –							

Submit Electronically

Via E-permitting

State of New Mexico Energy, Minerals and Natural Resources Department

> **Oil Conservation Division** 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp Energy Company

OGRID: 372171 **Date:** 9/1/2021

II. Type: \square Original \square Amendment due to \square 19.15.27.9.D(6)(a) NMAC \square 19.15.27.9.D(6)(b) NMAC \square Other.

If Other, please describe:

III. Well(s): Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
SJ 30-5 Unit 100	3003923175	A, 34, 30N, 05W	1150 FNL & 1150 FEL	0.2	600	5

IV. Central Delivery Point Name: Ignacio Processing Plant [See 19.15.27.9(D)(1) NMAC]

V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	Spud Date	TD Reached Date	Completion Commencement Date	Initial Flow Back Date	First Production Date
SJ 30-5 Unit 100	3003923175	N/A	N/A	N/A	N/A	Oct 2021

VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture.

VII. Operational Practices: 🛛 Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.

VIII. Best Management Practices: 🖂 Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

Section 3 - Certifications

Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

 \boxtimes Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

 \Box Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. *If Operator checks this box, Operator will select one of the following:*

Well Shut-In. \Box Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan. \Box Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - \circ $\;$ This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1 4.
- 5. Subsection (E) Performance standards
 - All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

COMMENTS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	49602
	Action Type:
	[C-103] NOI Recompletion (C-103E)

COMMENTS

Created By	Comment	Comment Date
kpickford	KP GEO Review 9/23/2021	9/23/2021
kpickford	DHC-5160	9/23/2021

COMMENTS

Page 11 of 12

Action 49602

.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462 **Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

State of New Mexico

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	49602
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By	Condition	Condition Date
kpickford	None	9/23/2021

Page 12 of 12 CONDITIONS

Action 49602

.