

Well Name: BLUE MARLIN FED COM	Well Location: T25S / R36E / SEC 19 / SESW / 32.1094006 / -103.3055407	County or Parish/State: LEA / NM
Well Number: 212H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM127448	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549196	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2631443

Type of Submission: Subsequent Report

Date Sundry Submitted: 08/30/2021

Date Operation Actually Began: 08/22/2021

Type of Action: Drilling Operations

Time Sundry Submitted: 02:41

Actual Procedure: 8/22/2021: Drill 17.5 inch surface hole to 1316 ft. Run 13.375 inch 54.5 lb J55 surface casing to 1302 ft. Pump 20 bbls freshwater, and 40 bbls gel with CTB-15, followed by 785 sks of 13.5 ppg lead cmt, 345 sks of 14.8 ppg tail cmt. Drop plug and displace with 190 bbls of brine. 190 bbls of cement returned back to surface. Pressure test casing to 1500 PSI for 30 minutes, good test. 8/24/2021: Test BOPS. Drill 12.25 inch first intermediate hole to 5453 ft. 8/25/2021: Run 9.625 inch 40 lb J55 first intermediate casing to 5438 ft. Pump 20 bbls chem wash, 20 bbls visc water, followed by 1155 sks of 11.5 ppg lead cmt, 419 sks of 14.8 ppg tail cmt. Drop plug and displace with 409 bbls of freshwater. 60 bbls of cement returned to surface. Pressure test casing to 1500 PSI for 30 minutes, good test. 8/26/2021: Drill 8.75 inch second intermediate hole to 11630 ft. 8/29/2021: Run 7.625 inch 29.7 lb P-110 second intermediate casing to 11533 ft. Pump 20 bbls chem wash, 20 bbls visc water, followed by 473 sks of 10.5 lead cmt, 138 sks of 13.2 ppg tail cmt. Drop plug and displace with 527 bbls of cut freshwater. 90 bbls of cement to surface. Pressure test casing to 2550 PSI for 30 minutes, good test. Surface Casing Details: Casing ran: 8/22/2021, Fluid Type Fresh Water, Hole 17.5 inch, Csg Size 13.375 inch, Weight 54.5 lbs, Grade J55, Est TOC 0 ft, Depth set 1302 ft, Cement 1130 sacks, Yield 1.33, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. First Intermediate Casing Details: Casing ran: 8/25/2021, Fluid Type Brine, Hole 12.25 inch, Csg Size 9.625 inch, Weight 40 lbs, Grade J55, Est TOC 0 ft, Depth set 5438 ft, Cement 1574 sacks, Yield 1.33, Class C, Pressure Held 1500 psi, Pres Drop 0. Second Intermediate Casing Details: Casing ran: 8/29/2021, Fluid Type Cut Brine, Hole 8.75 inch, Csg Size 7.625 inch, Weight 29.7 lbs, Grade P-110, Est TOC 0 ft, Depth set 11533 ft, Cement 611 sacks, Yield 1.35, Class H, Pressure Held 2550 psi, Pres Drop 0.

Received by OCD: 10/4/2021 11:02:45 AM

Page 2 of 3

Well Name: BLUE MARLIN FED COM	Well Location: T25S / R36E / SEC 19 / SESW / 32.1094006 / -103.3055407	County or Parish/State: LEA / NM
Well Number: 212H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM127448	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549196	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: BILL RAMSEY	Signed on: AUG 30, 2021 02:41 PM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 360-4028	
Email address: BRAMSEY@TAPRK.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 10/01/2021
Signature: Jonathon Shepard	

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 53726

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 53726
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	10/5/2021