

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30 - 0 25-47032	⁵ Pool Name WC-025 G-09 S243310P;UPPER WOLFCAMP		⁶ Pool Code 98135
⁷ Property Code 325410	⁸ Property Name HYPERION STATE		⁹ Well Number 204H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	20	24-S	33-E	-	609'	NORTH	1247'	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	20	24-S	33-E	-	30'	SOUTH	886'	EAST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 7/18/2021	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	ENLINK MIDSTREAM OPERATING, LP 1722 ROUTH ST. SUITE 1300 DALLAS, TX 75201	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 3/24/2021	²² Ready Date 7/15/2021	²³ TD 17824'	²⁴ PBTD 17762'	²⁵ Perforations 12852' - 17675'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1205'	910 SKS		
9.875"	7.625"	12098'	980 SKS		
6.75"	5.5"	17810'	945 SKS		

V. Well Test Data

³¹ Date New Oil 7/18/2021	³² Gas Delivery Date 7/18/2021	³³ Test Date 7/23/2021	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 2305
³⁷ Choke Size 40/64	³⁸ Oil 1956	³⁹ Water 6681	⁴⁰ Gas 4781		⁴¹ Test Method FLOWING
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Bill Ramsey			Approved by: KURT SIMMONS		
Title: Regulatory Analyst			Title: NMOCD, SANTA FE		
E-mail Address: bramsey@taprk.com			Approval Date: 10/06/2021		
Date: 7/26/2021		Phone: 720-238-2787			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87605
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ **AMENDED REPORT**
AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-47032		² Pool Code 98135	³ Pool Name WC-025 G-09 S243310P; UPPER WOLFCAMP	
⁴ Property Code 325410	⁵ Property Name HYPERION STATE			⁶ Well Number 204H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.			⁹ Elevation 3563'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	20	24-S	33-E	—	609'	NORTH	1247'	EAST	LEA


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	20	24-S	33-E	—	30'	SOUTH	886'	EAST	LEA

¹² Dedicated Acres 160	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



SECTION 20, TOWNSHIP 24-S, RANGE 33-E, N.M.P.M.
LEA COUNTY, NEW MEXICO

LEASE NAME & WELL NO.: _____ HYPERION STATE 204H
 SECTION 20 TWP 24-S RGE 33-E SURVEY N.M.P.M.
 COUNTY LEA STATE NM ELEVATION 3563'
 DESCRIPTION 609' FNL & 1247' FEL

INTERNAL
PRE-COMPLETION
PLAT



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
 TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
 2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
 TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
 WWW.TOPOGRAPHIC.COM

HYPERION STATE 204H PRE-COMPLETION	REVISION:	
	INT	DATE
DATE: 06/09/2021		
FILE: C_HYPERION_STATE_204H		
DRAWN BY: A.V.F.		
SHEET: 1 OF 1		

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



Operator: Tap Rock Resources LLC
Well Name: Hyperion State #204H
County: Lea
State: New Mexico
Rig Name: H&P 261
API: 30-025-47032

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 235' MD – 17,744' MD
Projection to Bit: 17,824' MD
Dates Performed: 3/24/2021 – 6/4/2021.
Type of Survey: MWD

A handwritten signature in black ink, appearing to read "T. Henk".

Sincerely,

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Survey Report

Service Company: Intrepid DDS

Location: Sec-20_T-24-S_R-33-E

Well: Hyperion State 204H

Rig: H&P 261

API or UWI: 30-025-47032

Job Number: ID2845

State: NM

Operating Company: Tap Rock Resources, LLC

County: Lea

Magnetic Declination: 6.00

Country: U.S.A.

Proposed Azimuth: 179.58

Comment

North Reference: GRID

Latitude: 0

Longitude: 0

Tie-In Data

MD	Inclination	Azimuth	TVD	NS	EW
0.00	0.00	0.00	0.00	0.00	0.00

Survey Data

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
235.00	0.66	45.73	234.99	0.94	0.97	45.73	1.35	-0.94	0.28
326.00	0.66	56.36	325.99	1.60	1.78	48.04	2.39	-1.59	0.13
414.00	0.53	61.11	413.98	2.08	2.56	50.92	3.30	-2.06	0.16
504.00	0.84	50.82	503.98	2.70	3.43	51.87	4.37	-2.67	0.37
601.00	0.97	57.86	600.97	3.58	4.68	52.58	5.89	-3.55	0.18
696.00	0.75	59.26	695.95	4.33	5.90	53.72	7.31	-4.28	0.23
791.00	0.79	90.64	790.95	4.64	7.09	56.79	8.47	-4.59	0.44
886.00	0.88	91.78	885.94	4.61	8.47	61.45	9.64	-4.55	0.10
980.00	0.75	75.52	979.93	4.74	9.79	64.16	10.87	-4.67	0.28
1075.00	0.62	61.37	1074.92	5.14	10.84	64.63	12.00	-5.06	0.22
1154.00	0.48	56.63	1153.92	5.53	11.49	64.31	12.75	-5.44	0.19
1223.00	0.75	351.67	1222.91	6.13	11.67	62.27	13.18	-6.05	1.01
1317.00	0.79	340.34	1316.90	7.35	11.36	57.09	13.53	-7.27	0.17
1411.00	0.79	358.71	1410.90	8.61	11.13	52.27	14.07	-8.53	0.27
1506.00	2.20	35.27	1505.86	10.75	12.17	48.52	16.24	-10.67	1.72
1600.00	2.55	34.30	1599.78	13.96	14.39	45.87	20.04	-13.85	0.37

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
1694.00	2.37	42.21	1693.70	17.12	16.87	44.58	24.04	-17.00	0.41
1789.00	2.51	41.95	1788.61	20.12	19.58	44.22	28.08	-19.98	0.15
1883.00	2.59	35.71	1882.52	23.38	22.20	43.51	32.24	-23.22	0.31
1977.00	2.73	31.49	1976.42	27.01	24.61	42.33	36.54	-26.83	0.26
2071.00	4.26	34.39	2070.24	31.80	27.75	41.10	42.21	-31.60	1.64
2166.00	5.14	35.71	2164.92	38.17	32.22	40.17	49.95	-37.93	0.93
2260.00	5.01	39.22	2258.55	44.77	37.28	39.78	58.26	-44.50	0.36
2354.00	6.55	28.68	2352.07	52.65	42.45	38.87	67.63	-52.34	1.98
2448.00	8.26	27.27	2445.28	63.36	48.11	37.21	79.56	-63.01	1.83
2542.00	8.26	26.48	2538.31	75.41	54.22	35.72	92.87	-75.01	0.12
2637.00	8.57	25.34	2632.29	87.91	60.29	34.44	106.60	-87.47	0.37
2731.00	8.53	24.81	2725.24	100.57	66.21	33.36	120.41	-100.08	0.09
2826.00	8.70	22.52	2819.17	113.60	71.92	32.34	134.45	-113.07	0.40
2920.00	8.88	32.02	2912.07	126.32	78.49	31.86	148.72	-125.74	1.55
3014.00	9.01	39.93	3004.93	138.12	87.06	32.23	163.27	-137.47	1.31
3109.00	8.88	41.07	3098.78	149.35	96.65	32.91	177.90	-148.64	0.23
3204.00	8.88	41.60	3192.64	160.36	106.34	33.55	192.41	-159.58	0.09
3298.00	8.70	45.46	3285.53	170.77	116.22	34.24	206.57	-169.92	0.66
3392.00	8.66	48.10	3378.46	180.48	126.56	35.04	220.44	-179.55	0.43
3487.00	9.14	52.93	3472.31	189.81	137.90	36.00	234.62	-188.79	0.93
3581.00	7.87	44.41	3565.28	198.91	148.36	36.72	248.14	-197.81	1.90
3675.00	6.90	37.29	3658.50	208.00	156.29	36.92	260.17	-206.85	1.42
3769.00	7.08	40.10	3751.81	216.92	163.44	37.00	271.60	-215.72	0.41
3863.00	6.81	37.03	3845.12	225.80	170.53	37.06	282.96	-224.55	0.49
3957.00	6.95	33.77	3938.44	234.98	177.05	37.00	294.21	-233.67	0.44
4052.00	6.46	31.14	4032.79	244.33	183.00	36.83	305.27	-242.98	0.61
4146.00	6.11	25.51	4126.23	253.37	187.89	36.56	315.44	-251.99	0.75
4240.00	5.89	19.45	4219.71	262.43	191.65	36.14	324.97	-261.02	0.71
4335.00	5.85	19.27	4314.21	271.60	194.87	35.66	334.28	-270.16	0.05
4429.00	6.02	24.46	4407.71	280.61	198.50	35.27	343.72	-279.15	0.60
4523.00	7.47	39.66	4501.06	289.80	204.44	35.20	354.65	-288.29	2.43
4617.00	6.64	42.12	4594.35	298.54	211.98	35.38	366.14	-296.97	0.94
4712.00	6.24	54.08	4688.76	305.64	219.85	35.73	376.50	-304.02	1.47
4806.00	6.42	57.15	4782.18	311.49	228.40	36.25	386.25	-309.80	0.41
4900.00	7.56	50.12	4875.49	318.30	237.56	36.74	397.18	-316.55	1.51
4994.00	7.43	33.25	4968.69	327.35	245.64	36.88	409.27	-325.54	2.34
5088.00	8.66	26.21	5061.77	338.78	252.10	36.65	422.29	-336.93	1.67

DigiDrill DataLogger

2/6

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
5182.00	8.97	23.49	5154.66	351.85	258.14	36.27	436.39	-349.95	0.55
5277.00	9.54	23.40	5248.42	365.87	264.22	35.84	451.31	-363.93	0.60
5372.00	9.58	21.03	5342.10	380.48	270.19	35.38	466.65	-378.48	0.42
5466.00	9.85	19.89	5434.75	395.34	275.73	34.89	481.99	-393.31	0.35
5560.00	9.45	20.85	5527.42	410.11	281.21	34.44	497.26	-408.04	0.46
5653.00	9.67	27.18	5619.14	424.19	287.50	34.13	512.44	-422.07	1.15
5748.00	9.36	40.54	5712.84	437.16	296.16	34.12	528.04	-434.98	2.34
5842.00	9.67	41.07	5805.55	448.92	306.32	34.31	543.47	-446.67	0.34
5936.00	10.07	39.84	5898.16	461.19	316.77	34.48	559.50	-458.85	0.48
6031.00	9.32	37.38	5991.80	473.68	326.76	34.60	575.45	-471.27	0.90
6125.00	8.53	34.04	6084.66	485.50	335.28	34.63	590.02	-483.03	1.00
6219.00	8.66	30.61	6177.61	497.37	342.79	34.57	604.05	-494.84	0.56
6312.00	8.84	35.09	6269.52	509.24	350.46	34.54	618.19	-506.66	0.76
6406.00	8.31	40.10	6362.47	520.35	358.99	34.60	632.17	-517.70	0.97
6500.00	7.78	38.87	6455.55	530.50	367.36	34.70	645.28	-527.79	0.59
6594.00	6.90	35.79	6548.78	540.03	374.65	34.75	657.27	-537.27	1.03
6687.00	5.85	44.67	6641.20	547.93	381.25	34.83	667.52	-545.13	1.55
6781.00	3.69	62.43	6734.88	552.74	387.30	35.02	674.93	-549.89	2.76
6876.00	2.64	58.38	6829.73	555.30	391.88	35.21	679.65	-552.42	1.13
6969.00	2.24	56.19	6922.65	557.44	395.21	35.34	683.32	-554.53	0.44
7062.00	2.02	35.62	7015.58	559.78	397.68	35.39	686.66	-556.85	0.85
7156.00	2.20	34.30	7109.52	562.62	399.66	35.39	690.12	-559.67	0.20
7249.00	1.63	23.23	7202.47	565.31	401.19	35.36	693.20	-562.35	0.73
7344.00	1.71	5.56	7297.43	567.96	401.86	35.28	695.75	-565.00	0.55
7437.00	1.63	15.84	7390.39	570.62	402.35	35.19	698.20	-567.65	0.33
7531.00	0.70	98.46	7484.37	571.82	403.28	35.19	699.72	-568.85	1.80
7624.00	1.05	139.68	7577.36	571.08	404.40	35.30	699.77	-568.10	0.75
7718.00	0.75	144.25	7671.35	569.93	405.31	35.42	699.36	-566.94	0.33
7811.00	0.57	147.77	7764.35	569.04	405.92	35.50	698.98	-566.05	0.20
7905.00	1.01	150.40	7858.34	567.93	406.57	35.60	698.46	-564.93	0.47
7999.00	0.84	158.49	7952.32	566.57	407.24	35.71	697.74	-563.57	0.23
8092.00	0.84	164.20	8045.31	565.28	407.67	35.80	696.95	-562.27	0.09
8185.00	0.92	176.60	8138.30	563.87	407.90	35.88	695.94	-560.87	0.22
8278.00	0.84	185.91	8231.29	562.45	407.88	35.95	694.78	-559.45	0.18
8372.00	0.97	182.13	8325.28	560.97	407.78	36.01	693.52	-557.97	0.15
8466.00	1.01	179.94	8419.27	559.35	407.75	36.09	692.19	-556.34	0.06
8560.00	1.41	186.35	8513.25	557.37	407.62	36.18	690.52	-554.37	0.45

DigiDrill DataLogger

3/6

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
8654.00	1.32	193.47	8607.22	555.17	407.24	36.26	688.52	-552.17	0.20
8749.00	1.19	196.55	8702.20	553.16	406.70	36.32	686.58	-550.16	0.15
8843.00	1.27	204.90	8796.17	551.28	405.99	36.37	684.64	-548.29	0.21
8937.00	1.23	209.73	8890.15	549.46	405.05	36.40	682.62	-546.47	0.12
9031.00	1.23	212.19	8984.13	547.73	404.01	36.41	680.61	-544.75	0.06
9125.00	0.53	197.51	9078.12	546.46	403.34	36.43	679.19	-543.49	0.78
9191.00	0.35	52.85	9144.12	546.29	403.41	36.44	679.10	-543.32	1.27
9225.00	0.92	32.10	9178.12	546.58	403.64	36.45	679.47	-543.61	1.78
9319.00	1.19	38.17	9272.10	547.99	404.64	36.44	681.20	-545.01	0.31
9413.00	0.79	39.31	9366.09	549.26	405.66	36.45	682.82	-546.27	0.43
9507.00	1.32	2.04	9460.07	550.84	406.11	36.40	684.36	-547.85	0.89
9602.00	1.41	28.68	9555.04	552.96	406.71	36.33	686.42	-549.96	0.67
9696.00	1.76	30.70	9649.01	555.22	408.00	36.31	689.00	-552.21	0.38
9790.00	2.24	58.38	9742.95	557.42	410.30	36.36	692.14	-554.40	1.13
9885.00	2.81	88.88	9837.86	558.44	414.21	36.57	695.29	-555.39	1.51
9979.00	2.37	102.15	9931.77	558.07	418.41	36.86	697.51	-554.99	0.79
10073.00	1.58	116.83	10025.71	557.08	421.47	37.11	698.55	-553.98	0.99
10166.00	0.53	185.82	10118.70	556.07	422.57	37.23	698.41	-552.96	1.59
10261.00	0.66	217.90	10213.69	555.20	422.19	37.25	697.49	-552.10	0.37
10354.00	1.05	231.53	10306.68	554.25	421.19	37.23	696.13	-551.15	0.47
10447.00	1.19	233.55	10399.67	553.15	419.75	37.19	694.38	-550.06	0.16
10542.00	0.79	199.36	10494.65	551.94	418.74	37.19	692.81	-548.86	0.73
10636.00	1.23	185.56	10588.64	550.33	418.43	37.25	691.33	-547.25	0.53
10730.00	1.01	156.03	10682.62	548.57	418.66	37.35	690.08	-545.48	0.65
10824.00	1.32	162.53	10776.60	546.78	419.33	37.48	689.06	-543.69	0.36
10918.00	0.97	146.10	10870.58	545.08	420.09	37.62	688.18	-541.99	0.51
11013.00	0.88	167.28	10965.57	543.71	420.70	37.73	687.46	-540.61	0.37
11107.00	0.66	328.38	11059.57	543.46	420.58	37.74	687.20	-540.36	1.62
11201.00	2.24	339.19	11153.53	545.64	419.64	37.56	688.35	-542.55	1.70
11296.00	1.63	343.59	11248.48	548.67	418.60	37.34	690.12	-545.59	0.66
11390.00	0.22	51.62	11342.47	550.07	418.37	37.26	691.09	-546.99	1.66
11485.00	0.75	183.80	11437.46	549.56	418.47	37.29	690.75	-546.48	0.96
11578.00	1.05	161.57	11530.45	548.14	418.70	37.37	689.76	-545.06	0.49
11672.00	1.41	163.06	11624.43	546.22	419.31	37.51	688.60	-543.13	0.38
11767.00	1.23	199.89	11719.41	544.14	419.30	37.62	686.95	-541.06	0.90
11861.00	1.01	281.19	11813.39	543.36	418.14	37.58	685.62	-540.28	1.56
11955.00	0.31	260.27	11907.39	543.47	417.08	37.50	685.07	-540.40	0.78

DigiDrill DataLogger

4/6

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
12050.00	0.48	179.85	12002.38	543.03	416.83	37.51	684.56	-539.96	0.55
12134.00	1.14	168.60	12086.38	541.86	416.99	37.58	683.74	-538.79	0.80
12180.00	1.41	172.55	12132.36	540.85	417.16	37.64	683.04	-537.78	0.62
12274.00	2.42	182.22	12226.31	537.72	417.23	37.81	680.61	-534.65	1.12
12369.00	4.70	177.65	12321.12	531.83	417.31	38.12	676.01	-528.75	2.42
12462.00	7.21	178.00	12413.61	522.19	417.67	38.65	668.68	-519.11	2.70
12530.00	13.71	180.20	12480.45	509.85	417.79	39.33	659.17	-506.77	9.58
12556.00	16.92	180.73	12505.52	502.98	417.73	39.71	653.83	-499.91	12.36
12651.00	29.58	181.52	12592.63	465.57	416.93	41.85	624.97	-462.50	13.33
12705.00	35.38	180.64	12638.16	436.59	416.40	43.64	603.33	-433.53	10.78
12745.00	42.51	179.76	12669.25	411.46	416.33	45.34	585.35	-408.40	17.88
12839.00	61.45	182.13	12726.89	337.77	414.92	50.85	535.02	-334.72	20.24
12925.00	80.57	185.47	12754.75	257.03	409.42	57.88	483.41	-254.02	22.53
13025.00	88.53	181.08	12764.25	157.75	403.76	68.66	433.48	-154.78	9.08
13119.00	90.55	180.99	12765.00	63.77	402.06	80.99	407.09	-60.82	2.15
13214.00	91.82	181.34	12763.04	-31.19	400.13	94.46	401.35	34.12	1.39
13309.00	89.93	181.34	12761.59	-126.15	397.91	107.59	417.43	129.06	1.99
13403.00	92.66	182.75	12759.46	-220.05	394.56	119.15	451.77	222.94	3.27
13497.00	93.89	182.84	12754.09	-313.79	389.98	128.82	500.55	316.64	1.31
13591.00	92.75	181.52	12748.65	-407.56	386.41	136.53	561.62	410.38	1.85
13685.00	92.22	180.55	12744.57	-501.45	384.72	142.50	632.03	504.26	1.18
13780.00	90.90	179.14	12741.99	-596.41	384.97	147.16	709.87	599.22	2.03
13874.00	89.58	178.62	12741.59	-690.39	386.81	150.74	791.37	693.21	1.51
13969.00	88.84	178.18	12742.90	-785.34	389.46	153.62	876.61	788.18	0.91
14065.00	89.36	178.44	12744.41	-881.29	392.30	156.00	964.66	884.14	0.61
14159.00	90.99	178.79	12744.12	-975.26	394.57	157.97	1052.05	978.12	1.77
14253.00	90.29	178.97	12743.07	-1069.23	396.40	159.66	1140.35	1072.11	0.77
14347.00	89.05	179.06	12743.62	-1163.22	398.02	161.11	1229.43	1166.10	1.32
14441.00	89.14	179.58	12745.10	-1257.20	399.14	162.39	1319.04	1260.09	0.56
14535.00	92.18	179.41	12744.02	-1351.18	399.96	163.51	1409.13	1354.07	3.24
14630.00	92.62	178.79	12740.04	-1446.08	401.45	164.48	1500.77	1448.98	0.80
14725.00	90.95	176.16	12737.08	-1540.93	405.64	165.25	1593.43	1543.86	3.28
14819.00	91.87	175.89	12734.77	-1634.68	412.15	165.85	1685.83	1637.65	1.02
14913.00	89.98	174.84	12733.25	-1728.35	419.75	166.35	1778.59	1731.38	2.30
15008.00	89.14	175.54	12733.98	-1823.01	427.71	166.80	1872.51	1826.10	1.15
15102.00	89.98	176.51	12734.70	-1916.78	434.23	167.24	1965.35	1919.91	1.37
15196.00	90.42	178.00	12734.37	-2010.67	438.73	167.69	2057.98	2013.83	1.65

DigiDrill DataLogger

5/6

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
15291.00	88.92	176.86	12734.92	-2105.57	442.99	168.12	2151.66	2108.76	1.98
15385.00	90.95	178.44	12735.03	-2199.48	446.84	168.52	2244.41	2202.70	2.74
15479.00	92.09	179.85	12732.53	-2293.43	448.25	168.94	2336.83	2296.66	1.93
15573.00	91.03	179.32	12729.97	-2387.39	448.93	169.35	2429.24	2390.62	1.26
15667.00	90.02	179.76	12729.11	-2481.39	449.68	169.73	2521.80	2484.62	1.17
15762.00	93.93	181.69	12725.84	-2576.30	448.48	170.12	2615.04	2579.52	4.59
15857.00	94.64	181.78	12718.74	-2670.99	445.61	170.53	2707.91	2674.18	0.75
15951.00	91.30	179.41	12713.87	-2764.84	444.64	170.86	2800.36	2768.02	4.35
16046.00	89.10	179.06	12713.54	-2859.82	445.91	171.14	2894.38	2863.01	2.34
16140.00	89.98	179.58	12714.29	-2953.81	447.03	171.39	2987.45	2957.01	1.09
16235.00	92.31	179.50	12712.40	-3048.78	447.79	171.64	3081.49	3051.98	2.45
16329.00	91.16	180.02	12709.55	-3142.74	448.18	171.88	3174.53	3145.94	1.34
16424.00	88.48	179.41	12709.85	-3237.73	448.65	172.11	3268.66	3240.93	2.89
16518.00	88.66	178.62	12712.19	-3331.68	450.27	172.30	3361.97	3334.89	0.86
16612.00	91.69	184.15	12711.91	-3425.61	448.00	172.55	3454.78	3428.80	6.71
16707.00	89.49	183.54	12710.93	-3520.38	441.63	172.85	3547.98	3523.53	2.40
16801.00	94.07	184.07	12708.01	-3614.10	435.40	173.13	3640.24	3617.20	4.90
16895.00	95.34	183.19	12700.30	-3707.60	429.47	173.39	3732.39	3710.65	1.64
16990.00	95.16	182.75	12691.61	-3802.07	424.56	173.63	3825.70	3805.08	0.50
17084.00	94.59	182.13	12683.62	-3895.65	420.58	173.84	3918.28	3898.62	0.89
17178.00	91.03	180.38	12679.01	-3989.49	418.52	174.01	4011.38	3992.45	4.22
17273.00	92.70	182.92	12675.92	-4084.39	415.79	174.19	4105.50	4087.33	3.20
17367.00	88.04	181.69	12675.31	-4178.28	412.01	174.37	4198.55	4181.19	5.13
17461.00	88.22	181.91	12678.38	-4272.19	409.06	174.53	4291.73	4275.07	0.30
17555.00	89.19	182.40	12680.50	-4366.10	405.53	174.69	4384.89	4368.95	1.16
17649.00	89.93	182.57	12681.22	-4460.00	401.45	174.86	4478.04	4462.83	0.81
17744.00	88.48	181.96	12682.54	-4554.92	397.70	175.01	4572.25	4557.71	1.66

Projected Survey

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
17824.00	88.48	181.96	12684.66	-4634.84	394.96	175.13	4651.64	4637.61	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-47032										
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name Hyperion State Com		
								6. Well Number: 204H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat WC-025 G-09 S243310P;UPPER WOLFCAMP		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	A	20	24-S	33-E	-	609'	North	1247'	East	LEA
BH:	P	20	24-S	33-E	-	30'	South	886'	East	LEA
13. Date Spudded 3/24/2021	14. Date T.D. Reached 6/4/2021		15. Date Rig Released 6/6/2021			16. Date Completed (Ready to Produce) 7/15/2021		17. Elevations (DF and RKB, RT, GR, etc.) 3563 GR		
18. Total Measured Depth of Well 17824'			19. Plug Back Measured Depth 17762'			20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run Gamma		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12852' - 17675'								Wolfcamp		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		1205'		17.5"		910 sks		0
7.625"		29.7		12098'		9.875"		980 sks		0
5.5"		20		17810'		6.75"		945 sks		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT		SCREEN		25. TUBING RECORD			
							SIZE	DEPTH SET	PACKER SET	
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
Perforate from 12852 ft to 17675 ft, 1 SPF, .55 inch holes with 299 total shots						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12852' - 17675'		23 stage frac with 11,979,910 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 7/18/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 7/23/2021	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 1956	Gas - MCF 4781	Water - Bbl. 6681	Gas - Oil Ratio 2444			
Flow Tubing Press. 0	Casing Pressure 2305	Calculated 24-Hour Rate	Oil - Bbl. 1956	Gas - MCF 4781	Water - Bbl. 6681	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments Directional Survey, As Drilled Plat										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Bill Ramsey			Title Regulatory Analyst			Date 7/26/2021	
E-mail Address bramsey@t+										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology
0	1209		Quarternary
1209	1641		Rustler
1641	4569		Top of Salt
4569	5072		Base of Salt
5072	5142		Lamar
5142	5149		Bell Canyon
5149	6089		Ramsey Canyon
6089	7655		Cherry Canyon
7655	9089		Brushy Canyon
9089	9528		Bone Spring Lime
9528	10066		Avalon
10066	10846		1st Bone Spring Sand
10846	12000		2nd Bone Spring Sand
12000	12368		3rd Bone Spring Sand
12368			Wolfcamp

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 42772

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 42772
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 42772

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 42772
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	10/6/2021