

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30 - 0 25-47292	⁵ Pool Name WC-025 G-09 S243532M;WOLFBONE		⁶ Pool Code 98098
⁷ Property Code 328107	⁸ Property Name MAN HANDS FED COM		⁹ Well Number 215H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
B	34	24-S	35-E	-	12'	NORTH	680'	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	22	24-S	35-E	-	39'	NORTH	954'	WEST	LEA
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 7/18/2021	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 1/3/2021	²² Ready Date 7/12/2021	²³ TD 23000'	²⁴ PBTD 22939'	²⁵ Perforations 12550' - 22869'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1007'	1375 SKS		
12.25"	9.625"	5331'	1560 SKS		
8.75"	7.625"	11774'	890 SKS		
6.75"	5.5"	22986'	1064 SKS		

V. Well Test Data

³¹ Date New Oil 7/18/2021	³² Gas Delivery Date 7/18/2021	³³ Test Date 8/1/2021	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 3200
³⁷ Choke Size 32/64	³⁸ Oil 2041	³⁹ Water 4982	⁴⁰ Gas 2335		⁴¹ Test Method FLOWING

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 	OIL CONSERVATION DIVISION	
	Approved by: KURT SIMMONS	
	Title: NMOCD, SANTA FE	
	Approval Date: 10/06/2021	
Printed name: Bill Ramsey		
Title: Regulatory Analyst		
E-mail Address: bramsey@taprk.com		
Date: 8/19/2021	Phone: 720-238-2787	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☒ AMENDED REPORT

AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-47292	² Pool Code 98098	³ Pool Name WC-025 G-09 S243532M;WOLFBONE
⁴ Property Code 328107	⁵ Property Name MAN HANDS FED COM	⁶ Well Number 215H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3279'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	34	24-S	35-E	-	12'	NORTH	680'	WEST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	22	24-S	35-E	-	39'	NORTH	954'	WEST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Bill Ramsey

5/19/2021

Signature

Date

Bill Ramsey

Printed Name

bramsey@taprk.com

E-mail Address


¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.


7/25/2019

Date of Survey

Signature and Seal of Professional Surveyor



Certificate Number





Operator: TapRock Resources LLC
Well Name: Man Hands Fed Com #215H
County: Lea
State: New Mexico
Rig Name: H&P
API: 30-025-47292

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 146' MD – 22,929' MD
Projection to Bit: 23,000' MD
Dates Performed: 01/03/2021 – 04/10/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "THenk", on a light-colored rectangular background.

Travis Henk
MWD Manager
Intrepid Directional Drilling Specialists





Survey Report

Service Company: Intrepid-DDS

Location: (Man Hands) Sec-27_T-24-S_R-35-E

Well: Man Hands Fed Com #215H

Rig: H&P 466

API or UWI: 30-025-47292

Job Number: ID-2765

State: New Mexico

Operating Company: Tap Rock Resources

County: USA

Magnetic Declination: 5.92

Country: Lea

Proposed Azimuth: 359.45

Comment

North Reference: GRID

Latitude: 32.1812083333333

Longitude: -103.361722222222

Tie-In Data

MD	Inclination	Azimuth	TVD	NS	EW
0.00	0.00	0.00	0.00	0.00	0.00

Survey Data

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
146.00	0.92	115.54	145.99	-0.51	1.06	115.54	1.17	-0.52	0.63
237.00	1.27	126.26	236.98	-1.42	2.53	119.25	2.90	-1.44	0.44
330.00	1.19	118.35	329.96	-2.48	4.21	120.55	4.89	-2.53	0.20
419.00	0.97	45.49	418.94	-2.40	5.56	113.30	6.06	-2.45	1.45
509.00	0.88	137.60	508.94	-2.37	6.57	109.85	6.99	-2.43	1.48
600.00	0.44	126.61	599.93	-3.10	7.32	112.92	7.95	-3.17	0.50
690.00	0.66	155.09	689.93	-3.77	7.82	115.76	8.68	-3.85	0.38
785.00	0.31	115.89	784.92	-4.38	8.28	117.88	9.37	-4.46	0.49
879.00	0.97	5.06	878.92	-3.70	8.58	113.33	9.34	-3.78	1.19
949.00	1.45	345.55	948.90	-2.25	8.41	104.99	8.71	-2.33	0.89
1049.00	1.41	323.40	1048.87	-0.04	7.36	90.30	7.36	-0.11	0.55
1139.00	0.88	318.48	1138.85	1.37	6.24	77.64	6.39	1.31	0.60
1230.00	0.97	319.45	1229.84	2.48	5.28	64.87	5.83	2.43	0.10
1324.00	0.84	325.51	1323.83	3.65	4.37	50.15	5.69	3.61	0.17
1419.00	0.48	322.87	1418.82	4.54	3.74	39.46	5.88	4.50	0.38
1513.00	1.93	133.29	1512.81	3.77	4.65	50.99	5.99	3.72	2.56

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
1607.00	6.07	133.91	1606.56	-0.77	9.39	94.66	9.42	-0.86	4.40
1700.00	7.74	136.02	1698.88	-8.68	17.28	116.68	19.34	-8.85	1.82
1794.00	7.74	133.38	1792.03	-17.59	26.27	123.79	31.62	-17.84	0.38
1888.00	7.43	135.23	1885.20	-26.25	35.15	126.75	43.87	-26.58	0.42
1983.00	7.34	133.56	1979.42	-34.79	43.88	128.41	56.00	-35.21	0.24
2077.00	7.34	131.71	2072.65	-42.92	52.71	129.16	67.98	-43.43	0.25
2171.00	7.08	128.55	2165.90	-50.53	61.73	129.30	79.77	-51.12	0.50
2265.00	7.12	125.91	2259.18	-57.56	70.97	129.04	91.38	-58.23	0.35
2360.00	7.47	123.45	2353.41	-64.41	80.90	128.53	103.41	-65.19	0.49
2454.00	7.21	122.75	2446.64	-70.97	90.95	127.97	115.37	-71.84	0.29
2548.00	6.95	121.16	2539.93	-77.11	100.78	127.42	126.90	-78.07	0.35
2642.00	7.03	118.88	2633.23	-82.83	110.69	126.81	138.24	-83.89	0.31
2736.00	5.36	118.00	2726.68	-87.67	119.60	126.24	148.29	-88.81	1.78
2830.00	5.23	116.33	2820.27	-91.63	127.32	125.74	156.86	-92.85	0.21
2925.00	5.27	111.32	2914.88	-95.13	135.26	125.12	165.37	-96.43	0.48
3019.00	5.23	108.95	3008.48	-98.10	143.33	124.39	173.69	-99.47	0.23
3113.00	5.19	105.43	3102.09	-100.62	151.49	123.59	181.86	-102.07	0.34
3207.00	6.24	106.84	3195.63	-103.23	160.47	122.75	190.81	-104.76	1.13
3301.00	7.08	115.98	3288.99	-107.25	170.57	122.16	201.49	-108.88	1.44
3395.00	6.90	133.65	3382.30	-113.68	179.86	122.29	212.78	-115.40	2.29
3489.00	6.37	136.90	3475.68	-121.39	187.51	122.92	223.37	-123.18	0.69
3583.00	6.02	132.33	3569.13	-128.51	194.72	123.42	233.31	-130.38	0.64
3677.00	6.81	132.15	3662.54	-135.57	202.50	123.80	243.69	-137.51	0.84
3771.00	8.57	132.24	3755.69	-144.02	211.81	124.21	256.14	-146.05	1.87
3865.00	8.62	135.58	3848.63	-153.76	221.93	124.72	269.99	-155.89	0.53
3959.00	8.09	131.18	3941.64	-163.15	231.84	125.13	283.49	-165.37	0.88
4053.00	8.22	127.05	4034.69	-171.55	242.18	125.31	296.79	-173.87	0.64
4147.00	6.90	122.83	4127.87	-178.66	252.29	125.30	309.14	-181.08	1.52
4242.00	6.55	114.48	4222.22	-184.00	262.02	125.08	320.17	-186.51	1.09
4335.00	7.16	114.48	4314.55	-188.60	272.12	124.73	331.09	-191.21	0.66
4430.00	5.98	119.49	4408.93	-193.49	281.81	124.47	341.84	-196.19	1.38
4524.00	5.93	120.90	4502.42	-198.40	290.24	124.35	351.57	-201.17	0.16
4618.00	6.77	115.19	4595.84	-203.25	299.42	124.17	361.89	-206.11	1.12
4712.00	5.36	114.92	4689.31	-207.46	308.42	123.93	371.70	-210.41	1.50
4806.00	5.27	114.40	4782.91	-211.09	316.33	123.72	380.29	-214.12	0.11
4901.00	5.23	129.78	4877.52	-215.66	323.63	123.68	388.91	-218.76	1.48
4995.00	5.14	138.30	4971.13	-221.55	329.73	123.90	397.24	-224.70	0.82

DigiDrill DataLogger

2/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
5089.00	4.13	136.19	5064.82	-227.13	334.87	124.15	404.63	-230.34	1.09
5183.00	4.04	135.49	5158.59	-231.94	339.54	124.34	411.19	-235.19	0.11
5274.00	3.65	128.55	5249.38	-236.03	344.05	124.45	417.23	-239.32	0.67
5362.00	3.30	115.36	5337.22	-238.86	348.53	124.42	422.52	-242.19	0.99
5455.00	3.34	118.26	5430.06	-241.29	353.33	124.33	427.86	-244.67	0.19
5549.00	3.52	114.57	5523.90	-243.79	358.37	124.23	433.43	-247.21	0.30
5644.00	3.03	120.20	5618.74	-246.26	363.19	124.14	438.81	-249.74	0.62
5739.00	3.12	115.89	5713.60	-248.65	367.69	124.07	443.87	-252.17	0.26
5835.00	2.99	114.66	5809.47	-250.84	372.31	123.97	448.93	-254.40	0.15
5929.00	3.03	118.97	5903.34	-253.06	376.71	123.89	453.82	-256.67	0.24
6024.00	3.21	124.94	5998.20	-255.80	381.09	123.87	458.98	-259.45	0.39
6120.00	3.03	119.14	6094.06	-258.58	385.51	123.85	464.20	-262.27	0.38
6214.00	2.90	125.03	6187.93	-261.15	389.63	123.83	469.05	-264.88	0.35
6308.00	2.68	123.80	6281.82	-263.74	393.40	123.84	473.63	-267.50	0.24
6403.00	2.42	115.10	6376.72	-265.83	397.06	123.80	477.83	-269.63	0.49
6498.00	2.59	111.76	6471.63	-267.47	400.87	123.71	481.91	-271.31	0.24
6592.00	2.51	102.44	6565.54	-268.70	404.86	123.57	485.91	-272.58	0.45
6686.00	2.68	129.95	6659.45	-270.56	408.55	123.51	490.02	-274.47	1.32
6781.00	2.77	149.20	6754.34	-273.96	411.43	123.66	494.29	-277.89	0.96
6875.00	3.21	166.34	6848.22	-278.47	413.21	123.98	498.28	-282.42	1.05
6969.00	2.99	161.86	6942.08	-283.35	414.60	124.35	502.18	-287.32	0.35
7064.00	3.16	163.79	7036.94	-288.22	416.10	124.71	506.17	-292.20	0.21
7158.00	1.98	167.83	7130.85	-292.30	417.17	125.02	509.38	-296.29	1.27
7252.00	1.32	178.73	7224.81	-294.97	417.53	125.24	511.21	-298.96	0.77
7346.00	1.32	181.98	7318.78	-297.13	417.52	125.44	512.45	-301.13	0.08
7440.00	1.32	168.01	7412.76	-299.27	417.71	125.62	513.85	-303.27	0.34
7534.00	1.41	185.32	7506.73	-301.48	417.82	125.81	515.24	-305.48	0.45
7629.00	1.10	191.74	7601.71	-303.54	417.53	126.02	516.20	-307.53	0.36
7723.00	0.97	179.44	7695.69	-305.22	417.35	126.18	517.05	-309.21	0.27
7817.00	0.75	124.77	7789.68	-306.37	417.87	126.25	518.14	-310.36	0.87
7911.00	0.79	211.60	7883.68	-307.27	418.03	126.32	518.81	-311.27	1.13
8005.00	1.10	244.12	7977.67	-308.21	416.88	126.48	518.45	-312.20	0.65
8099.00	1.36	245.35	8071.64	-309.07	415.06	126.67	517.49	-313.04	0.28
8193.00	0.70	243.07	8165.63	-309.80	413.53	126.84	516.70	-313.75	0.70
8287.00	0.75	251.59	8259.62	-310.25	412.43	126.95	516.10	-314.20	0.13
8381.00	0.40	256.43	8353.62	-310.52	411.53	127.04	515.54	-314.46	0.38
8474.00	0.26	292.64	8446.61	-310.52	411.02	127.07	515.13	-314.45	0.26

DigiDrill DataLogger

3/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
8569.00	0.26	291.32	8541.61	-310.36	410.62	127.08	514.72	-314.28	0.01
8663.00	0.31	152.01	8635.61	-310.50	410.54	127.10	514.74	-314.43	0.57
8757.00	0.40	115.80	8729.61	-310.87	410.96	127.11	515.29	-314.80	0.25
8851.00	0.97	108.51	8823.60	-311.27	412.01	127.07	516.37	-315.21	0.61
8945.00	1.05	116.33	8917.59	-311.90	413.53	127.02	517.97	-315.86	0.17
9040.00	1.05	135.14	9012.57	-312.90	414.93	127.02	519.69	-316.87	0.36
9134.00	1.58	123.10	9106.55	-314.22	416.62	127.02	521.83	-318.21	0.63
9228.00	1.41	89.96	9200.52	-314.93	418.86	126.94	524.05	-318.94	0.92
9322.00	1.10	78.89	9294.50	-314.76	420.90	126.79	525.58	-318.78	0.42
9416.00	0.88	112.82	9388.48	-314.86	422.46	126.70	526.88	-318.90	0.65
9510.00	0.62	115.54	9482.48	-315.36	423.58	126.67	528.08	-319.41	0.28
9604.00	0.70	112.02	9576.47	-315.79	424.57	126.64	529.14	-319.86	0.10
9699.00	0.40	137.42	9671.46	-316.26	425.33	126.63	530.03	-320.33	0.40
9793.00	0.70	169.94	9765.46	-317.06	425.66	126.68	530.77	-321.14	0.45
9887.00	0.97	167.75	9859.45	-318.41	425.92	126.78	531.78	-322.48	0.29
9981.00	1.19	169.94	9953.43	-320.15	426.26	126.91	533.10	-324.22	0.24
10076.00	1.23	177.15	10048.41	-322.13	426.49	127.06	534.47	-326.21	0.17
10170.00	0.48	200.79	10142.40	-323.51	426.40	127.19	535.23	-327.59	0.87
10264.00	2.55	297.03	10236.37	-322.93	424.39	127.27	533.29	-326.99	2.81
10358.00	2.15	309.78	10330.29	-320.85	421.18	127.30	529.47	-324.88	0.70
10453.00	2.33	336.23	10425.22	-317.94	419.03	127.19	526.00	-321.95	1.09
10547.00	1.76	7.08	10519.16	-314.76	418.44	126.95	523.61	-318.76	1.30
10641.00	1.54	34.24	10613.13	-312.28	419.33	126.68	522.83	-316.30	0.86
10735.00	2.51	60.43	10707.07	-310.22	421.83	126.33	523.62	-314.26	1.40
10829.00	1.85	38.81	10801.00	-308.03	424.57	125.96	524.54	-312.09	1.11
10923.00	1.63	354.25	10894.96	-305.51	425.38	125.69	523.73	-309.58	1.42
11017.00	2.42	1.98	10988.90	-302.20	425.32	125.39	521.75	-306.27	0.89
11112.00	1.36	356.36	11083.85	-299.07	425.32	125.11	519.94	-303.14	1.13
11206.00	1.76	34.77	11177.82	-296.77	426.07	124.86	519.24	-300.85	1.16
11300.00	2.11	53.31	11271.76	-294.55	428.28	124.52	519.79	-298.65	0.76
11394.00	0.35	109.65	11365.74	-293.61	429.94	124.33	520.63	-297.73	2.06
11488.00	0.84	193.06	11459.74	-294.38	430.05	124.39	521.16	-298.50	0.93
11582.00	0.70	83.02	11553.73	-294.98	430.47	124.42	521.84	-299.10	1.35
11677.00	1.10	50.94	11648.72	-294.34	431.75	124.28	522.54	-298.47	0.66
11771.00	1.32	69.05	11742.70	-293.38	433.46	124.09	523.42	-297.53	0.47
11812.00	1.49	62.63	11783.69	-292.97	434.38	124.00	523.94	-297.12	0.56
11854.00	1.41	83.88	11825.67	-292.66	435.38	123.91	524.60	-296.83	1.29

DigiDrill DataLogger

4/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
11949.00	12.40	358.98	11919.92	-282.30	436.36	122.90	519.71	-286.47	13.00
12043.00	29.98	6.97	12007.23	-248.63	439.05	119.52	504.56	-252.83	18.91
12139.00	39.16	5.04	12086.20	-194.51	444.64	113.63	485.32	-198.76	9.63
12232.00	48.13	356.25	12153.49	-130.51	444.95	106.35	463.70	-134.78	11.63
12327.00	53.19	346.06	12213.79	-58.15	433.45	97.64	437.34	-62.30	9.85
12422.00	55.82	346.67	12268.95	17.01	415.23	87.65	415.58	13.03	2.82
12516.00	60.00	346.14	12318.87	94.40	396.51	76.61	407.59	90.59	4.47
12610.00	64.53	349.13	12362.61	175.65	378.74	65.12	417.49	172.00	5.58
12703.00	73.45	351.33	12395.93	261.12	364.07	54.35	448.03	257.61	9.84
12798.00	85.63	349.48	12413.14	353.05	348.50	44.63	496.08	349.69	12.96
12891.00	91.38	351.07	12415.57	444.64	332.81	36.81	555.40	441.43	6.41
12986.00	89.05	355.64	12415.21	538.97	321.82	30.84	627.74	535.86	5.40
13081.00	86.37	356.43	12419.01	633.66	315.25	26.45	707.75	630.61	2.94
13176.00	88.00	356.87	12423.67	728.38	309.71	23.04	791.49	725.37	1.78
13270.00	87.25	355.46	12427.57	822.09	303.43	20.26	876.30	819.14	1.70
13364.00	89.41	359.24	12430.31	915.92	299.09	18.08	963.52	913.01	4.63
13383.00	89.32	359.50	12430.52	934.92	298.88	17.73	981.53	932.01	1.45
13478.00	89.89	359.33	12431.18	1029.91	297.91	16.13	1072.13	1027.01	0.63
13572.00	88.44	357.92	12432.55	1123.87	295.65	14.74	1162.11	1120.98	2.15
13665.00	87.34	358.01	12435.97	1216.75	292.35	13.51	1251.38	1213.89	1.19
13760.00	88.53	359.06	12439.39	1311.65	289.93	12.46	1343.31	1308.81	1.67
13855.00	90.07	358.36	12440.55	1406.62	287.79	11.56	1435.76	1403.79	1.78
13951.00	91.38	359.50	12439.34	1502.59	286.00	10.78	1529.57	1499.78	1.81
14045.00	86.99	359.59	12440.68	1596.55	285.25	10.13	1621.84	1593.74	4.67
14138.00	88.92	0.65	12443.99	1689.49	285.44	9.59	1713.43	1686.67	2.37
14232.00	90.73	2.49	12444.28	1783.45	288.02	9.17	1806.55	1780.60	2.75
14328.00	91.21	1.17	12442.66	1879.38	291.08	8.80	1901.79	1876.50	1.46
14423.00	95.52	1.88	12437.08	1974.16	293.61	8.46	1995.87	1971.25	4.60
14516.00	95.47	2.67	12428.18	2066.66	297.28	8.19	2087.93	2063.71	0.85
14611.00	93.89	1.53	12420.42	2161.27	300.75	7.92	2182.10	2158.29	2.05
14705.00	94.81	3.99	12413.29	2254.89	305.26	7.71	2275.46	2251.85	2.79
14800.00	93.89	2.93	12406.09	2349.44	310.98	7.54	2369.93	2346.34	1.48
14894.00	93.80	2.49	12399.78	2443.12	315.41	7.36	2463.40	2439.98	0.48
14989.00	92.44	359.59	12394.61	2537.95	317.13	7.12	2557.69	2534.79	3.37
15084.00	95.78	1.00	12387.80	2632.69	317.62	6.88	2651.78	2629.52	3.81
15179.00	94.90	0.56	12378.96	2727.27	318.90	6.67	2745.85	2724.08	1.03
15274.00	90.90	357.48	12374.16	2822.10	317.28	6.41	2839.88	2818.93	5.31

DigiDrill DataLogger

5/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
15369.00	91.78	358.63	12371.93	2917.02	314.05	6.14	2933.88	2913.87	1.52
15464.00	92.00	358.54	12368.80	3011.94	311.71	5.91	3028.03	3008.81	0.25
15558.00	92.53	0.65	12365.09	3105.86	311.05	5.72	3121.39	3102.73	2.31
15653.00	92.44	0.38	12360.97	3200.76	311.90	5.57	3215.92	3197.62	0.30
15749.00	92.88	2.40	12356.51	3296.63	314.22	5.44	3311.57	3293.46	2.15
15843.00	92.09	2.84	12352.44	3390.44	318.52	5.37	3405.37	3387.23	0.96
15938.00	88.79	359.42	12351.71	3485.39	320.39	5.25	3500.09	3482.16	5.00
16032.00	90.99	357.92	12351.89	3579.36	318.21	5.08	3593.47	3576.14	2.83
16126.00	89.45	356.16	12351.53	3673.22	313.35	4.88	3686.57	3670.05	2.49
16219.00	92.00	355.99	12350.35	3765.99	306.99	4.66	3778.48	3762.87	2.75
16313.00	90.81	354.32	12348.04	3859.62	299.05	4.43	3871.19	3856.57	2.18
16408.00	90.59	354.93	12346.88	3954.20	290.15	4.20	3964.83	3951.23	0.68
16503.00	89.71	354.85	12346.63	4048.82	281.69	3.98	4058.61	4045.93	0.93
16597.00	88.44	353.44	12348.15	4142.31	272.11	3.76	4151.24	4139.51	2.02
16691.00	89.89	354.23	12349.52	4235.75	262.01	3.54	4243.85	4233.04	1.76
16786.00	90.55	356.78	12349.16	4330.45	254.57	3.36	4337.93	4327.81	2.77
16880.00	88.88	356.34	12349.62	4424.28	248.93	3.22	4431.28	4421.69	1.84
16974.00	90.37	356.69	12350.24	4518.10	243.21	3.08	4524.64	4515.56	1.63
17069.00	88.57	355.20	12351.12	4612.85	236.50	2.93	4618.91	4610.37	2.46
17164.00	88.26	355.11	12353.75	4707.48	228.48	2.78	4713.02	4705.07	0.34
17258.00	92.40	359.15	12353.21	4801.32	223.77	2.67	4806.53	4798.95	6.15
17352.00	91.47	358.36	12350.03	4895.24	221.73	2.59	4900.26	4892.89	1.30
17446.00	91.12	358.63	12347.91	4989.18	219.26	2.52	4994.00	4986.85	0.47
17542.00	96.13	1.17	12341.84	5084.95	219.09	2.47	5089.67	5082.61	5.85
17636.00	98.37	1.17	12329.98	5178.18	220.99	2.44	5182.89	5175.82	2.38
17730.00	93.89	1.96	12319.94	5271.58	223.55	2.43	5276.32	5269.19	4.84
17825.00	91.52	2.93	12315.46	5366.38	227.60	2.43	5371.20	5363.95	2.70
17919.00	91.34	1.35	12313.11	5460.28	231.10	2.42	5465.17	5457.81	1.69
18013.00	91.47	2.49	12310.81	5554.20	234.25	2.42	5559.14	5551.69	1.22
18107.00	89.01	0.47	12310.41	5648.15	236.68	2.40	5653.11	5645.62	3.39
18202.00	92.84	0.30	12308.88	5743.12	237.32	2.37	5748.02	5740.58	4.04
18296.00	91.87	359.42	12305.02	5837.04	237.09	2.33	5841.85	5834.49	1.39
18390.00	89.23	358.98	12304.11	5931.02	235.78	2.28	5935.70	5928.48	2.85
18485.00	91.08	359.94	12303.86	6026.01	234.88	2.23	6030.58	6023.48	2.19
18579.00	91.65	2.32	12301.62	6119.96	236.73	2.22	6124.53	6117.40	2.60
18674.00	90.77	2.05	12299.61	6214.86	240.36	2.21	6219.51	6212.27	0.97
18769.00	91.87	4.69	12297.42	6309.67	245.94	2.23	6314.46	6307.01	3.01

DigiDrill DataLogger

6/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
18863.00	90.37	4.07	12295.59	6403.37	253.11	2.26	6408.37	6400.64	1.73
18958.00	95.08	1.79	12291.07	6498.10	257.97	2.27	6503.22	6495.33	5.51
19051.00	94.55	1.79	12283.26	6590.73	260.86	2.27	6595.89	6587.92	0.57
19146.00	91.65	0.65	12278.13	6685.56	262.88	2.25	6690.73	6682.73	3.28
19238.00	89.05	358.27	12277.56	6777.54	262.01	2.21	6782.60	6774.71	3.83
19332.00	85.36	355.90	12282.15	6871.28	257.24	2.14	6876.10	6868.50	4.66
19427.00	85.93	356.87	12289.36	6965.82	251.27	2.07	6970.35	6963.09	1.18
19519.00	86.51	357.39	12295.43	7057.50	246.67	2.00	7061.81	7054.81	0.85
19614.00	88.79	358.27	12299.32	7152.35	243.08	1.95	7156.48	7149.68	2.57
19709.00	90.46	359.42	12299.94	7247.32	241.17	1.91	7251.33	7244.67	2.13
19803.00	92.40	0.03	12297.60	7341.29	240.71	1.88	7345.23	7338.64	2.16
19897.00	92.57	0.38	12293.52	7435.20	241.05	1.86	7439.10	7432.54	0.41
19993.00	89.89	359.15	12291.46	7531.16	240.66	1.83	7535.01	7528.51	3.07
20087.00	88.62	358.63	12292.68	7625.14	238.84	1.79	7628.87	7622.49	1.46
20181.00	88.22	358.19	12295.28	7719.06	236.23	1.75	7722.68	7716.44	0.63
20276.00	88.04	358.01	12298.38	7813.96	233.08	1.71	7817.44	7811.36	0.27
20370.00	88.92	358.80	12300.87	7907.89	230.47	1.67	7911.25	7905.31	1.26
20465.00	92.09	359.15	12300.03	8002.86	228.77	1.64	8006.13	8000.29	3.36
20559.00	92.88	359.33	12295.96	8096.76	227.52	1.61	8099.96	8094.20	0.86
20654.00	94.20	359.86	12290.09	8191.57	226.85	1.59	8194.71	8189.02	1.50
20748.00	93.36	359.68	12283.89	8285.37	226.47	1.57	8288.46	8282.81	0.91
20843.00	88.88	358.98	12282.04	8380.32	225.36	1.54	8383.35	8377.77	4.77
20936.00	93.98	1.09	12279.72	8473.25	225.42	1.52	8476.25	8470.70	5.93
21029.00	90.73	0.38	12275.90	8566.15	226.61	1.52	8569.15	8563.58	3.58
21124.00	91.34	359.94	12274.18	8661.14	226.87	1.50	8664.11	8658.56	0.79
21219.00	90.81	358.98	12272.40	8756.12	225.98	1.48	8759.03	8753.54	1.15
21313.00	89.80	357.66	12271.90	8850.07	223.22	1.44	8852.89	8847.52	1.77
21407.00	89.41	356.69	12272.55	8943.95	218.59	1.40	8946.62	8941.44	1.11
21502.00	86.37	355.72	12276.04	9038.67	212.31	1.35	9041.16	9036.21	3.36
21596.00	88.35	355.55	12280.37	9132.29	205.16	1.29	9134.60	9129.90	2.11
21691.00	91.60	358.36	12280.41	9227.13	200.12	1.24	9229.30	9224.79	4.52
21785.00	90.37	357.75	12278.80	9321.06	196.93	1.21	9323.14	9318.74	1.46
21879.00	90.15	358.27	12278.37	9415.01	193.66	1.18	9417.00	9412.71	0.60
21973.00	89.45	358.27	12278.70	9508.96	190.82	1.15	9510.88	9506.69	0.74
22067.00	90.59	0.21	12278.67	9602.95	189.58	1.13	9604.82	9600.69	2.39
22162.00	90.55	0.47	12277.72	9697.94	190.14	1.12	9699.81	9695.67	0.28
22256.00	90.55	0.47	12276.82	9791.93	190.91	1.12	9793.79	9789.65	0.00

DigiDrill DataLogger

7/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
22350.00	89.23	359.50	12277.00	9885.93	190.89	1.11	9887.77	9883.64	1.74
22444.00	90.24	358.71	12277.43	9979.92	189.42	1.09	9981.71	9977.64	1.36
22538.00	89.85	358.98	12277.36	10073.90	187.53	1.07	10075.64	10071.63	0.50
22632.00	87.52	358.54	12279.52	10167.84	185.49	1.05	10169.54	10165.59	2.52
22727.00	86.59	358.27	12284.40	10262.68	182.85	1.02	10264.31	10260.45	1.02
22820.00	88.04	358.36	12288.76	10355.54	180.12	1.00	10357.10	10353.33	1.56
22915.00	88.66	357.75	12291.49	10450.44	176.90	0.97	10451.94	10448.26	0.92
22929.00	88.48	357.66	12291.84	10464.42	176.34	0.97	10465.91	10462.25	1.44

Projected Survey

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
23000.00	88.48	357.66	12293.72	10535.34	173.44	0.94	10536.77	10533.19	0.00

Well Name: MAN HANDS FED COM	Well Location: T24S / R35E / SEC 34 / NWNW / 32.1812092 / -103.3617236	County or Parish/State: LEA / NM
Well Number: 215H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM138893	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547292	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 07/28/2021	Time Sundry Submitted: 02:51
Date Operation Actually Began: 05/25/2021	

Actual Procedure: 4/9/2021: TD Reached at 23000 ft MD, 12294 ft TVD. Plug Back Measured depth at 22939 ft MD, 12292 ft TVD. Rig Release on 4/12/2021 at 15:00. 5/25/2021: Pressure test casing to 5000 psi for 30 minutes, good test. 5/26/2021 to 6/21/2021: Perforate from 12550 ft to 22869 ft, 1 SPF, .6 inch holes with 637 total shots. 49 stage frac with 24,096,700 lbs of 100 mesh sand. 7/7/2021 to 7/11/2021: Drill out plugs. 7/12/2021: Ready to produce. Formation Tops (True Vertical Depth): Formation TVD Rustler 772 Top of Salt 1,366 Base of Salt 5,077 Delaware 5,313 Lamar 5,359 Bell 5,391 Ramsey 5,434 Cherry 6,263 Brushy 7,771 Bone Spring 9,023 Upper Avalon 9,057 Middle Avalon 9,304 Lower Avalon 9,846 1st Bone Spring Sand 10,246 2nd Bone Spring Sand 10,871 3rd Bone Spring Sand 11,897 Bone Spring W 12,215 Wolf Camp A X 12,270 Wolf Camp A Y 12,304 Wolfcamp A Lower 12,376 Request for OCD extension of time to file BLM approved Form 3160-4.

Well Name: MAN HANDS FED COM	Well Location: T24S / R35E / SEC 34 / NWNW / 32.1812092 / -103.3617236	County or Parish/State: LEA / NM
Well Number: 215H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM138893	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547292	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: BILL RAMSEY	Signed on: JUL 28, 2021 02:51 PM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 360-4028	
Email address: BRAMSEY@TAPRK.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 08/05/2021
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-47292										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name		
								Man Hands Fed Com		
								6. Well Number:		
								215H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator							9. OGRID			
TAP ROCK OPERATING, LLC							372043			
10. Address of Operator							11. Pool name or Wildcat			
523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							WC-025 G-09 S243532M;WOLFBONE			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	B	34	24-S	35-E	-	12'	N	680'	W	LEA
BH:	B	22	24-S	35-E	-	39'	N	954'	W	LEA
13. Date Spudded 1/3/2021	14. Date T.D. Reached 4/9/2021		15. Date Rig Released 4/12/2021			16. Date Completed (Ready to Produce) 7/12/2021		17. Elevations (DF and RKB, RT, GR, etc.) 3279 GR		
18. Total Measured Depth of Well 23000'			19. Plug Back Measured Depth 22939'			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name							12550' - 22869'			WOLFBONE
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		1007'		17.5"		1375 SKS		
9.625"		40		5331'		12.25"		1560 SKS		
7.625"		29.7		11774'		8.75"		890 SKS		
5.5"		23		22986'		6.75"		1064 SKS		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
12550 ft to 22869 ft, 1 SPF, .6 inch holes with 637 total shots					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
					12550' - 22869'		49 stage frac with 24,096,700 lbs of 100 mesh sand			
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
7/18/2021		Flowing				Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
8/1/2021	24	32/64		2041	2335	4982	1144			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
0	3200		2041	2335	4982					
29. Disposition of Gas (Sold, used for fuel, vented, etc.)							30. Test Witnessed By			
Sold										
31. List Attachments										
Directional Survey, C-102										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Bill Ramsey			Title Regulatory Analyst			Date 8/19/2021	
E-mail Address bramsey@t+										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	777		Quaternary					
777	1371		Rustler					
1371	5086		Top of Salt					
5086	5368		Base of Salt					
5368	5400		Lamar					
5400	6289		Bell Canyon					
6289	7799		Cherry Canyon					
7799	9050		Brushy Canyon					
9050	9332		Bonespring Lime					
9332	10274		Avalon Sand					
10274	10899		Bone Spring 1st					
10899	11926		Bone Spring 2nd					
11926	12424		Bone Spring 3rd					
12424	12648		Wolfcamp					
12648			Wolfcamp A Lower					

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 43319

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 43319
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 43319

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 43319
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	10/6/2021