

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30 - 0 25-47807	⁵ Pool Name WC-025 G-09 S243532M;WOLFBONE		⁶ Pool Code 98098
⁷ Property Code 328107	⁸ Property Name MAN HANDS FED COM		⁹ Well Number 216H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
B	34	24-S	35-E	-	346'	NORTH	2064'	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	22	24-S	35-E	-	35'	NORTH	1700'	EAST	LEA
¹² Lse Code F	¹³ Producing Method Code F		¹⁴ Gas Connection Date 7/16/2021		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 12/8/2020	²² Ready Date 7/12/2021	²³ TD 22894'	²⁴ PBTD 22836'	²⁵ Perforations 12671' - 22766'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17.5"		13.375"		1040'	1155 SKS
12.25"		9.625"		5311'	1606 SKS
8.75"		7.625"		11600'	595 SKS
6.75"		5.5"		22879'	1303 SKS

V. Well Test Data

³¹ Date New Oil 7/16/2021	³² Gas Delivery Date 7/16/2021	³³ Test Date 8/1/2021	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 2700
³⁷ Choke Size 28/64	³⁸ Oil 2310	³⁹ Water 4063	⁴⁰ Gas 1978		⁴¹ Test Method FLOWING
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Bill Ramsey			Approved by: KURT SIMMONS		
Title: Regulatory Analyst			Title: NMOCD, SANTA FE		
E-mail Address: bramsey@taprk.com			Approval Date: 10/06/2021		
Date: 8/19/2021		Phone: 720-238-2787			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-47807		² Pool Code 98098		³ Pool Name WC-025 G-09 S243532M:WOLFBONE	
⁴ Property Code 328107		⁵ Property Name MAN HANDS FED COM			⁶ Well Number 216H
⁷ OGRID No. 372043		⁸ Operator Name TAP ROCK OPERATING, LLC.			⁹ Elevation 3277'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	34	24-S	35-E	-	346'	NORTH	2064'	EAST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	22	24-S	35-E	-	35'	NORTH	1700'	EAST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Bill Ramsey

4/19/2021

Signature

Date

Bill Ramsey

Printed Name

bramsey@taprk.com

E-mail Address

¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.


11/09/2020

Date of Survey

Signature and Seal of Professional Surveyor



Certificate Number





Operator: Tap Rock Resources, LLC.
Well Name: Man Hands Fed Com #216H
County: Lea
State: New Mexico
Rig Name: H&P 376
Job Number: 30-025-47807

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 178' MD – 22,822' MD
Projection to Bit: 22,894' MD
Dates Performed: 12/9/2020 – 1/02/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in blue ink, appearing to read "James Burleson".

James Burleson
Vice President of MWD Operations
Intrepid Directional Drilling Specialists





Survey Report

Service Company: Intrepid Directional Drilling Specialists

Location: Sec-27_T-24-S_R-35-E

Well: Man Hands Fed Com #216H

Rig: H&P 376

API or UWI: 30-025-47807

Job Number: ID2746

State: New Mexico

Operating Company: Taprock Resources, LLC.

County: Lea

Magnetic Declination: 5.95

Country: United States

Proposed Azimuth: 359.51

Comment

North Reference: GRID

Latitude: 32.00001

Longitude: -103.000021

Tie-In Data

MD	Inclination	Azimuth	TVD	NS	EW
0.00	0.00	0.00	0.00	0.00	0.00

Survey Data

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
178.00	0.26	160.37	178.00	-0.38	0.14	160.37	0.40	-0.38	0.15
240.00	0.22	241.15	240.00	-0.57	0.08	172.15	0.58	-0.57	0.50
331.00	0.44	288.43	331.00	-0.54	-0.41	216.72	0.68	-0.54	0.37
420.00	1.19	285.53	419.99	-0.19	-1.62	263.36	1.63	-0.17	0.84
510.00	1.32	287.20	509.97	0.37	-3.51	275.98	3.53	0.40	0.15
604.00	0.97	260.22	603.95	0.55	-5.33	275.92	5.36	0.60	0.67
696.00	0.88	237.81	695.94	0.04	-6.69	270.38	6.70	0.10	0.40
787.00	1.10	242.82	786.92	-0.73	-8.06	264.85	8.10	-0.66	0.26
879.00	0.97	252.92	878.91	-1.36	-9.59	261.94	9.69	-1.28	0.24
983.00	0.70	266.63	982.90	-1.65	-11.07	261.50	11.19	-1.56	0.32
1156.00	0.35	93.49	1155.89	-1.75	-11.60	261.42	11.73	-1.65	0.61
1251.00	0.62	127.50	1250.89	-2.08	-10.90	259.20	11.10	-1.99	0.40
1346.00	0.53	126.45	1345.89	-2.65	-10.14	255.33	10.48	-2.57	0.10
1440.00	0.35	116.52	1439.88	-3.04	-9.53	252.31	10.00	-2.96	0.21
1535.00	0.44	110.80	1534.88	-3.30	-8.93	249.72	9.52	-3.22	0.10
1629.00	0.57	96.62	1628.88	-3.48	-8.13	246.82	8.84	-3.41	0.19

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
1724.00	0.62	110.36	1723.87	-3.71	-7.18	242.64	8.08	-3.65	0.16
1818.00	0.57	99.55	1817.87	-3.97	-6.24	237.54	7.40	-3.92	0.13
1913.00	0.75	130.23	1912.86	-4.45	-5.30	229.98	6.92	-4.40	0.41
2007.00	0.53	116.08	2006.85	-5.04	-4.44	221.38	6.71	-5.00	0.29
2102.00	0.62	114.14	2101.85	-5.44	-3.58	213.31	6.51	-5.41	0.10
2196.00	0.53	100.96	2195.85	-5.73	-2.68	205.09	6.33	-5.71	0.17
2290.00	0.53	95.33	2289.84	-5.85	-1.82	197.31	6.13	-5.84	0.06
2385.00	0.40	88.13	2384.84	-5.88	-1.06	190.17	5.98	-5.88	0.15
2479.00	1.63	97.71	2478.82	-6.05	0.60	174.36	6.08	-6.06	1.32
2574.00	4.13	94.10	2573.69	-6.48	5.35	140.46	8.40	-6.52	2.64
2669.00	5.10	91.03	2668.39	-6.80	12.98	117.64	14.66	-6.91	1.05
2763.00	4.79	89.01	2762.04	-6.81	21.08	107.89	22.16	-6.99	0.38
2858.00	4.26	88.82	2856.74	-6.67	28.58	103.13	29.35	-6.91	0.56
2952.00	3.96	84.35	2950.50	-6.27	35.30	100.08	35.85	-6.58	0.47
3046.00	4.40	94.28	3044.25	-6.22	42.12	98.40	42.58	-6.58	0.90
3141.00	4.88	101.66	3138.94	-7.31	49.72	98.37	50.25	-7.74	0.81
3235.00	4.35	93.31	3232.63	-8.33	57.19	98.28	57.79	-8.82	0.91
3331.00	4.31	93.14	3328.36	-8.73	64.43	97.72	65.02	-9.28	0.04
3426.00	4.26	89.36	3423.09	-8.89	71.52	97.09	72.07	-9.50	0.30
3521.00	3.82	85.75	3517.86	-8.62	78.20	96.29	78.68	-9.28	0.53
3615.00	4.40	92.08	3611.62	-8.52	84.93	95.73	85.36	-9.24	0.78
3709.00	5.41	97.27	3705.27	-9.21	92.93	95.66	93.38	-10.00	1.17
3804.00	4.75	101.40	3799.90	-10.55	101.23	95.95	101.78	-11.42	0.79
3898.00	5.36	98.32	3893.53	-11.96	109.39	96.24	110.04	-12.89	0.71
3993.00	6.55	90.59	3988.02	-12.65	119.20	96.06	119.87	-13.67	1.51
4087.00	5.98	87.42	4081.46	-12.49	129.45	95.51	130.05	-13.59	0.71
4181.00	5.27	86.55	4175.00	-12.01	138.65	94.95	139.17	-13.19	0.76
4274.00	5.36	84.35	4267.60	-11.32	147.24	94.40	147.67	-12.58	0.24
4369.00	5.63	84.70	4362.17	-10.46	156.29	93.83	156.64	-11.79	0.29
4464.00	5.58	81.27	4456.71	-9.32	165.50	93.22	165.76	-10.74	0.36
4559.00	6.77	73.71	4551.16	-7.05	175.44	92.30	175.58	-8.55	1.51
4653.00	7.21	73.10	4644.46	-3.78	186.40	91.16	186.44	-5.38	0.47
4748.00	7.47	76.09	4738.69	-0.57	198.10	90.16	198.10	-2.26	0.49
4842.00	7.78	73.89	4831.85	2.67	210.14	89.27	210.16	0.87	0.45
4938.00	6.73	77.41	4927.09	5.70	221.87	88.53	221.95	3.80	1.19
5031.00	5.67	80.92	5019.54	7.61	231.73	88.12	231.85	5.63	1.21
5125.00	5.63	75.91	5113.08	9.47	240.79	87.75	240.97	7.41	0.53

DigiDrill DataLogger

2/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
5219.00	5.19	75.38	5206.67	11.66	249.37	87.32	249.65	9.53	0.47
5259.00	5.10	73.80	5246.50	12.61	252.83	87.14	253.15	10.45	0.42
5398.00	4.66	73.89	5385.00	15.90	264.19	86.55	264.67	13.64	0.32
5493.00	4.84	77.58	5479.67	17.84	271.81	86.25	272.39	15.51	0.37
5588.00	5.14	85.32	5574.31	19.05	279.97	86.11	280.61	16.65	0.78
5683.00	4.92	83.73	5668.95	19.84	288.26	86.06	288.94	17.37	0.27
5777.00	4.70	84.52	5762.62	20.65	296.10	86.01	296.82	18.11	0.24
5871.00	4.88	98.15	5856.29	20.45	303.89	86.15	304.58	17.85	1.22
5965.00	5.10	108.52	5949.94	18.55	311.81	86.59	312.36	15.89	0.99
6059.00	5.05	105.53	6043.57	16.12	319.76	87.11	320.16	13.38	0.29
6155.00	4.62	105.79	6139.23	13.94	327.55	87.56	327.84	11.13	0.45
6249.00	4.66	100.96	6232.92	12.18	334.94	87.92	335.16	9.31	0.42
6343.00	4.66	102.98	6326.61	10.60	342.41	88.23	342.57	7.67	0.17
6437.00	4.84	99.11	6420.29	9.11	350.05	88.51	350.16	6.12	0.39
6531.00	4.57	99.64	6513.97	7.85	357.65	88.74	357.74	4.80	0.29
6626.00	4.79	97.71	6608.65	6.69	365.31	88.95	365.38	3.56	0.28
6719.00	4.79	99.64	6701.33	5.52	372.99	89.15	373.03	2.33	0.17
6813.00	5.45	96.39	6794.95	4.36	381.30	89.34	381.32	1.10	0.77
6907.00	6.81	95.25	6888.41	3.36	391.28	89.51	391.30	0.01	1.45
7001.00	6.81	95.77	6981.75	2.29	402.38	89.67	402.38	-1.15	0.07
7096.00	6.42	98.41	7076.12	0.94	413.23	89.87	413.24	-2.59	0.52
7191.00	6.24	101.14	7170.54	-0.83	423.55	90.11	423.56	-4.45	0.37
7285.00	5.93	99.55	7264.01	-2.62	433.36	90.35	433.36	-6.33	0.38
7379.00	5.85	99.73	7357.51	-4.24	442.87	90.55	442.89	-8.03	0.09
7474.00	5.67	101.31	7452.03	-5.98	452.24	90.76	452.28	-9.84	0.25
7568.00	5.19	103.60	7545.61	-7.89	460.92	90.98	460.99	-11.83	0.56
7661.00	5.36	101.40	7638.22	-9.74	469.27	91.19	469.37	-13.75	0.28
7756.00	5.41	99.20	7732.80	-11.33	478.04	91.36	478.18	-15.42	0.22
7851.00	4.62	97.71	7827.43	-12.56	486.25	91.48	486.42	-16.72	0.84
7946.00	3.82	93.93	7922.18	-13.29	493.20	91.54	493.38	-17.51	0.89
8040.00	3.52	96.48	8015.98	-13.83	499.19	91.59	499.39	-18.10	0.36
8135.00	2.77	82.59	8110.84	-13.86	504.37	91.57	504.56	-18.17	1.12
8229.00	2.29	86.55	8204.75	-13.46	508.50	91.52	508.67	-17.80	0.54
8324.00	1.41	94.46	8299.70	-13.43	511.55	91.50	511.73	-17.81	0.96
8418.00	1.32	127.41	8393.67	-14.18	513.57	91.58	513.76	-18.57	0.83
8512.00	1.98	114.67	8487.63	-15.52	515.90	91.72	516.14	-19.93	0.80
8607.00	2.20	110.19	8582.57	-16.83	519.11	91.86	519.38	-21.27	0.29

DigiDrill DataLogger

3/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
8701.00	1.49	110.89	8676.52	-17.89	521.94	91.96	522.25	-22.35	0.76
8796.00	0.79	122.32	8771.50	-18.68	523.65	92.04	523.98	-23.16	0.77
8889.00	0.75	105.00	8864.49	-19.18	524.78	92.09	525.13	-23.67	0.25
8983.00	0.66	111.59	8958.49	-19.54	525.88	92.13	526.24	-24.03	0.13
9077.00	0.92	107.46	9052.48	-19.96	527.10	92.17	527.48	-24.47	0.28
9170.00	0.88	130.75	9145.47	-20.65	528.35	92.24	528.76	-25.17	0.39
9265.00	0.84	168.99	9240.46	-21.81	529.04	92.36	529.49	-26.34	0.59
9359.00	1.14	166.35	9334.44	-23.40	529.39	92.53	529.91	-27.92	0.32
9452.00	0.66	67.21	9427.43	-24.09	530.10	92.60	530.65	-28.62	1.51
9546.00	1.41	36.89	9521.42	-22.95	531.30	92.47	531.79	-27.50	0.96
9641.00	1.45	31.79	9616.39	-21.00	532.63	92.26	533.04	-25.55	0.14
9735.00	1.49	37.77	9710.36	-19.02	534.01	92.04	534.34	-23.59	0.17
9827.00	1.10	54.11	9802.34	-17.56	535.45	91.88	535.74	-22.14	0.58
9921.00	1.27	76.35	9896.32	-16.78	537.20	91.79	537.46	-21.38	0.52
10015.00	1.93	87.86	9990.28	-16.48	539.79	91.75	540.04	-21.09	0.78
10110.00	1.98	96.21	10085.22	-16.60	543.02	91.75	543.28	-21.24	0.30
10203.00	1.85	92.52	10178.17	-16.84	546.12	91.77	546.38	-21.51	0.19
10296.00	1.93	66.86	10271.12	-16.29	549.06	91.70	549.30	-20.98	0.91
10391.00	1.85	47.26	10366.07	-14.62	551.66	91.52	551.85	-19.33	0.68
10485.00	2.81	16.41	10460.00	-11.38	553.42	91.18	553.54	-16.11	1.65
10580.00	1.89	17.02	10554.92	-7.65	554.54	90.79	554.59	-12.39	0.97
10673.00	1.14	22.30	10647.88	-5.32	555.34	90.55	555.36	-10.07	0.82
10766.00	0.79	40.14	10740.87	-3.98	556.10	90.41	556.12	-8.73	0.49
10861.00	0.48	77.84	10835.86	-3.39	556.91	90.35	556.92	-8.15	0.53
10956.00	0.53	349.69	10930.86	-2.88	557.22	90.30	557.23	-7.64	0.74
11051.00	1.36	359.89	11025.85	-1.32	557.14	90.14	557.14	-6.08	0.89
11146.00	1.01	345.30	11120.83	0.62	556.93	89.94	556.93	-4.14	0.48
11241.00	0.79	352.77	11215.82	2.08	556.63	89.79	556.64	-2.68	0.26
11336.00	0.26	13.24	11310.81	2.94	556.60	89.70	556.61	-1.82	0.58
11431.00	0.48	61.94	11405.81	3.34	557.00	89.66	557.01	-1.43	0.38
11551.00	0.48	72.13	11525.81	3.73	557.92	89.62	557.94	-1.04	0.07
11655.00	0.44	19.40	11629.80	4.24	558.47	89.57	558.49	-0.54	0.39
11748.00	9.54	355.84	11722.35	12.28	558.03	88.74	558.16	7.51	9.83
11844.00	22.15	350.22	11814.53	38.15	554.36	86.06	555.67	33.41	13.22
11936.00	29.89	351.10	11897.14	77.95	547.86	81.90	553.38	73.26	8.42
12030.00	39.69	348.72	11974.24	130.66	538.34	76.36	553.97	126.05	10.52
12125.00	45.36	347.76	12044.23	193.49	525.23	69.78	559.74	188.99	6.01

DigiDrill DataLogger

4/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
12219.00	52.04	345.82	12106.24	262.18	509.04	62.75	572.60	257.82	7.27
12314.00	55.03	345.74	12162.69	336.23	490.28	55.56	594.50	332.03	3.15
12410.00	58.51	351.27	12215.32	414.88	474.36	48.83	630.19	410.81	6.03
12505.00	73.14	353.56	12254.13	500.56	463.05	42.77	681.89	496.58	15.55
12597.00	86.81	356.55	12270.11	590.60	455.31	37.63	745.73	586.68	15.20
12691.00	88.22	353.21	12274.18	684.12	446.93	33.16	817.17	680.27	3.85
12786.00	88.84	352.85	12276.62	778.39	435.41	29.22	891.89	774.63	0.75
12881.00	87.91	352.50	12279.31	872.57	423.30	25.88	969.83	868.92	1.05
12974.00	89.58	354.44	12281.35	964.94	412.73	23.16	1049.50	961.37	2.75
13068.00	91.25	358.22	12280.67	1058.72	406.71	21.01	1134.16	1055.21	4.40
13162.00	91.87	358.74	12278.11	1152.65	404.22	19.33	1221.48	1149.15	0.86
13257.00	93.01	359.18	12274.07	1247.55	402.50	17.88	1310.87	1244.06	1.29
13352.00	93.45	359.18	12268.71	1342.39	401.14	16.64	1401.04	1338.91	0.46
13447.00	90.68	0.59	12265.29	1437.32	400.95	15.59	1492.19	1433.83	3.27
13542.00	91.03	0.32	12263.87	1532.30	401.71	14.69	1584.08	1528.81	0.47
13636.00	89.89	0.59	12263.12	1626.29	402.45	13.90	1675.35	1622.79	1.25
13731.00	89.54	0.76	12263.59	1721.29	403.57	13.20	1767.96	1717.77	0.41
13824.00	89.71	0.85	12264.20	1814.28	404.88	12.58	1858.90	1810.75	0.21
13916.00	89.80	0.85	12264.59	1906.26	406.24	12.03	1949.07	1902.72	0.10
14011.00	90.02	0.32	12264.74	2001.26	407.21	11.50	2042.27	1997.70	0.60
14104.00	90.33	0.41	12264.46	2094.26	407.80	11.02	2133.59	2090.69	0.35
14198.00	90.29	359.89	12263.95	2188.25	408.05	10.56	2225.97	2184.68	0.55
14293.00	89.85	0.06	12263.83	2283.25	408.01	10.13	2319.42	2279.68	0.50
14388.00	89.67	359.45	12264.23	2378.25	407.60	9.73	2412.93	2374.68	0.67
14483.00	91.74	0.24	12263.06	2473.24	407.35	9.35	2506.56	2469.66	2.33
14578.00	92.26	0.85	12259.75	2568.18	408.25	9.03	2600.42	2564.59	0.84
14674.00	89.89	0.32	12257.95	2664.15	409.23	8.73	2695.39	2660.55	2.53
14768.00	89.54	0.06	12258.41	2758.14	409.54	8.45	2788.38	2754.54	0.46
14862.00	89.76	0.50	12258.99	2852.14	410.00	8.18	2881.46	2848.53	0.52
14957.00	89.93	0.94	12259.25	2947.13	411.19	7.94	2975.68	2943.51	0.50
15051.00	89.71	1.12	12259.54	3041.12	412.88	7.73	3069.02	3037.48	0.30
15147.00	87.87	0.76	12261.57	3137.08	414.46	7.53	3164.34	3133.42	1.95
15241.00	88.13	358.13	12264.85	3231.01	413.55	7.29	3257.37	3227.35	2.81
15334.00	90.20	357.69	12266.20	3323.93	410.16	7.03	3349.14	3320.30	2.28
15428.00	92.88	357.60	12263.68	3417.81	406.30	6.78	3441.87	3414.21	2.85
15523.00	93.10	358.13	12258.72	3512.61	402.76	6.54	3535.63	3509.04	0.60
15619.00	93.32	357.25	12253.35	3608.38	398.90	6.31	3630.37	3604.84	0.94

DigiDrill DataLogger

5/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
15713.00	93.54	356.90	12247.72	3702.09	394.11	6.08	3723.01	3698.59	0.44
15808.00	90.95	357.42	12244.00	3796.90	389.41	5.86	3816.81	3793.43	2.78
15902.00	89.01	357.60	12244.04	3890.80	385.32	5.66	3909.84	3887.37	2.07
15995.00	91.52	358.74	12243.61	3983.75	382.35	5.48	4002.05	3980.33	2.96
16088.00	89.80	358.66	12242.53	4076.71	380.24	5.33	4094.41	4073.31	1.85
16182.00	89.80	358.57	12242.86	4170.68	377.97	5.18	4187.78	4167.30	0.10
16277.00	89.54	359.45	12243.41	4265.67	376.33	5.04	4282.24	4262.29	0.97
16372.00	90.81	1.99	12243.12	4360.65	377.53	4.95	4376.96	4357.26	2.99
16466.00	93.36	4.46	12239.70	4454.42	382.81	4.91	4470.84	4450.99	3.78
16561.00	92.66	2.87	12234.71	4549.09	388.87	4.89	4565.69	4545.60	1.83
16654.00	90.15	0.76	12232.43	4642.01	391.81	4.82	4658.51	4638.49	3.53
16748.00	90.68	0.85	12231.75	4736.00	393.13	4.75	4752.28	4732.46	0.57
16843.00	90.29	0.59	12230.94	4830.98	394.33	4.67	4847.05	4827.44	0.49
16937.00	90.51	0.68	12230.29	4924.98	395.37	4.59	4940.82	4921.41	0.25
17032.00	91.43	1.56	12228.68	5019.94	397.23	4.52	5035.63	5016.36	1.34
17127.00	90.51	359.97	12227.07	5114.92	398.49	4.45	5130.42	5111.32	1.93
17221.00	89.93	359.89	12226.71	5208.92	398.38	4.37	5224.13	5205.32	0.62
17316.00	87.25	359.53	12229.05	5303.88	397.90	4.29	5318.78	5300.28	2.85
17411.00	87.74	359.53	12233.20	5398.78	397.12	4.21	5413.37	5395.19	0.52
17506.00	88.97	359.36	12235.93	5493.74	396.20	4.12	5508.00	5490.15	1.31
17600.00	91.30	0.06	12235.71	5587.73	395.73	4.05	5601.72	5584.14	2.59
17695.00	91.16	359.71	12233.67	5682.71	395.53	3.98	5696.45	5679.12	0.40
17790.00	88.44	358.30	12234.00	5777.68	393.89	3.90	5791.09	5774.10	3.22
17885.00	91.43	356.63	12234.11	5872.57	389.68	3.80	5885.49	5869.03	3.60
17980.00	90.95	355.67	12232.13	5967.34	383.31	3.68	5979.63	5963.84	1.13
18075.00	90.55	356.11	12230.89	6062.08	376.50	3.55	6073.76	6058.64	0.63
18169.00	90.77	357.34	12229.81	6155.92	371.13	3.45	6167.10	6152.52	1.33
18263.00	89.01	356.11	12229.99	6249.76	365.76	3.35	6260.46	6246.41	2.28
18358.00	87.96	355.84	12232.50	6344.49	359.09	3.24	6354.65	6341.19	1.14
18453.00	88.70	356.72	12235.27	6439.25	352.93	3.14	6448.92	6436.00	1.21
18547.00	89.58	358.48	12236.68	6533.15	349.00	3.06	6542.47	6529.93	2.09
18641.00	90.90	359.27	12236.28	6627.13	347.15	3.00	6636.22	6623.92	1.64
18736.00	91.56	358.57	12234.25	6722.09	345.36	2.94	6730.96	6718.89	1.01
18830.00	92.26	357.86	12231.11	6815.99	342.44	2.88	6824.59	6812.82	1.06
18926.00	92.09	357.16	12227.47	6911.83	338.27	2.80	6920.11	6908.69	0.75
19020.00	91.78	356.81	12224.30	7005.65	333.33	2.72	7013.57	7002.54	0.50
19114.00	92.44	357.25	12220.83	7099.46	328.46	2.65	7107.05	7096.39	0.84

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
19209.00	93.45	358.74	12215.95	7194.27	325.14	2.59	7201.61	7191.23	1.89
19303.00	93.19	359.01	12210.51	7288.09	323.30	2.54	7295.26	7285.06	0.40
19398.00	90.24	357.34	12207.67	7382.99	320.27	2.48	7389.93	7379.98	3.57
19492.00	89.80	357.25	12207.63	7476.89	315.84	2.42	7483.55	7473.91	0.48
19586.00	94.29	1.91	12204.28	7570.77	315.14	2.38	7577.33	7567.80	6.88
19703.00	93.32	1.03	12196.51	7687.47	318.14	2.37	7694.05	7684.47	1.12
19798.00	93.23	1.82	12191.09	7782.29	320.50	2.36	7788.89	7779.26	0.84
19892.00	92.40	1.56	12186.47	7876.13	323.26	2.35	7882.76	7873.08	0.93
19987.00	91.38	1.29	12183.34	7971.05	325.63	2.34	7977.70	7967.98	1.11
20081.00	90.42	1.03	12181.86	8065.02	327.53	2.33	8071.67	8061.92	1.06
20176.00	91.03	0.94	12180.66	8160.00	329.16	2.31	8166.63	8156.88	0.65
20270.00	90.64	1.03	12179.29	8253.97	330.78	2.29	8260.60	8250.84	0.43
20366.00	91.16	0.76	12177.78	8349.95	332.28	2.28	8356.56	8346.80	0.61
20461.00	92.79	0.24	12174.51	8444.89	333.10	2.26	8451.45	8441.73	1.80
20556.00	91.16	0.32	12171.23	8539.82	333.57	2.24	8546.34	8536.66	1.72
20651.00	90.11	0.68	12170.18	8634.81	334.40	2.22	8641.29	8631.64	1.17
20746.00	90.15	0.32	12169.96	8729.81	335.23	2.20	8736.24	8726.62	0.38
20841.00	89.98	359.89	12169.86	8824.81	335.40	2.18	8831.18	8821.62	0.49
20937.00	90.46	359.80	12169.49	8920.81	335.14	2.15	8927.10	8917.62	0.51
21032.00	89.89	359.89	12169.20	9015.81	334.88	2.13	9022.02	9012.61	0.61
21127.00	90.51	359.18	12168.87	9110.80	334.11	2.10	9116.93	9107.61	0.99
21222.00	91.25	359.36	12167.41	9205.78	332.90	2.07	9211.80	9202.60	0.80
21315.00	90.99	358.92	12165.59	9298.75	331.51	2.04	9304.66	9295.58	0.55
21410.00	91.96	358.57	12163.14	9393.70	329.43	2.01	9399.47	9390.54	1.09
21505.00	91.38	358.57	12160.38	9488.63	327.06	1.97	9494.26	9485.48	0.61
21598.00	91.91	358.57	12157.71	9581.56	324.74	1.94	9587.06	9578.43	0.57
21693.00	91.47	358.83	12154.90	9676.49	322.58	1.91	9681.87	9673.38	0.54
21786.00	90.55	358.57	12153.26	9769.45	320.47	1.88	9774.71	9766.36	1.03
21879.00	91.03	357.95	12151.98	9862.40	317.65	1.84	9867.52	9859.33	0.84
21973.00	89.89	357.78	12151.23	9956.33	314.15	1.81	9961.29	9953.28	1.23
22068.00	89.71	357.25	12151.56	10051.24	310.03	1.77	10056.02	10048.22	0.59
22163.00	90.59	356.90	12151.31	10146.12	305.18	1.72	10150.71	10143.14	1.00
22257.00	90.81	356.37	12150.16	10239.95	299.66	1.68	10244.33	10237.01	0.61
22352.00	90.99	355.58	12148.67	10334.70	293.00	1.62	10338.85	10331.82	0.85
22446.00	92.97	355.67	12145.42	10428.37	285.83	1.57	10432.28	10425.54	2.11
22541.00	93.76	357.69	12139.85	10523.04	280.34	1.53	10526.77	10520.26	2.28
22636.00	95.47	357.51	12132.20	10617.64	276.37	1.49	10621.24	10614.89	1.81

DigiDrill DataLogger

7/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
22731.00	96.26	357.42	12122.49	10712.05	272.19	1.46	10715.51	10709.33	0.84
22822.00	97.41	358.92	12111.66	10802.36	269.31	1.43	10805.71	10799.66	2.07
22894.00	97.41	358.92	12102.38	10873.74	267.96	1.41	10877.04	10871.05	0.00

Well Name: MAN HANDS FED COM	Well Location: T24S / R35E / SEC 34 / NWNE / 32.1802894 / -103.3535117	County or Parish/State: LEA / NM
Well Number: 216H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM138890	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547807	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 07/28/2021	Time Sundry Submitted: 02:49
Date Operation Actually Began: 05/25/2021	

Actual Procedure: 1/1/2021: TD Reached at 22894 ft MD, 12102ft TVD. Plug Back Measured depth at 22836 ft MD, 12112 ft TVD. Rig Release on 1/4/2021 at 6:00. 5/25/2021: Pressure test casing to 5000 psi for 30 minutes, good test. 5/25/2021 to 6/22/2021: Perforate from 12671 ft to 22766 ft, 1 SPF, .6 inch holes with 624 total shots. 48 stage frac with 23,718,450 lbs of 100 mesh sand. 7/8/2021 to 7/11/2021: Drill out plugs 7/12/2021: Ready to produce Formation Tops (True Vertical Depth): Formation TVD Rustler 690 Top of Salt 1,284 Base of Salt 4,999 Delaware 5,235 Lamar 5,281 Bell 5,313 Ramsey 5,356 Cherry 6,202 Brushy 7,714 Bone Spring 8,929 Upper Avalon 8,963 Middle Avalon 9,156 Lower Avalon 9,737 1st Bone Spring Sand 10,138 2nd Bone Spring Sand 10,683 3rd Bone Spring Sand 11,807 Bone Spring W 12,084 Wolf Camp A X 12,121 Wolf Camp A Y 12,162 Wolfcamp A Lower 12,217 Request for OCD extension of time to file BLM approved Form 3160-4.

Well Name: MAN HANDS FED COM	Well Location: T24S / R35E / SEC 34 / NWNE / 32.1802894 / -103.3535117	County or Parish/State: LEA / NM
Well Number: 216H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM138890	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547807	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: BILL RAMSEY	Signed on: JUL 28, 2021 02:49 PM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 360-4028	
Email address: BRAMSEY@TAPRK.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 08/05/2021
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017													
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-025-47807										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name Man Hands Fed Com										
								6. Well Number: 216H										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043											
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat WC-025 G-09 S243532M;WOLFBONE											
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	B	34	24-S	35-E	-	346'	N	2064'	E	LEA								
BH:	B	22	24-S	35-E	-	35'	N	1700'	E	LEA								
13. Date Spudded 12/8/2020	14. Date T.D. Reached 1/1/2021		15. Date Rig Released 1/4/2021			16. Date Completed (Ready to Produce) 7/12/2021		17. Elevations (DF and RKB, RT, GR, etc.) 3277 GR										
18. Total Measured Depth of Well 22894'			19. Plug Back Measured Depth 22836'			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA										
22. Producing Interval(s), of this completion - Top, Bottom, Name 12671' - 22766'							WOLFBONE											
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
13.375"		54.5		1040'		17.5"		1155 SKS										
9.625"		40		2311'		12.25"		1606 SKS										
7.625"		29.7		11600'		8.75"		595 SKS										
5.5"		23		22879'		6.75"		1303 SKS										
24. LINER RECORD						25. TUBING RECORD												
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET									
26. Perforation record (interval, size, and number) 12671 ft to 22766 ft, 1 SPF, .6 inch holes with 624 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>12671' - 22766'</td> <td>48 stage frac with 23,718,450 lbs of 100 mesh sand</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	12671' - 22766'	48 stage frac with 23,718,450 lbs of 100 mesh sand				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
12671' - 22766'	48 stage frac with 23,718,450 lbs of 100 mesh sand																	
28. PRODUCTION																		
Date First Production 7/16/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing												
Date of Test 8/1/2021	Hours Tested 24	Choke Size 28/64	Prod'n For Test Period	Oil - Bbl 2310	Gas - MCF 1978	Water - Bbl. 4063	Gas - Oil Ratio 856											
Flow Tubing Press. 0	Casing Pressure 2700	Calculated 24-Hour Rate	Oil - Bbl. 2310	Gas - MCF 1978	Water - Bbl. 4063	Oil Gravity - API - (Corr.)												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By											
31. List Attachments Directional Survey, C-102																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:											
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude			Longitude			NAD83												
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Signature 			Printed Name Bill Ramsey		Title Regulatory Analyst			Date 8/19/2021										
E-mail Address bramsey@t+																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	706		Quaternary					
706	1300		Rustler					
1300	5015		Top of Salt					
5015	5297		Base of Salt					
5297	5329		Lamar					
5329	6218		Bell Canyon					
6218	7714		Cherry Canyon					
7714	8954		Brushy Canyon					
8954	9180		Bonespring Lime					
9180	10162		Avalon Sand					
10162	10708		Bone Spring 1st					
10708	11836		Bone Spring 2nd					
11836	12243		Bone Spring 3rd					
12243	12414		Wolfcamp					
12414			Wolfcamp A Lower					

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 43257

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 43257
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 43257

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 43257
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	10/6/2021