

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30 - 0 25-47808	⁵ Pool Name WC-025 G-09 S243532M;WOLFBONE		⁶ Pool Code 98098
⁷ Property Code 328107	⁸ Property Name MAN HANDS FED COM		⁹ Well Number 217H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
C	34	24-S	35-E	-	265'	NORTH	2045'	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	22	24-S	35-E	-	28'	NORTH	2341'	WEST	LEA
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 7/18/2021	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 1/16/2021	²² Ready Date 7/12/2021	²³ TD 23040'	²⁴ PBTD 22979'	²⁵ Perforations 12814' - 22880'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1010'	1155 SKS		
12.25"	9.625"	5311'	1593 SKS		
8.75"	7.625"	11745'	606 SKS		
6.75"	5.5"	23025'	1463 SKS		

V. Well Test Data

³¹ Date New Oil 7/18/2021	³² Gas Delivery Date 7/18/2021	³³ Test Date 8/1/2021	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 3150
³⁷ Choke Size 34/64	³⁸ Oil 1675	³⁹ Water 5264	⁴⁰ Gas 1786		⁴¹ Test Method FLOWING

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 	OIL CONSERVATION DIVISION	
Printed name: Bill Ramsey	Approved by: KURT SIMMONS	
Title: Regulatory Analyst	Title: NM OCD, SANTA FE	
E-mail Address: bramsey@taprk.com	Approval Date: 10/06/2021	
Date: 8/19/2021	Phone: 720-238-2787	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

AMENDED REPORT

AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-47808		² Pool Code 98098	³ Pool Name WC-025 G-09 S243532M:WOLFBONE	
⁴ Property Code 328107	⁵ Property Name MAN HANDS FED COM			⁶ Well Number 217H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.			⁹ Elevation 3280'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	34	24-S	35-E	—	265'	NORTH	2045'	WEST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	22	24-S	35-E	—	28'	NORTH	2341'	WEST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Raney

4/19/2021

Signature _____

Date _____

Bill Ramsey

Printed Name _____

bramsey@taprk.com

E-mail Address


18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

~~09/28/2020~~

Date of Survey _____
Signature and Seal of Professional Surveyor _____

Certificate Number





Operator: Tap Rock Resources, LLC.
Well Name: Man Hands Fed Com #217H
County: Lea
State: New Mexico
Rig Name: H&P 388
Job Number: 30-025-47808

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 233' MD – 22,970' MD
Projection to Bit: 23,040' MD
Dates Performed: 1/16/2021 – 2/25/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in blue ink, appearing to read "James Burleson".

James Burleson
Vice President of MWD Operations
Intrepid Directional Drilling Specialists





Survey Report

Service Company: Intrepid DDS

Location: (Man Hands) Sec-27_T-24-S_R-35-E

Well: Man Hands Fed Com 217H

Rig: H&P 388

API or UWI: 30-025-47808

Job Number: ID2783

State: NM

Operating Company: Tap Rock Resources

County: Lea

Magnetic Declination: 5.93

Country: U.S.A.

Proposed Azimuth: 359.45

Comment

North Reference: GRID

Latitude: 32.1805111111111

Longitude: -103.357308333333

Tie-In Data

MD	Inclination	Azimuth	TVD	NS	EW
0.00	0.00	0.00	0.00	0.00	0.00

Survey Data

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
233.00	0.97	35.81	232.99	1.60	1.15	35.81	1.97	1.59	0.42
323.00	1.32	56.20	322.97	2.79	2.46	41.38	3.72	2.77	0.59
413.00	1.19	37.57	412.95	4.11	3.89	43.43	5.66	4.07	0.47
506.00	1.49	59.19	505.92	5.50	5.52	45.12	7.79	5.44	0.63
597.00	1.67	53.39	596.89	6.89	7.60	47.79	10.26	6.82	0.26
688.00	1.63	19.38	687.85	8.90	9.09	45.60	12.73	8.82	1.06
778.00	1.32	359.87	777.83	11.15	9.52	40.48	14.66	11.06	0.65
868.00	0.79	335.26	867.81	12.75	9.25	35.98	15.75	12.66	0.76
963.00	1.49	337.45	962.79	14.48	8.51	30.43	16.80	14.40	0.74
966.00	1.58	0.04	965.79	14.56	8.49	30.25	16.86	14.48	20.26
1055.00	1.05	343.34	1054.77	16.57	8.26	26.49	18.51	16.49	0.73
1148.00	1.98	203.68	1147.75	15.91	7.37	24.85	17.54	15.84	3.08
1243.00	4.53	186.19	1242.59	10.68	6.31	30.55	12.40	10.62	2.85
1338.00	2.81	194.46	1337.39	4.70	5.32	48.56	7.10	4.64	1.89
1432.00	2.20	199.47	1431.30	0.76	4.14	79.55	4.21	0.72	0.69
1527.00	2.51	165.45	1526.23	-2.97	4.06	126.19	5.03	-3.01	1.48

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
1621.00	3.30	132.76	1620.11	-6.80	6.56	136.02	9.45	-6.86	1.92
1716.00	4.26	120.28	1714.91	-10.43	11.62	131.93	15.61	-10.55	1.33
1810.00	4.31	115.00	1808.64	-13.69	17.83	127.51	22.48	-13.86	0.42
1904.00	4.18	116.58	1902.39	-16.71	24.10	124.74	29.33	-16.94	0.19
2000.00	4.00	115.35	1998.14	-19.71	30.25	123.09	36.11	-20.00	0.21
2094.00	3.74	115.71	2091.93	-22.45	35.98	121.96	42.40	-22.79	0.28
2189.00	3.60	117.29	2186.73	-25.16	41.42	121.27	48.46	-25.55	0.18
2284.00	3.47	111.75	2281.55	-27.59	46.74	120.55	54.28	-28.04	0.38
2379.00	4.31	113.86	2376.33	-30.10	52.68	119.74	60.67	-30.60	0.90
2474.00	5.27	114.74	2471.00	-33.37	59.90	119.12	68.57	-33.94	1.01
2569.00	4.70	112.45	2565.64	-36.68	67.46	118.53	76.79	-37.33	0.64
2664.00	4.44	109.55	2660.34	-39.40	74.52	117.86	84.30	-40.11	0.37
2759.00	4.97	117.73	2755.02	-42.54	81.63	117.53	92.05	-43.33	0.90
2854.00	5.41	123.26	2849.63	-46.91	89.02	117.79	100.63	-47.77	0.70
2949.00	4.88	118.87	2944.25	-51.32	96.30	118.05	109.12	-52.24	0.69
3044.00	4.31	114.56	3038.94	-54.76	103.09	117.98	116.73	-55.74	0.70
3138.00	3.96	110.26	3132.70	-57.35	109.35	117.68	123.47	-58.40	0.50
3233.00	4.18	117.55	3227.46	-60.09	115.49	117.49	130.19	-61.19	0.59
3328.00	4.35	123.26	3322.19	-63.66	121.58	117.64	137.24	-64.83	0.48
3423.00	4.00	118.08	3416.94	-67.20	127.51	117.79	144.14	-68.42	0.54
3518.00	3.82	119.31	3511.72	-70.31	133.19	117.83	150.61	-71.58	0.21
3613.00	3.82	125.72	3606.51	-73.70	138.52	118.02	156.91	-75.03	0.45
3705.00	4.22	125.46	3698.28	-77.46	143.77	118.31	163.31	-78.83	0.44
3800.00	4.40	126.08	3793.02	-81.63	149.56	118.63	170.39	-83.06	0.20
3895.00	4.04	122.21	3887.76	-85.56	155.34	118.85	177.34	-87.05	0.48
3988.00	3.56	120.80	3980.55	-88.79	160.59	118.94	183.50	-90.32	0.53
4081.00	3.12	119.05	4073.39	-91.49	165.28	118.97	188.92	-93.08	0.49
4176.00	2.95	114.39	4168.26	-93.76	169.77	118.91	193.94	-95.38	0.32
4272.00	4.00	110.34	4264.08	-95.94	175.16	118.71	199.71	-97.62	1.12
4367.00	4.62	109.82	4358.81	-98.39	181.86	118.41	206.77	-100.13	0.65
4463.00	4.18	110.17	4454.53	-100.91	188.79	118.13	214.06	-102.72	0.46
4557.00	3.03	105.25	4548.34	-102.74	194.40	117.86	219.88	-104.60	1.27
4652.00	3.25	87.93	4643.20	-103.31	199.51	117.37	224.67	-105.22	1.02
4747.00	3.30	96.19	4738.05	-103.50	204.92	116.80	229.58	-105.47	0.50
4842.00	1.76	119.40	4832.96	-104.52	208.91	116.58	233.60	-106.52	1.92
4935.00	1.19	185.75	4925.93	-106.18	210.06	116.81	235.37	-108.19	1.81
5030.00	1.23	192.70	5020.91	-108.15	209.74	117.28	235.98	-110.16	0.16

DigiDrill DataLogger

2/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
5123.00	0.97	184.44	5113.89	-109.91	209.46	117.69	236.54	-111.92	0.33
5218.00	0.97	191.03	5208.88	-111.50	209.24	118.05	237.10	-113.51	0.12
5267.00	0.92	194.37	5257.87	-112.29	209.06	118.24	237.31	-114.29	0.15
5391.00	0.13	26.94	5381.87	-113.13	208.88	118.44	237.55	-115.13	0.84
5486.00	0.48	321.98	5476.87	-112.72	208.68	118.38	237.18	-114.72	0.46
5581.00	0.44	263.80	5571.86	-112.45	208.08	118.39	236.52	-114.44	0.47
5676.00	0.40	232.34	5666.86	-112.69	207.45	118.51	236.08	-114.67	0.24
5771.00	0.70	226.80	5761.86	-113.29	206.76	118.72	235.77	-115.27	0.32
5866.00	0.75	218.10	5856.85	-114.17	205.96	119.00	235.49	-116.15	0.13
5959.00	0.09	121.51	5949.85	-114.69	205.64	119.15	235.47	-116.66	0.82
6054.00	0.62	226.62	6044.84	-115.08	205.33	119.27	235.39	-117.05	0.68
6149.00	0.75	202.98	6139.84	-116.01	204.72	119.54	235.30	-117.97	0.32
6242.00	0.88	225.74	6232.83	-117.07	203.97	119.85	235.18	-119.02	0.37
6338.00	0.40	200.08	6328.82	-117.90	203.33	120.11	235.03	-119.84	0.57
6433.00	0.79	220.82	6423.82	-118.70	202.78	120.34	234.97	-120.65	0.46
6528.00	0.79	235.50	6518.81	-119.57	201.82	120.65	234.58	-121.50	0.21
6623.00	0.35	256.15	6613.80	-120.01	200.99	120.84	234.10	-121.94	0.50
6718.00	0.75	223.46	6708.80	-120.53	200.29	121.04	233.76	-122.45	0.52
6814.00	0.48	204.39	6804.79	-121.35	199.69	121.29	233.67	-123.27	0.35
6909.00	0.70	201.66	6899.79	-122.26	199.31	121.52	233.82	-124.16	0.23
7004.00	0.75	199.20	6994.78	-123.38	198.89	121.81	234.05	-125.29	0.06
7099.00	0.97	237.26	7089.77	-124.40	198.01	122.14	233.85	-126.30	0.63
7194.00	1.05	239.98	7184.76	-125.28	196.58	122.51	233.10	-127.16	0.10
7289.00	0.70	243.67	7279.75	-125.97	195.31	122.82	232.41	-127.84	0.37
7384.00	0.97	202.98	7374.74	-126.97	194.47	123.14	232.25	-128.83	0.67
7480.00	0.57	188.22	7470.73	-128.19	194.09	123.44	232.60	-130.04	0.46
7575.00	0.31	190.85	7565.72	-128.91	193.97	123.61	232.90	-130.76	0.27
7670.00	0.40	189.36	7660.72	-129.49	193.87	123.74	233.13	-131.34	0.10
7765.00	0.84	128.98	7755.72	-130.25	194.36	123.83	233.96	-132.11	0.77
7858.00	0.48	64.47	7848.71	-130.51	195.24	123.76	234.84	-132.38	0.83
7953.00	0.09	203.42	7943.71	-130.41	195.57	123.70	235.06	-132.28	0.58
8048.00	0.40	136.89	8038.71	-130.72	195.76	123.73	235.40	-132.59	0.39
8143.00	1.67	336.66	8133.70	-129.69	195.44	123.57	234.56	-131.56	2.16
8239.00	2.07	349.06	8229.65	-126.70	194.56	123.07	232.18	-128.57	0.59
8332.00	2.15	338.77	8322.59	-123.43	193.61	122.52	229.61	-125.28	0.42
8427.00	2.07	351.16	8417.52	-120.07	192.70	121.93	227.05	-121.92	0.49
8522.00	1.27	349.85	8512.48	-117.34	192.25	121.40	225.23	-119.18	0.84

DigiDrill DataLogger

3/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
8617.00	1.10	355.21	8607.46	-115.40	191.99	121.01	224.00	-117.23	0.21
8712.00	0.97	353.63	8702.44	-113.69	191.82	120.65	222.98	-115.52	0.14
8807.00	0.66	16.92	8797.44	-112.37	191.89	120.35	222.37	-114.20	0.47
8902.00	0.44	15.25	8892.43	-111.49	192.15	120.12	222.15	-113.33	0.23
8997.00	0.18	39.68	8987.43	-111.02	192.34	119.99	222.08	-112.86	0.30
9092.00	0.62	54.27	9082.43	-110.61	192.85	119.84	222.32	-112.45	0.47
9187.00	0.40	89.95	9177.42	-110.31	193.60	119.67	222.82	-112.16	0.40
9282.00	0.62	31.77	9272.42	-109.87	194.20	119.50	223.13	-111.73	0.56
9377.00	0.26	27.29	9367.42	-109.24	194.57	119.31	223.14	-111.10	0.38
9472.00	0.13	154.64	9462.42	-109.15	194.72	119.27	223.22	-111.01	0.37
9662.00	0.57	239.37	9652.41	-109.82	194.00	119.51	222.93	-111.68	0.30
9757.00	0.62	206.50	9747.41	-110.52	193.36	119.75	222.72	-112.38	0.36
9852.00	1.10	186.02	9842.40	-111.89	193.03	120.10	223.12	-113.74	0.59
9948.00	1.14	180.22	9938.38	-113.76	192.93	120.53	223.98	-115.61	0.13
10042.00	0.97	152.00	10032.36	-115.40	193.30	120.84	225.13	-117.25	0.57
10137.00	1.89	146.64	10127.33	-117.42	194.54	121.11	227.23	-119.28	0.98
10233.00	2.29	139.79	10223.27	-120.21	196.65	121.44	230.48	-122.09	0.49
10328.00	1.19	128.27	10318.22	-122.27	198.65	121.61	233.26	-124.17	1.21
10423.00	1.32	119.31	10413.20	-123.41	200.38	121.63	235.34	-125.33	0.25
10518.00	1.01	149.63	10508.18	-124.67	201.76	121.71	237.17	-126.60	0.71
10612.00	1.49	181.45	10602.16	-126.61	202.15	122.06	238.52	-128.54	0.88
10708.00	1.23	216.78	10698.14	-128.68	201.50	122.56	239.08	-130.61	0.90
10803.00	1.19	279.97	10793.12	-129.33	199.92	122.90	238.10	-131.24	1.34
10895.00	1.01	277.34	10885.10	-129.06	198.17	123.07	236.49	-130.95	0.20
10989.00	0.35	331.92	10979.10	-128.70	197.21	123.13	235.49	-130.59	0.91
11083.00	0.57	327.08	11073.09	-128.05	196.82	123.05	234.81	-129.94	0.24
11178.00	1.14	64.82	11168.08	-127.25	197.42	122.80	234.88	-129.14	1.41
11274.00	1.05	23.33	11264.07	-126.04	198.64	122.40	235.25	-127.94	0.81
11369.00	0.62	7.16	11359.06	-124.73	199.04	122.07	234.90	-126.64	0.51
11462.00	0.35	275.23	11452.06	-124.21	198.82	121.99	234.43	-126.11	0.78
11556.00	0.62	356.44	11546.05	-123.67	198.51	121.92	233.88	-125.57	0.71
11651.00	0.53	19.73	11641.05	-122.75	198.62	121.72	233.49	-124.65	0.26
11736.00	0.44	36.87	11726.05	-122.11	198.95	121.54	233.44	-124.02	0.20
11796.00	0.70	73.52	11786.04	-121.83	199.44	121.42	233.71	-123.73	0.73
11891.00	8.88	12.17	11880.65	-114.48	201.55	119.60	231.79	-116.41	9.02
11938.00	16.44	5.14	11926.47	-104.29	202.91	117.20	228.14	-106.24	16.39
11984.00	22.24	4.00	11969.86	-89.11	204.10	113.59	222.71	-91.07	12.63

DigiDrill DataLogger

4/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
12074.00	36.04	3.82	12048.28	-45.50	207.07	102.39	212.01	-47.48	15.33
12169.00	41.76	2.94	12122.18	14.03	210.56	86.19	211.02	12.01	6.05
12260.00	48.40	4.17	12186.40	78.30	214.59	69.95	228.43	76.24	7.36
12355.00	54.55	2.24	12245.55	152.47	218.69	55.12	266.59	150.36	6.67
12448.00	63.52	3.64	12293.35	232.02	222.82	43.84	321.69	229.88	9.73
12543.00	70.51	3.56	12330.43	319.26	228.31	35.57	392.49	317.05	7.36
12636.00	77.58	359.95	12355.98	408.56	230.99	29.48	469.34	406.32	8.47
12695.00	84.35	359.07	12365.24	466.79	230.49	26.28	520.59	464.56	11.57
12731.00	90.37	0.31	12366.90	502.73	230.30	24.61	552.97	500.50	17.07
12827.00	94.15	0.31	12363.11	598.64	230.82	21.08	641.60	596.40	3.94
12922.00	94.11	0.39	12356.27	693.39	231.39	18.45	730.98	691.14	0.09
13017.00	91.38	359.95	12351.72	788.27	231.68	16.38	821.61	786.01	2.91
13112.00	90.46	359.34	12350.20	883.26	231.09	14.66	912.99	881.00	1.16
13206.00	89.19	358.20	12350.48	977.23	229.07	13.19	1003.72	974.99	1.82
13299.00	89.89	359.43	12351.23	1070.21	227.15	11.98	1094.05	1067.98	1.52
13395.00	90.20	359.60	12351.16	1166.20	226.33	10.98	1187.96	1163.98	0.37
13488.00	90.51	0.13	12350.58	1259.20	226.11	10.18	1279.34	1256.97	0.66
13581.00	91.78	0.74	12348.72	1352.18	226.82	9.52	1371.07	1349.94	1.51
13676.00	86.73	358.99	12349.96	1447.14	226.60	8.90	1464.77	1444.89	5.63
13771.00	89.54	359.34	12353.05	1542.07	225.21	8.31	1558.42	1539.83	2.98
13866.00	91.16	359.69	12352.47	1637.06	224.41	7.81	1652.37	1634.83	1.74
13960.00	91.78	0.83	12350.06	1731.02	224.84	7.40	1745.56	1728.78	1.38
14055.00	94.46	1.36	12344.89	1825.86	226.65	7.08	1839.87	1823.60	2.88
14150.00	90.86	0.13	12340.48	1920.73	227.88	6.77	1934.20	1918.45	4.00
14245.00	94.07	1.71	12336.39	2015.61	229.40	6.49	2028.62	2013.32	3.77
14340.00	91.30	0.66	12331.94	2110.48	231.36	6.26	2123.12	2108.16	3.12
14435.00	92.35	1.80	12328.92	2205.40	233.40	6.04	2217.72	2203.06	1.63
14531.00	90.73	3.47	12326.34	2301.26	237.81	5.90	2313.52	2298.87	2.42
14625.00	94.29	3.82	12322.22	2394.97	243.78	5.81	2407.34	2392.52	3.81
14720.00	92.31	2.77	12316.75	2489.65	249.23	5.72	2502.09	2487.14	2.36
14815.00	92.62	3.56	12312.67	2584.41	254.47	5.62	2596.91	2581.85	0.89
14911.00	94.20	2.68	12306.96	2680.10	259.69	5.53	2692.65	2677.48	1.88
15007.00	97.23	0.57	12297.40	2775.56	262.40	5.40	2787.94	2772.92	3.84
15102.00	93.32	356.97	12288.66	2870.11	260.36	5.18	2881.89	2867.47	5.58
15131.00	94.95	357.32	12286.57	2898.99	258.92	5.10	2910.53	2896.37	5.75
15226.00	85.93	356.88	12285.84	2993.77	254.12	4.85	3004.54	2991.19	9.51
15321.00	87.03	358.02	12291.67	3088.49	249.90	4.63	3098.59	3085.95	1.67

DigiDrill DataLogger

5/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
15415.00	87.82	357.93	12295.90	3182.34	246.58	4.43	3191.88	3179.83	0.85
15509.00	88.40	358.72	12299.00	3276.25	243.84	4.26	3285.31	3273.76	1.04
15603.00	87.74	358.37	12302.16	3370.16	241.45	4.10	3378.80	3367.69	0.79
15698.00	88.79	358.11	12305.04	3465.07	238.54	3.94	3473.27	3462.62	1.14
15793.00	92.35	358.81	12304.09	3560.02	235.98	3.79	3567.83	3557.59	3.82
15888.00	91.52	359.69	12300.89	3654.95	234.74	3.67	3662.48	3652.53	1.27
15983.00	89.85	359.95	12299.75	3749.94	234.44	3.58	3757.27	3747.52	1.78
16077.00	89.89	0.22	12299.96	3843.94	234.58	3.49	3851.09	3841.51	0.29
16172.00	88.88	359.87	12300.98	3938.94	234.66	3.41	3945.92	3936.50	1.13
16267.00	89.54	359.16	12302.29	4033.92	233.85	3.32	4040.70	4031.49	1.02
16362.00	91.34	359.34	12301.56	4128.91	232.61	3.22	4135.46	4126.48	1.90
16456.00	90.90	359.78	12299.73	4222.89	231.89	3.14	4229.25	4220.47	0.66
16550.00	90.77	359.25	12298.36	4316.87	231.09	3.06	4323.05	4314.46	0.58
16644.00	90.37	358.37	12297.42	4410.85	229.14	2.97	4416.79	4408.44	1.03
16738.00	91.03	358.72	12296.27	4504.81	226.75	2.88	4510.51	4502.42	0.79
16832.00	91.43	358.99	12294.26	4598.77	224.88	2.80	4604.26	4596.40	0.51
16926.00	91.82	359.34	12291.59	4692.72	223.51	2.73	4698.04	4690.36	0.56
17021.00	92.40	359.07	12288.09	4787.65	222.19	2.66	4792.80	4785.29	0.67
17115.00	91.47	358.11	12284.92	4881.56	219.88	2.58	4886.51	4879.23	1.42
17210.00	89.54	357.14	12284.08	4976.47	215.94	2.48	4981.15	4974.17	2.27
17304.00	92.13	359.51	12282.71	5070.41	213.19	2.41	5074.89	5068.13	3.73
17399.00	92.53	359.43	12278.85	5165.32	212.31	2.35	5169.69	5163.05	0.43
17492.00	92.22	359.60	12274.99	5258.24	211.53	2.30	5262.49	5255.97	0.38
17587.00	90.77	359.78	12272.52	5353.20	211.01	2.26	5357.36	5350.93	1.54
17682.00	90.68	359.69	12271.31	5448.20	210.57	2.21	5452.26	5445.92	0.13
17776.00	89.05	358.28	12271.54	5542.17	208.91	2.16	5546.11	5539.91	2.29
17871.00	86.37	356.35	12275.33	5636.98	204.47	2.08	5640.69	5634.76	3.48
17966.00	89.01	356.00	12279.16	5731.68	198.13	1.98	5735.11	5729.52	2.80
18060.00	89.23	354.86	12280.60	5825.37	190.64	1.87	5828.49	5823.27	1.24
18155.00	91.16	356.26	12280.28	5920.08	183.29	1.77	5922.92	5918.05	2.51
18249.00	93.80	359.51	12276.21	6013.91	179.82	1.71	6016.60	6011.90	4.45
18343.00	94.20	359.60	12269.66	6107.68	179.09	1.68	6110.30	6105.67	0.44
18438.00	95.03	359.78	12262.01	6202.37	178.58	1.65	6204.94	6200.37	0.89
18533.00	93.05	1.45	12255.32	6297.12	179.60	1.63	6299.68	6295.10	2.72
18629.00	91.34	0.22	12251.64	6393.03	181.00	1.62	6395.59	6391.00	2.19
18724.00	91.43	2.06	12249.35	6487.98	182.89	1.61	6490.56	6485.92	1.94
18819.00	88.40	2.15	12249.49	6582.90	186.38	1.62	6585.54	6580.81	3.19

DigiDrill DataLogger

6/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
18914.00	87.25	1.89	12253.09	6677.77	189.72	1.63	6680.47	6675.65	1.24
19009.00	86.73	2.06	12258.08	6772.59	192.99	1.63	6775.34	6770.42	0.58
19103.00	86.24	359.95	12263.84	6866.39	194.64	1.62	6869.15	6864.20	2.30
19199.00	89.19	359.34	12267.67	6962.30	194.04	1.60	6965.00	6960.12	3.14
19294.00	91.69	358.55	12266.94	7057.27	192.29	1.56	7059.89	7055.10	2.76
19389.00	92.62	358.81	12263.37	7152.18	190.11	1.52	7154.71	7150.03	1.02
19484.00	90.73	356.09	12260.59	7247.03	185.88	1.47	7249.42	7244.91	3.49
19577.00	90.11	357.49	12259.91	7339.88	180.68	1.41	7342.10	7337.81	1.65
19672.00	88.53	357.40	12261.04	7434.78	176.44	1.36	7436.87	7432.74	1.67
19763.00	92.88	358.99	12259.92	7525.70	173.57	1.32	7527.70	7523.69	5.09
19858.00	92.79	359.78	12255.22	7620.58	172.56	1.30	7622.53	7618.57	0.84
19953.00	94.02	359.95	12249.58	7715.41	172.33	1.28	7717.33	7713.40	1.31
20048.00	94.33	0.04	12242.66	7810.16	172.32	1.26	7812.06	7808.14	0.34
20141.00	92.53	0.83	12237.10	7902.98	173.03	1.25	7904.88	7900.96	2.11
20236.00	88.79	0.83	12236.00	7997.95	174.41	1.25	7999.85	7995.91	3.94
20331.00	89.23	1.10	12237.64	8092.92	176.01	1.25	8094.83	8090.86	0.54
20426.00	89.19	1.10	12238.95	8187.89	177.83	1.24	8189.82	8185.81	0.04
20521.00	87.47	0.74	12241.72	8282.84	179.35	1.24	8284.78	8280.73	1.85
20616.00	90.68	359.87	12243.26	8377.81	179.86	1.23	8379.74	8375.70	3.50
20711.00	93.49	0.13	12239.80	8472.74	179.86	1.22	8474.65	8470.62	2.97
20807.00	91.60	0.48	12235.54	8568.64	180.37	1.21	8570.54	8566.51	2.00
20900.00	93.76	1.01	12231.19	8661.52	181.58	1.20	8663.42	8659.38	2.39
20995.00	92.40	0.04	12226.08	8756.38	182.45	1.19	8758.28	8754.22	1.76
21090.00	92.53	0.66	12222.00	8851.29	183.03	1.18	8853.18	8849.12	0.67
21183.00	92.09	0.31	12218.25	8944.21	183.81	1.18	8946.10	8942.03	0.60
21278.00	92.97	0.22	12214.06	9039.11	184.25	1.17	9040.99	9036.93	0.93
21374.00	90.29	359.87	12211.33	9135.07	184.33	1.16	9136.92	9132.88	2.82
21469.00	89.32	359.69	12211.65	9230.06	183.96	1.14	9231.90	9227.87	1.04
21564.00	90.42	359.51	12211.87	9325.06	183.30	1.13	9326.86	9322.87	1.17
21657.00	89.58	359.87	12211.87	9418.06	182.80	1.11	9419.83	9415.87	0.98
21752.00	88.70	358.99	12213.29	9513.04	181.85	1.10	9514.78	9510.86	1.31
21847.00	91.91	359.16	12212.79	9608.01	180.32	1.08	9609.71	9605.84	3.38
21943.00	91.56	358.28	12209.88	9703.94	178.17	1.05	9705.58	9701.79	0.99
22038.00	89.93	358.28	12208.64	9798.89	175.32	1.03	9800.46	9796.76	1.72
22133.00	90.07	359.51	12208.64	9893.87	173.49	1.00	9895.39	9891.75	1.30
22228.00	90.46	359.87	12208.20	9988.87	172.98	0.99	9990.37	9986.75	0.56
22322.00	92.88	0.92	12205.47	10082.82	173.62	0.99	10084.31	10080.69	2.81

DigiDrill DataLogger

7/8

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
22417.00	94.02	0.92	12199.75	10177.63	175.15	0.99	10179.14	10175.48	1.20
22512.00	93.49	1.54	12193.53	10272.40	177.18	0.99	10273.93	10270.23	0.86
22607.00	93.36	1.54	12187.85	10367.20	179.73	0.99	10368.76	10365.00	0.14
22702.00	93.27	1.62	12182.36	10462.01	182.34	1.00	10463.59	10459.77	0.13
22797.00	93.54	1.80	12176.72	10556.80	185.17	1.00	10558.42	10554.53	0.34
22890.00	93.80	1.89	12170.76	10649.56	188.16	1.01	10651.22	10647.26	0.30
22970.00	94.11	1.71	12165.24	10729.33	190.67	1.02	10731.02	10727.00	0.45

Projected Survey

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
23040.00	94.11	1.71	12160.23	10799.12	192.75	1.02	10800.84	10796.77	0.00

Well Name: MAN HANDS FED COM	Well Location: T24S / R35E / SEC 34 / NENW / 32.180513 / -103.3573113	County or Parish/State: LEA / NM
Well Number: 217H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM138890	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547808	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 07/28/2021	Time Sundry Submitted: 03:31
Date Operation Actually Began: 05/27/2021	

Actual Procedure: 2/25/2021: TD Reached at 23040 ft MD, 12160 ft TVD. Plug Back Measured depth at 22979 ft MD, 12165 ft TVD. Rig Release on 2/28/2021 at 9:00. 5/27/2021: Pressure test casing to 5033 psi for 30 minutes, good test. 5/28/2021 to 6/24/2021: Perforate from 12814 ft to 22880 ft, 1 SPF, .6 inch holes with 624 total shots. 48 stage frac with 23,734,870 lbs of 100 mesh sand. 7/8/2021 to 7/11/2021: Drill out plugs. 7/12/2021: Ready to produce. Formation Tops (True Vertical Depth): Formation TVD Rustler 720 Top of Salt 1,314 Base of Salt 5,025 Delaware 5,261 Lamar 5,307 Bell 5,339 Ramsey 5,382 Cherry 6,211 Brushy 7,730 Bone Spring 8,990 Upper Avalon 9,021 Middle Avalon 9,228 Lower Avalon 9,805 1st Bone Spring Sand 10,222 2nd Bone Spring Sand 10,841 3rd Bone Spring Sand 11,870 Bone Spring W 12,156 Wolf Camp A X 12,211 Wolf Camp A Y 12,253 Wolfcamp A Lower 12,301 Request for OCD extension of time to file BLM approved Form 3160-4.

Well Name: MAN HANDS FED COM	Well Location: T24S / R35E / SEC 34 / NENW / 32.180513 / -103.3573113	County or Parish/State: LEA / NM
Well Number: 217H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM138890	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002547808	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: BILL RAMSEY	Signed on: JUL 28, 2021 03:31 PM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 360-4028	
Email address: BRAMSEY@TAPRK.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 08/05/2021
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017													
1. WELL API NO. 30-025-47808																		
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN																		
3. State Oil & Gas Lease No.																		
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name Man Hands Fed Com										
								6. Well Number: 217H										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043											
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat WC-025 G-09 S243532M;WOLFBONE											
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	C	34	24-S	35-E	-	265'	N	2045'	W	LEA								
BH:	C	22	24-S	35-E	-	28'	N	2341'	W	LEA								
13. Date Spudded 1/16/2021	14. Date T.D. Reached 2/25/2021		15. Date Rig Released 2/28/20201		16. Date Completed (Ready to Produce) 7/12/2021			17. Elevations (DF and RKB, RT, GR, etc.) 3280 GR										
18. Total Measured Depth of Well 23040"			19. Plug Back Measured Depth 22979'		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA										
22. Producing Interval(s), of this completion - Top, Bottom, Name 12814' - 22880'							WOLFBONE											
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
13.375"		54.5		1010'		17.5"		1155 SKS										
9.625"		40		5311'		12.25"		1593 SKS										
7.625"		29.7		11745'		8.75"		606 SKS										
5.5"		23		23025'		6.75"		1463 SKS										
24. LINER RECORD						25. TUBING RECORD												
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET											
26. Perforation record (interval, size, and number) 12814 ft to 22880 ft, 1 SPF, .6 inch holes with 624 total shots					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>12814' - 22880'</td> <td>48 stage frac with 23,734,870 lbs of 100 mesh sand</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>						DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	12814' - 22880'	48 stage frac with 23,734,870 lbs of 100 mesh sand				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
12814' - 22880'	48 stage frac with 23,734,870 lbs of 100 mesh sand																	
28. PRODUCTION																		
Date First Production 7/18/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing												
Date of Test 8/1/2021	Hours Tested 24	Choke Size 34/64	Prod'n For Test Period	Oil - Bbl 1675	Gas - MCF 1786	Water - Bbl. 5264	Gas - Oil Ratio 1066											
Flow Tubing Press. 0	Casing Pressure 3150	Calculated 24-Hour Rate	Oil - Bbl. 1675	Gas - MCF 1786	Water - Bbl. 5264	Oil Gravity - API - (Corr.)												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By											
31. List Attachments Directional Survey, C-102																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:											
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude			Longitude			NAD83												
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Signature 			Printed Name Bill Ramsey		Title Regulatory Analyst			Date 8/18/2021										
E-mail Address bramsey@t+																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	720		Quaternary					
720	1314		Rustler					
1314	5025		Top of Salt					
5025	5307		Base of Salt					
5307	5339		Lamar					
5339	6211		Bell Canyon					
6211	7730		Cherry Canyon					
7730	8990		Brushy Canyon					
8990	9228		Bonespring Lime					
9228	10222		Avalon Sand					
10222	10841		Bone Spring 1st					
10841	11870		Bone Spring 2nd					
11870	12211		Bone Spring 3rd					
12211	12301		Wolfcamp					
12301			Wolfcamp A Lower					

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 43352

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 43352
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 43352

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 43352
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	10/6/2021