Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: DELAWARE RANCH 11 14 Well Location: T26S / R28E / SEC 11 / County or Parish/State:

W1DM FED NWNW /

Well Number: 1H Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMNM107374 Unit or CA Name: Unit or CA Number:

US Well Number: 3001548626 Well Status: Approved Application for Operator: MEWBOURNE OIL

Permit to Drill COMPANY

#### **Notice of Intent**

**Sundry ID: 2632322** 

Type of Submission: Notice of Intent

Type of Action: Other

Date Sundry Submitted: 09/02/2021 Time Sundry Submitted: 01:55

Date proposed operation will begin: 11/10/2021

Procedure Description: Change surface casing depth from 250' to 550'. Updated cement volumes are detailed in

attachment.

### **Surface Disturbance**

Is any additional surface disturbance proposed?: No

### **NOI Attachments**

#### **Procedure Description**

 $Delaware\_Ranch\_11\_14\_W1DM\_Fed\_Com\_1H\_Surface\_casing\_change\_\_20210902135444.pdf$ 

Page 1 of 2

weil Name: DELAWARE RANCH 11 14 Well Location: T26S / R28E / SEC 11 / County or Parish/State:

W1DM FED

NWNW /

Page 2 o

Well Number: 1H Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

Lease Number: NMNM107374 **Unit or CA Name: Unit or CA Number:** 

**US Well Number: 3001548626** Well Status: Approved Application for Operator: MEWBOURNE OIL

> **COMPANY** Permit to Drill

# **Conditions of Approval**

#### **Additional Reviews**

DELAWARE\_RANCH\_11\_14\_W1DM\_FED\_COM\_1H\_Drilling\_Sundry\_2632322\_COA\_OTA\_20210914160950.docx

## **Operator Certification**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

**Operator Electronic Signature: BRADLEY BISHOP** Signed on: SEP 02, 2021 01:55 PM

Name: MEWBOURNE OIL COMPANY

Title: Regulatory

Street Address: PO Box 5270

State: NM City: Hobbs

Phone: (575) 393-5905

Email address: bbishop@mewbourne.com

## **Field Representative**

Representative Name: Rhet Maxey

Street Address: 4801 Business Park Blvd

State: NM City: Hobbs **Zip:** 88240

Phone: (575)393-5905

Email address: rmaxey@mewbourne.com

### **BLM Point of Contact**

Signature: Chris Walls

**BLM POC Name: CHRISTOPHER WALLS BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5752342234 BLM POC Email Address: cwalls@blm.gov

**Disposition:** Approved Disposition Date: 09/22/2021

Page 2 of 2

### Mewbourne Oil Company, Delaware Ranch 11/14 W1DM Fed Com #1H Sec 11, T26S, R28E SL: 205' FNL & 490' FWL

BHL: 330' FSL & 330' FWL

### **Casing Program**

Hole	Casing	Interval	Csg.	Weight	Grade	Conn.	SF	SF	SF Jt	SF Body
Size	From	To	Size	(lbs)			Collapse	Burst	Tension	Tension
17.5"	0'	550'	13.375"	48	H40	STC	3.06	6.87	12.20	20.49
12.25"	0'	2,550'	9.625"	40	N80	LTC	1.52	2.65	4.93	6.14
			BLM Minimum Safety		1.125	1	1.6 Dry	1.6 Dry		
						Factor			1.8 Wet	1.8 Wet

All casing strings will be tested in accordance with Onshore Oil and Gas Order #2 III.B.1.h Must have table for contingency casing

	Y or N			
Is casing new? If used, attach certification as required in Onshore Order #1	Y			
Is casing API approved? If no, attach casing specification sheet.				
Is premium or uncommon casing planned? If yes attach casing specification sheet.	N			
Does the above casing design meet or exceed BLM's minimum standards? If not provide justification (loading assumptions, casing design criteria).	Y			
Will the pipe be kept at a minimum 1/3 fluid filled to avoid approaching the collapse pressure rating of the casing?	Y			
Is well located within Capitan Reef?	N			
If yes, does production casing cement tie back a minimum of 50' above the Reef?				
Is well within the designated 4 string boundary.				
Is well located in SOPA but not in R-111-P?	N			
If yes, are the first 2 strings cemented to surface and 3 <sup>rd</sup> string cement tied back 500' into previous casing?				
Is well located in R-111-P and SOPA?	N			
If yes, are the first three strings cemented to surface?				
Is 2 <sup>nd</sup> string set 100' to 600' below the base of salt?				
Is well located in high Cave/Karst?	N			
If yes, are there two strings cemented to surface?				
(For 2 string wells) If yes, is there a contingency casing if lost circulation occurs?				
Is well located in critical Cave/Karst?	N			
If yes, are there three strings cemented to surface?				

### Mewbourne Oil Company, Delaware Ranch 11/14 W1DM Fed Com #1H Sec 11, T26S, R28E SL: 205' FNL & 490' FWL

BHL: 330' FSL & 330' FWL

#### **Cementing Program**

Casing	# Sks	Wt. lb/ gal	Yld ft3/ sack	H <sub>2</sub> 0 gal/ sk	500# Comp. Strength (hours)	Slurry Description
Surf.	240	12.5	2.12	11	10	Lead: Class C + Salt + Gel + Extender + LCM
	200	14.8	1.34	6.3	8	Tail: Class C + Retarder
Inter.	350	12.5	2.12	11	10	Lead: Class C + Salt + Gel + Extender + LCM
	200	14.8	1.34	6.3	8	Tail: Class C + Retarder

A copy of cement test will be available on location at time of cement job providing pump times & compressive strengths.

Casing String	TOC	% Excess
Surface	0'	100%
Intermediate	0'	25%

#### **Mud Program**

Depth		Type	Weight (ppg)	Viscosity	Water Loss
From	To				
0'	550'	Spud Mud	8.6-8.8	28-34	N/C
0'	2550'	Brine	10.0	28-34	N/C

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept on location at all times.

What will be used to monitor the loss or gain	Pason/PVT/Visual Monitoring
of fluid?	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 52371

#### **CONDITIONS**

Operator:	OGRID:
MEWBOURNE OIL CO	14744
P.O. Box 5270	Action Number:
Hobbs, NM 88241	52371
	Action Type:
	[C-103] NOI Change of Plans (C-103A)

#### CONDITIONS

Created By	Condition	Condition Date
jagarcia	None	10/26/2021