Received by OCD: 10/21/2021 2:26:53 PM

eceived by OCD. 10/21/20					1	uge I V	
Form 3160-5 (June 2019)	UNITED STATES DEPARTMENT OF THE INTERIOR			FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021			
I	BUREAU OF LAND MANAGEMEN	Г		5. Lease Serial No. NMSF078769			
SUND	WELLS		6. If Indian, Allottee o				
	his form for proposals to drill or ell. Use Form 3160-3 (APD) for si						
SUBM	T IN TRIPLICATE - Other instructions on pa	age 2		_	ement, Name and/or No.		
1. Type of Well		-			IMNM78407E		
	Gas Well Other			8. Well Name and No.	ROSA UNIT 649H		
2. Name of Operator LOGOS OPERAT	ING LLC			9. API Well No. <u>30-039-31321</u> 30-039-3 1			
3a. Address 2010 AFTON PLA FARMINGTON, 1	ACE (505) 27	o. <i>(include area cod</i> 8-8720	· · · · ·				
4. Location of Well (Footage, Sec	r., T.,R.,M., or Survey Description)			11. Country or Parish,			
SEC 19 T31N R05W NENW	(C) 958 FNL 451 FWL			ŀ	RIO ARRIBA COUNTY, NM		
12	CHECK THE APPROPRIATE BOX(ES) TO I	NDICATE NATUR	E OF NOTI	CE, REPORT OR OTH	IER DATA		
TYPE OF SUBMISSION		TY	YPE OF AC	ΓΙΟΝ			
X Notice of Intent		epen draulic Fracturing		uction (Start/Resume) amation	Water Shut-Off Well Integrity		
Subsequent Report		w Construction		omplete	Other		
Final Abandonment Notice		ig and Abandon ig Back	_	porarily Abandon er Disposal			
	eted Operation: Clearly state all pertinent details	-		-	rk and approvimate duration th	ereof If	
completion of the involved op completed. Final Abandonme is ready for final inspection.) Per OCD original well will become the "H". LOGOS request a cho	rk will be performed or provide the Bond No. or perations. If the operation results in a multiple co nt Notices must be filed only after all requireme poore 649H API number 30-039-31321 unge in plans with the new surface s 320' or greater, with 13-3/8", 54.5#,	ompletion or recom nts, including recla will change to et per the atto	pletion in a mation, have o "Y" and ached C1	new interval, a Form 3 e been completed and t I the new wellbor 102 plat and the s	160-4 must be filed once testing he operator has determined tha e with the new API nun	g has been t the site nber	
Surface cement of 26 yield +30% excess. TO	3sks of 15.8ppg Type Neat G, 1.18cu C at surface.	uft/sk yield or e	equivaler	nt of 223sks of 14.0	Sppg Type III with 1.39 c	cuft/sk	
Drilling Plans will be su	bmitted later for the Intermediate c	Ind Productior	n string.				
Etta Trujillo	ing is true and correct. Name (Printed/Typed)	Regul	latory Specia	alist			
		Title	atory speen				
Signature Eta Trujie	lo	Date 9/09/	/2021				
	THE SPACE FOR FEI	DERAL OR S	TATE OF	ICE USE			
Approved by		Title]	Date		
	attached. Approval of this notice does not warra al or equitable title to those rights in the subject to conduct operations thereon.			I			
		•					

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

ict II . First (575) 74 ict III	93-6161 Street, A 48-1283	Hobbs, NM Fax:(575) 3 Intesia, NM Fax:(575) 7	93-0720 88210 48-9720	OI	Minerals	SERVAT.	l Resour	nces Department		Subn opriate	August nit one o District	copy to Office	I hereb herein knowled either mineral propose to dril	y certify is true a ge and be owns a wo interest d bottom-H l this we	that th nd compl lief, and wrking ir in the hole loc ll at th	RTIF ete to the that this therest or land inclu- ation or h his location	tion cor e best s organ unlease uding th nas a r on pursu
(505) 33 ict IV	34-6178	Aztec, NM 8 Fax:(505) 3 rive, Santa	34-6170			th St. I ta Fe, N		is Drive 505	X	AMEND	ED RE	PORT	or work agreeme	ing inter nt or a c	est, or ompulsor	wher of su to a volur y pooling e divisior	itary po order
(505) 47	76-3460	Fax: (505) 4	76-3462										Signatu			9/	/09/20 •
1	API Numbe		WELL L	_OCATIO		ACREAGE	E DEDI	ICATION PLA ³ Pool Nam					Printed etru	jillo@lo		sourcesl	lc.con
30-0	39-31			97232				BASIN MAN		61.1	11 11		40	Address RVEYO	R CE	RTIFI	CAT
roperty 32060	08					erty Name SA UNIT					ell Numbe 649H		SURVEYOR CERTIFICAT I hereby certify that the well locatic shown on this plat was plotted from f notes of actual surveys made by me or my supervision, and that the same is t			ocation from fie me or	
'ogrid 2894(L		ator Name PERATING	, LLC			Ľ	levation 6305'		and co Date	rrect to e Revi	the bes Sed: •	t of my de JUNE 2 NUARY	elief. 19, 20
		1				ce Locat								ure and S	Seal of	Profession	al Surv
C lot no.	Section	Township 31N	Range 5W	Lot Idn 1	Feet from t 965		/South line DRTH	Feet from the 480		est line EST	RI ARR	Ó		SPS SPS	JN C.	-AS	
		1	¹ Botto	, m Hole	Locatior			From Surfac	:e					1 / -	< /	101	1
iot no. K	Section 21	Township 31N	Range 5W	Lot Idn	Feet from t 2579		/South line DUTH	Feet from the 1916		est line EST	RI ARR	0		REGISTER			WEYOH
.cated rres 2.43	S/2 -	Section	is 19, 2	20, 21, T	31N, R5	M ¹³ Joint or	Infill	¹⁴ Consolidation Code	¹⁵ Order No).	1			10	PROFES	STONAL	
	965 SECT LA	ION 19, T T: 36.889	80 FWL 31N, R5 673 N	W	2583 SECTIO LAT:	N 19, T31 36.88494	FWL N, R5W 4 °N			2579 SECTI LA	ON 21, T: 36.88	1916	5W				
R-6-N 2.5.1v	965 SECT. LA LON LA LON S89 °25	' FNL 4, ION 19, T IC: 36.889 G: 107.40 ATUM: NAL T: 36.889 G: 107.40 ATUM: NAD (RECORD) '50'E 1184 9'41'E 118 MEASURED) S89 °	80 FWL 31N, R5 1673 N 5533 W 1927 579 N 5136 W 1983 .70 ' 10.70 ' N (RECORD 50 E 264	(RECC NO °03 W 20 °19 '05 'W (MEASL 1) 40.00 '	2583 SECTIOI LAT: LONG: DAT LAT: LONG: DAT(2640.00' 2633.45' RED) S89 %	FSL 446 N 19, T31 36.88494 107.4056 UM: NAD19 36.884950 107.40625 JM: NAD190 (RECORD) 59 W 2642.	' FWL N, FW 4 °N 52 °W 27 0 °N 55 °W 33	NO (RECORD) S89 *59 W 2642	NO °03 'W °19 '21 ''V (MEAS 2.31 '	2579 SECTI LA LA LA LA LA LA LA CORD 2640.000 2640.00000000000000000000000000000000000	FSL ON 21, T: 36.88 S: 107.3 TUM: NA C: 36.88 S: 107.3 TUM: NA D:	1916 - F T31N, F 14890 N 169545 AD1927 4896 N 70147 N D1983 RD) 2643.63	5₩ ₩ ,	N89 °59		13.63'	
	965 SECT. LA LON LA LON S89 °25	' FNL 44 ION 19, T T: 36.889 G: 107.40 ATUM: NAL G: 107.40 ATUM: NAD (RECORD) '50'E 1184 9'41"E 118 MEASURED) S89 *58	80 FWL 31N, R5 1673 N 5533 W 11927 579 N 5136 W 1983 .70 ' 10.70 ' N (RECORD	(RECC NO *03 W 2 IO *19 '05 "W (MEASL)) 40.00 ' 1639.91 '	2583 - SECTION LAT: LONG: DAT LAT: LONG: DATU 2640.00 2633.45 JRED) SB9 *55	FSL 446 N 19, T31 36.88494 107.4056 UM: NAD19 36.884950 107.40625 JM: NAD190 (RECORD)	' FWL N, FW 4 °N 52 °W 27 0 °N 55 °W 33	NO (RECORD)	NO °03 'W °19 '21 ''V (MEAS 2.31 ' 37.07 '	2579 SECTI LA LA LA LA LA LA LA CORD 2640.000 2640.00000000000000000000000000000000000	FSL ON 21, T: 36.86 G: 107.3 TUM: NA C: 36.88 TUM: NA TUM: NA (RECC (RECC	1916 - F T31N, F 84890 N 19545 - AD1927 4896 N 70147 * D1983 RD) 2643.63 2642.4	5₩ ₩ ,	N89 °59 39 °57 '4	W 26₄	13.63 ' 536.80 '	-
16 -	965 SECT. LA LON LA LON S89°25 S89°25 S89°25 LOT	' FNL 4, ION 19, T T: 36.889 G: 107.40 ATUM: NAL T: 36.889 G: 107.40 ATUM: NAD (RECORD) '50 'E 1184 9'41''E 118 MEASURED) S89 '56 (90 FWL 31N, R5 1673 N 1673 N 1927 573 N 1927 573 N 1927 573 N 1927 573 N 1927 0.70 N 1983 .70 N (RECORD 50 E 26- 3 12 E 26 3 12 E 28	(RECC NO *03 W 2 IO *19 '05 "W (MEASL)) 40.00 ' 1639.91 '	2583 - SECTION LAT: LONG: DAT LAT: LONG: DATU 2640.00 2633.45 JRED) SB9 *55	FSL 446 N 19, T31, 36.88494 107.4056 UM: NAD19 36.884950 107.40625 JM: NAD190 (RECORD) 59 W 2642. 709 W 2620	' FWL N, FW 4 °N 52 °W 27 0 °N 55 °W 33	NO (RECORD) S89 *59 W 2642 S89 *32 '38 ''W 26	NO °03 'W °19 '21 ''V (MEAS 2.31 ' 37.07 '	2579 SECTI LA LA LA LA LA LA LA LA CORD 2640.00 2640.0	FSL ON 21, 7: 36.88 3: 107.3 NTUM: NA 36.88 3: 107.3 TUM: NA 107.3 TUM: NA 0 9 59 % 27 22 %	1916 - F T31N, F 84890 N 19545 - AD1927 4896 N 70147 * D1983 RD) 2643.63 2642.4	5₩ ₩ ,	N89 °59 39 °57 '4	'W 264 14''W 2	13.63 ' 536.80 '	
16 -	965 SECT. LA LON LA: S89 225 S89 225 S89 225 LOT LOT LOT	' FNL 4, ION 19, T T: 36.889 G: 107.40 ATUM: NAL T: 36.889 G: 107.40 ATUM: NAD (RECORD) '50 'E 1184 9'41''E 118 MEASURED) S89 '56 (90 FWL 31N, R5 1673 N 1673 N 1927 573 N 1927 573 N 1927 573 N 1927 573 N 1927 0.70 N 1983 .70 N (RECORD 50 E 26- 3 12 E 26 3 12 E 28	(RECC NO *03 W 2 IO *19 '05 "W (MEASL)) 40.00 ' 1639.91 '	2583 - SECTION LAT: LONG: DAT LAT: LONG: DATU 2640.00 2633.45 JRED) SB9 *55	FSL 446 N 19, T31, 36.88494 107.4056 UM: NAD19 36.884950 107.40625 JM: NAD190 (RECORD) 59 W 2642. 709 W 2620	' FWL N, FW 4 °N 52 °W 27 0 °N 55 °W 33	NO (RECORD) S89 *59 W 2642 S89 *32 '38 ''W 26	NO °03 'W °19 '21 ''V (MEAS 2.31 ' 37.07 '	2579 SECTI LA LA LA LA LA LA LA LA CORD 2640.00 2640.0	FSL ON 21, 7: 36.88 3: 107.3 NTUM: NA 36.88 3: 107.3 TUM: NA 107.3 TUM: NA 0 9 59 % 27 22 %	1916 - F T31N, F 84890 N 19545 - AD1927 4896 N 70147 * D1983 RD) 2643.63 2642.4	5₩ ₩ ,	N89 °59 39 °57 '4	'W 264 14''W 2	13.63 ' 536.80 '	
16 —	965 SECT. LA LON LON S89 ° 25 S89 ° 25 S89 ° 25 C LON LON LON LON LON LON LON LON LON LON	' FNL 4, ION 19, T IC: 36.889 ATUM: NAL T: 36.889 G; 107.40 ATUM: NAD (RECORD) '50'E 1184 9'41'E 118 MEASURED) S89°58 (1 C S89°58 (1) C	90 - FWL 31N, R 1673 N 1673 N 1927 5533 W 1927 579 N 5136 W 1983 .70 ' 10.70 ' N (RECORD 50 E 26- 3 12 E 20 MEASURE: MEASURE:	(RECC NO *03 W 2 IO *19 '05 "W (MEASL)) 40.00 ' 1639.91 '	2583 - SECTION LAT: LONG: DAT LAT: LONG: DATU 2640.00 2633.45 JRED) SB9 *55	FSL 446 N 19, T31, 36.88494 107.4056 UM: NAD19 36.884950 107.40625 JM: NAD190 (RECORD) 59 W 2642. 709 W 2620	' FWL N, FW 4 °N 52 °W 27 0 °N 55 °W 33	NO (RECORD) S89 *59 W 2642 S89 *32 '38 ''W 26	NO °03 'W °19 '21 ''V (MEAS 2.31 ' 37.07 '	2579 SECTI LA LA LA LA LA LA LA LA CORD 2640.00 2640.0	FSL ON 21, 7: 36.88 3: 107.3 NTUM: NA 36.88 3: 107.3 TUM: NA 107.3 TUM: NA 0 9 59 % 27 22 %	1916 - F T31N, F 84890 N 19545 - AD1927 4896 N 70147 * D1983 RD) 2643.63 2642.4	5₩ ₩ ,	N89 °59 39 °57 '4	'W 264 14''W 2	13.63 ' 536.80 '	(MEASURED)
16 -	965 SECT. LA LON LA S89°22 S89°22 S89°22 LON S89°22 LON LON LON LON LON LON LON LON LON LON	' FNL 4, ION 19, T IC: 36.889 ATUM: NAL T: 36.889 G; 107.40 ATUM: NAD (RECORD) '50'E 1184 9'41'E 118 MEASURED) S89°58 (1 C S89°58 (1) C	90 - FWL 31N, R 1673 N 1673 N 1927 5533 W 1927 579 N 5136 W 1983 .70 ' 10.70 ' N (RECORD 50 E 26- 3 12 E 20 MEASURE: MEASURE:	(RECC NO *03 W 2 IO *19 '05 "W (MEASL)) 40.00 ' 1639.91 '	2583 - SECTION LAT: LONG: DAT LAT: LONG: DATU 2640.00 2633.45 JRED) SB9 *55	FSL 446 N 19, T31, 36.88494 107.4056 UM: NAD19 36.884950 107.40625 JM: NAD190 (RECORD) 59 W 2642. 709 W 2620	' FWL N, FW 4 °N 52 °W 27 0 °N 55 °W 33	NO (RECORD) S89 *59 W 2642 S89 *32 '38 ''W 26	NO °03 'W °19 '21 ''V (MEAS 2.31 ' 37.07 '	2579 SECTI LA LA LA LA LA LA LA LA CORD 2640.00 2640.0	FSL ON 21, 7: 36.88 3: 107.3 NTUM: NA 36.88 3: 107.3 TUM: NA 107.3 TUM: NA 0 9 59 % 27 22 %	1916 - F T31N, F 84890 N 19545 - AD1927 4896 N 70147 * D1983 RD) 2643.63 2642.4	5₩ ₩ ,	N89 °59 39 °57 '4	'W 264 14''W 2	13.63 ' 536.80 '	(MEASURED)
· N0 *14 27 W 2642.13 (MEASURED) 51	965 SECT. LA LON LA LON S89 22 S89 22 S89 22 C S89 22 C LON LON LON LON LON LON LON LON LON LON	' FNL 4, ION 19, T T: 36.889 G: 107.40 ATUM: NAD (RECORD) '50 'E 1184 9'41'E 118 MEASURED) S89 '58 (0 	90 - FWL 31N, R 1673 N 1673 N 1927 5533 W 1927 579 N 5136 W 1983 .70 ' 10.70 ' N (RECORD 50 E 26- 3 12 E 20 MEASURE: MEASURE:	(RECC NO *03 W 2 IO *19 '05 "W (MEASL)) 40.00 ' 1639.91 '	2583 - SECTION LAT: LONG: DAT LAT: LONG: DATU 2640.00 2633.45 JRED) SB9 *55	FSL 446 N 19, T31, 36.88494 107.4056 UM: NAD19 36.88495(107.40525 JM: NAD19((RECORD)) 59 W 2642. (RECORD) 1 (RECORD) 1 (RECORD) 1 1 1 1 1 1 1 1 1 1 1 1 1	, FWL N, FWL 4 N 27 0 N 55 W 33 31' 3.91'	NO (RECORD) S89 *59 W 2642 S89 *32 '38 ''W 26	NO °03 'W °19 '21 ''V (MEAS 2.31 ' 37.07 '	2579 SECTI LA LA LA LA LA LA LA LA CORD 2640.00 2640.0	- FSL	1916 - F T31N, F 84890 N 19545 - AD1927 4896 N 70147 * D1983 RD) 2643.63 2642.4	5₩ ₩ ,	N89 °59 39 °57 '4	'W 264 14''W 2	13.63 ' 536.80 '	1.
· N0 *14 :27 'W 2642.13 (MEASURED) 51	965 SECT. LA LA LON S89°22 S89°22 S89°22 S89°22 C S89°22 C LOT LOT LOT 2 C LOT 2 C LOT 2 L	' FNL 4, ION 19, T T: 36.889 G: 107.40 ATUM: NAD (RECORD) '50 'E 1184 9'41'E 118 MEASURED) S89 '58 (0 	90 - FWL 31N, R 1673 N 1673 N 1927 5533 W 1927 579 N 5136 W 1983 .70 ' 10.70 ' N (RECORD 50 E 26- 3 12 E 20 MEASURE: MEASURE:	(RECC NO *03 W 2 IO *19 '05 "W (MEASL)) 40.00 ' 1639.91 '	2583 - SECTION LAT: LONG: DAT LAT: LONG: DATU 2640.00 2633.45 JRED) SB9 *55	FSL 446 N 19, T31, 36.88494 107.4056 UM: NAD19 36.88495(107.40525 JM: NAD19((RECORD)) 59 W 2642. (RECORD) 1 (RECORD) 1 (RECORD) 1 1 1 1 1 1 1 1 1 1 1 1 1	, FWL N, FWL 4 N 27 0 N 55 W 33 31' 3.91'	N0 (RECORD) 589 *59 W 264: 589 *32 '38 'W 26 (MEASURED	NO °03 'W °19 '21 ''V (MEAS 2.31 ' 37.07 '	2579 SECTI LA LA LA LA LA LA LA LA CORD 2640.00 2640.0	- FSL	1916 F T31N, F 84890 N 19545 A 1927 4896 N 70147 Y D1983 2643.63 2642.4 RED)	5₩ ₩ ,	N89 °59 39 °57 '4	'W 264 14''W 2	13.63 ' 536.80 '	1.
NO 14'27'W 2642.13 (MEASUPED) 91	965 SECT. LA LA LON S89 - 25 S89 - 25 S89 - 25 S89 - 25 S89 - 25 LON D2 S89 - 25 LON LON LON LON LON LON LON LON LON LON	<pre>' FNL 4, ION 19, T T: 36.889; G: 107.40; ATUM: NAD G: 107.40; ATUM: NAD (RECORD) '50 'E 1184 9'41''E 118 MEASURED) \$89 '56; S89 '56; C D'54.3'E IT T 19</pre>	90 - FWL 31N, R 1673 N 5533 W 01927 579 N 5136 W 1983 .70 ' 10.70 ' N (RECORD 50 E 26- 3 12 E 20 MEASURE: MEASURE:	(RECC NO *03 W 2 IO *19 '05 "W (MEASL)) 40.00 ' 1639.91 '	2583 - SECTION LAT: LONG: DAT LAT: LONG: DATU 2640.00 2633.45 JRED) SB9 *55	FSL 446 N 19, T31, 36.88494 107.4056 UM: NAD19 36.88495(107.40525 JM: NAD19((RECORD)) 59 W 2642. (RECORD) 1 (RECORD) 1 (RECORD) 1 1 1 1 1 1 1 1 1 1 1 1 1	, FWL N, FWL 4 N 27 0 N 55 W 33 31' 3.91'	N0 (RECORD) 589 *59 W 264: 589 *32 '38 'W 26 (MEASURED	NO °03 'W °19 '21 ''V (MEAS 2.31 ' 37.07 '	2579 SECTI LA LA LA LA LA LA LA LA CORD 2640.00 2640.0	- FSL	1916 - F T31N, F 84890 N 19545 - AD1927 4896 N 70147 * D1983 RD) 2643.63 2642.4	5₩ ₩ ,	N89 °59 39 °57 '4	'W 264 14''W 2	13.63 ' 536.80 '	(MEASUPED) (MEASUPED) (MEASUPED)

NO °03 'W 2640.00' (RECORD)

SB9 *57 '20 'W 1196.20' NO *21 '35 'W 2636.41 SB9 *50 W 1198.55' NO *03 W 2540.00' Released to Imaginged 0/28/2021 11:02:060/AM

•

Received by UCD: 30/21/2021 2:26:53 PM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Report 10/20/2021
Well Name: ROSA UNIT	Well Location: T31N / R5W / SEC 19 / NENW /	County or Parish/State: RIO ARRIBA / NM
Well Number: 649H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF078769	Unit or CA Name: ROSA UNIT- MANCOS PA	Unit or CA Number: NMNM78407E
US Well Number: 300393132100X1	Well Status: Temporarily Abandoned	Operator: LOGOS OPERATING LLC

Notice of Intent

Sundry ID: 2633469

Type of Submission: Notice of Intent

Date Sundry Submitted: 09/09/2021

Date proposed operation will begin: 09/09/2021

Type of Action: Other Time Sundry Submitted: 04:13 6

Procedure Description: Per OCD original wellbore 649H API number 30-039-31321 will change to "Y" and the new wellbore with the new API number will become the "H". LOGOS request a change in plans with the new surface set per the attached C102 plat and the surface hole to 17.5" hole size with a total depth of 320' or greater, with 13-3/8", 54.5#, J-55 or equivalent BTC or LTC casing. Surface cement of 263sks of 15.8ppg Type Neat G, 1.18cuft/sk yield or equivalent of 223sks of 14.6ppg Type III with 1.39 cuft/sk yield +30% excess. TOC at surface. Drilling Plans will be submitted later for the Intermediate and Production string.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

3160_5_Rosa_Unit_649H_Change_in_Plans_20210909_20210909161318.pdf

Received by OCD: 10/21/2021 2:26:53 PM Well Name: ROSA UNIT	Well Location: T31N / R5W / SEC 19 / NENW /	County or Parish/State: Rio
Well Number: 649H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF078769	Unit or CA Name: ROSA UNIT- MANCOS PA	Unit or CA Number: NMNM78407E
US Well Number: 300393132100X1	Well Status: Temporarily Abandoned	Operator: LOGOS OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: ETTA TRUJILLO

Name: LOGOS OPERATING LLC

Title: Regulatory Specialist

Street Address: 2010 AFTON PLACE

City: Farmington

State: NM

Phone: (505) 324-4154

Email address: ETRUJILLO@LOGOSRESOURCESLLC.COM

Field Representative

Representative Name: Street Address: City: State: Phone: Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Phone: 5055647742 Disposition: Approved Signature: Kenneth Rennick

BLM POC Title: Petroleum Engineer BLM POC Email Address: krennick@blm.gov

Zip:

Signed on: SEP 09, 2021 04:13 PM

Disposition Date: 10/20/2021

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

COMMENTS

Page 5 of 6

Action 57366

COMMENTS OGRID: Operator: LOGOS OPERATING, LLC 289408 2010 Afton Place Action Number: Farmington, NM 87401 57366 Action Type: [C-103] NOI Change of Plans (C-103A)

COMMENTS

Created By	Comment	Comment Date
kpickford	KP GEO Review 10/27/2021	10/27/2021

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
LOGOS OPERATING, LLC	289408
2010 Afton Place	Action Number:
Farmington, NM 87401	57366
	Action Type:
	[C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
ahvermersch	File NGMP	10/28/2021

CONDITIONS

Page 6 of 6

.

Action 57366