

Submit 1 Copy To Appropriate District

Office

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL APINO. 30-025-22827
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator Endeavor Energy Resources, LP		6. State Oil & Gas Lease No. 065525
3. Address of Operator 110 North Marienfeld, Suite 200, Midland, TX 79701		7. Lease Name or Unit Agreement Name Elliot Fields
4. Well Location Unit Letter <u>U</u> : <u>660</u> feet from the <u>S</u> line and <u>660</u> feet from the <u>E</u> line Section <u>6</u> Township <u>21S</u> Range <u>38E</u> NMPM County <u>Lea</u>		8. Well Number #1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3556' GL		9. OGRID Number 190595
10. Pool name or Wildcat Drinkard		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

02/04/21 Moved rig to location. 02/05/21 Rigged up plugging equipment. POH w/ rods. Dug out cellar. 02/08/21 ND well head, NU BOP. POH w/ tbg. Set 7 5/8" CIBP @ 6950'. Per Gilbert Cordero w/ NM OCD's request. Circ'd hole w/ MLF. 02/09/21 Circ'd hole w/ MLF. Pressure tested csg. Held 0 PSI. Spotted 25 sx class C cmt @ 6950-6852'. Set 7 5/8" CIBP @ 6571'. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 6571-6473'. WOC. 02/10/21 Tagged plug @ 6450'. Perf'd @ 5000'. Sqz'd 40 sx class C cmt @ 5000-4900'. WOC. Tagged plug @ 4890'. Perf'd @ 3000'. Pressured up on perms to 1500 PSI. Spotted 40 sx class C cmt @ 3050-2854'. 02/17/21 Tagged plug @ 2850'. Perf'd csg @ 911'. Established an injection rate of 1000 PSI. Sqz'd 40 sx class C cmt @ 911-811'. WOC. Tagged plug @ 805'. Perf'd csg @ 450'. Established an injection rate of 1200 PSI. Sqz'd 40 sx class C cmt @ 450-350'. Lost circulation. WOC. 12/18/21 Tagged plug @ 350'. Perf'd @ 150'. ND BOP, NU Flange. Sqz'd 65 sx class C cmt @ 150' & circulated to surface. Rigged down & moved off. 02/19/21 Moved in backhoe and welder, cut off well head and Kerry Fortner w/ OCD verified cmt to surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, off deadmen, cleaned location, and moved off.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jan South TITLE Senior Regulatory Analyst DATE 02/22/2021

Type or print name Jan South E-mail address: JSouth@eeronline.com PHONE: 432-262-4014 ext 1014

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 10/29/21

Conditions of Approval (if any)

WELLBORE DIAGRAM
ELLIOT FIELDS #1
PLUGGED

Created: 11/24/20 Sy: _____
Updated: _____ Sy: _____
Lease: ELLIOT FIELDS
Field: DRINKARD
Surf. Loc.: 660' FSL & 660' FEL
Bot. Loc.: _____
County: LEA SL: NM
Status: _____

Well #: 1
API: 30-025-22827
Unit Ltr.: U Sec. 6
TSHP/Rng: 21S-38E
Pool Code: OGRID: 14301
Directions: _____


Surface Casing

Size: 10-3/4"
Wt., Grd.: 40.5#
Depth: 861'
Sxs Cmt: 425
Circulate: yes
TOC: surface
Hole Size: 13-3/4"

FORMATION TOPS

Intermediate Casing

Size: 7-5/8"
Wt., Grd.: 26#
Depth: 7460'
Sxs Cmt: 950
Circulate: NO
TOC: SURFACE
Hole Size: 9-5/8"



7. Perf'd @ 150'. ND BOP, NU Flange. Sqz'd 65 sx class C cmt @ 150' & circulated to surface.

6. Perf'd csg @ 450'. Sqz'd 40 sx class C cmt @ 450-350'. WOC. Tagged plug @ 350'.

5. Perf'd csg @ 911'. Sqz'd 40 sx class C cmt @ 911-811'. WOC. Tagged plug @ 805'.

4. Spotted 40 sx class C cmt @ 3050-2854'. Tagged plug @ 2850'.

3. Perf'd @ 5000'. Sqz'd 40 sx class C cmt @ 5000-4900'. WOC. Tagged plug @ 4890'.

2. Set 7 5/8" CIBP @ 6571'. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 6571-6473'. WOC. 02/10/21 Tagged plug @ 6450'.

Perfs @ 6722-7408'

1. Set 7 5/8" CIBP @ 6950'. Circ'd hole w/ MLF. Pressure tested csg, Held 0 PSI. Spotted 25 sx class C cmt @ 6950-6852'.

Perfs @ 7225-7414'

7460'

**WELLBORE DIAGRAM
ELLIOT FIELDS #1**

Created: 11/24/20 By: _____
 Updated: _____ By: _____
 Lease: ELLIOT FIELDS
 Field: DRINKARD
 Surf. Loc.: 660' FSL & 660' FEL
 Bot. Loc.: _____
 County: LEA St.: NM
 Status: _____

Well #: 1
 API: 30-025-22827
 Unit Ltr.: U Sec. 6
 TSHP/Rng: 21S-38E
 Pool Code: OGRID: 14301
 Directions: _____


Surface Casing

Size: 10-3/4"
 Wt., Grd.: 40.5#
 Depth: 861'
 Sxs Cmt: 425
 Circulate: yes
 TOC: surface
 Hole Size: 13-3/4"

FORMATION TOPS	

Intermediate Casing

Size: 7-5/8"
 Wt., Grd.: 26#
 Depth: 7460'
 Sxs Cmt: 950
 Circulate: NO
 TOC: SURFACE
 Hole Size: 8-5/8"



Perfs @ 6722-7408'

Perfs @ 7225-7414'

7460'

WELLBORE DIAGRAM
ELLIOT FIELDS #1
PLUGGED

Created: 11/24/20 Sy: _____
Updated: _____ Sy: _____
Lease: ELLIOT FIELDS
Field: DRINKARD
Surf. Loc.: 660' FSL & 660' FEL
Bot. Loc.: _____
County: LEA SL: NM
Status: _____

Well #: 1
API: 30-025-22827
Unit Ltr.: U Sec. 6
TSHP/Rng: 21S-38E
Pool Code: OGRID: 14301
Directions: _____


Surface Casing

Size: 10-3/4"
Wt., Grd.: 40.5#
Depth: 851'
Sxs Cmt: 425
Circulate: yes
TOC: surface
Hole Size: 13-3/4"

FORMATION TOPS	

Intermediate Casing

Size: 7-5/8"
Wt., Grd.: 26#
Depth: 7460'
Sxs Cmt: 950
Circulate: NO
TOC: SURFACE
Hole Size: 9-5/8"



7. Perf'd @ 150'. ND BOP, NU Flange. Sqz'd 65 sx class C cmt @ 150' & circulated to surface.

6. Perf'd csg @ 450'. Sqz'd 40 sx class C cmt @ 450-350'. WOC. Tagged plug @ 350'.

5. Perf'd csg @ 911'. Sqz'd 40 sx class C cmt @ 911-811'. WOC. Tagged plug @ 805'.

4. Spotted 40 sx class C cmt @ 3050-2854'. Tagged plug @ 2850'.

3. Perf'd @ 5000'. Sqz'd 40 sx class C cmt @ 5000-4900'. WOC. Tagged plug @ 4890'.

2. Set 7 5/8" CIBP @ 6571'. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 6571-6473'. WOC. 02/10/21 Tagged plug @ 6450'.

Perfs @ 6722-7408'

1. Set 7 5/8" CIBP @ 6950'. Circ'd hole w/ MLF. Pressure tested csg, Held 0 PSI. Spotted 25 sx class C cmt @ 6950-6852'.

Perfs @ 7225-7414'

**WELLBORE DIAGRAM
ELLIOT FIELDS #1**

Created: 11/24/20 By: _____
 Updated: _____ By: _____
 Lease: ELLIOT FIELDS
 Field: DRINKARD
 Surf. Loc.: 660' FSL & 660' FEL
 Bot. Loc.: _____
 County: LEA St.: NM
 Status: _____

Well #: 1
 API: 30-025-22827
 Unit Ltr.: U Sec. 6
 TSHP/Rng: 21S-38E
 Pool Code: OGRID: 14301
 Directions: _____


Surface Casing

Size: 10-3/4"
 Wt., Grd.: 40.5#
 Depth: 861'
 Sxs Cmt: 425
 Circulate: yes
 TOC: surface
 Hole Size: 13-3/4"

FORMATION TOPS	

Intermediate Casing

Size: 7-5/8"
 Wt., Grd.: 26#
 Depth: 7460'
 Sxs Cmt: 950
 Circulate: NO
 TOC: SURFACE
 Hole Size: 8-5/8"



Perfs @ 6722-7408'

Perfs @ 7225-7414'

7460'

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 54138

CONDITIONS

Operator: ENDEAVOR ENERGY RESOURCES, LP 110 North Marienfeld Midland, TX 79701	OGRID: 190595
	Action Number: 54138
	Action Type: [C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	10/29/2021