

Submit a Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-29695
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator XTO Energy, Inc		6. State Oil & Gas Lease No.
3. Address of Operator 6401 Holiday Hill, Rd #5 Midland, Tx 79707		7. Lease Name or Unit Agreement Name Poker Lake Unit
4. Well Location Unit Letter <u>K</u> : <u>1980</u> feet from the <u>South</u> line and <u>1980</u> feet from the <u>West</u> line Section <u>36</u> Township <u>24S</u> Range <u>30E</u> NMPM County <u>Eddy</u>		8. Well Number <u>128</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3449' GR		9. OGRID Number 005380
		10. Pool name or Wildcat Poker Lake (Delaware), SW

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO Permian Operating LLC respectfully submit the subsequent PA the above referenced well.

05/12/2020 - Poh with tbq & Rods

05/13/2020 - Set CIBP @ 6550 with 2 sx cmt on top. Tag top of CIBP @ 6511, Pressure test to 500 psi test good.

05/14/2020 - pump 45 sx f/ 6280 - 5836, Tag TOC @ 5845. Perf @ 4225 est inj rate @ 2 BPM 400 psig. Sqz 45 sx cmt @ f/ 4225 - 4075, WOC.

05/15/2020: Tag TOC @ 4060, Perf @ 1100, est inj rate circ out 8-5/8 csg. sqz 45 sx cmt f/ 1100 - 950, WOC. Tag TOC @ 935. Perf @ 60 est inj rate out 8-5/8 but not circ out 11-3/4 csg pressure up. circ cmt f/ 60 - surf inside 5-1/2 - 8-5/8. well PA'd

05/18/2021 - cut of WH and install PA marker.

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Cassie Evans TITLE Regulatory Analyst DATE 10/28/2021

Type or print name Cassie Evans E-mail address: cassie_evans@xtoenergy.com PHONE: 432.218.3671

For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 11/1/2021
 Conditions of Approval (if any):




Wellbore Diagram - RRC

Well Name: POKER LAKE 128

API/UWI 3001529695	SAP Cost Center ID 1137091211	Permit Number	State/Province New Mexico		County Eddy		
Surface Location T24S-R30E-S36		Spud Date 10/4/1997 20:00	Original KB Elevation (ft) 3,465.55	Ground Elevation (ft) 3,449.20	KB-Ground Distance (ft) 16.35	Surface Casing Flange Elevatio...	
Lease Poker Lake Unit							

Vertical, Original Hole, 10/28/2021 10:11:03 AM

Vertical schematic (actual)



Perforations		
Top (ftKB)	Btm (ftKB)	Current Status
59.0	60.0	
1,099.0	1,100.0	
4,224.0	4,225.0	
6,610.0	6,613.0	Active (6,610.0 - 6,613.0 ftKB)
6,720.0	6,723.0	Active (6,720.0 - 6,723.0 ftKB)
6,820.0	6,824.0	Active (6,820.0 - 6,824.0 ftKB)
7,842.0	7,846.0	Squeezed (1,099.0 - 1,100.0 ftKB)

Cement				
Des	Top (ftKB)	Top Meas Meth	Class	Amount (sacks)
Surface Casing Cement	16.5	Circulated	C	275
Surface Casing Cement	16.5	Circulated	C	250
Intermediate Casing Cement	600.0	Volume Calculations	C	1,170
Intermediate Casing Cement	600.0	Volume Calculations	C	200
Production Casing Cement	7,000.0	Volume Calculations	H	175
Production Casing Cement	5,930.0	Temperature Log	C	365

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 58320

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 58320
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/1/2021