

Well Name: THRASHER 33 FED COM	Well Location: T24S / R34E / SEC 33 / SWSE / 32.1673219 / -103.4716568	County or Parish/State: LEA / NM
Well Number: 708H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM120363	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548397	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Subsequent Report

Sundry ID: 2505950

Type of Submission: Subsequent Report

Date Sundry Submitted: 06/30/2021

Date Operation Actually Began: 06/07/2021

Type of Action: Drilling Operations

Time Sundry Submitted: 09:46

**Actual Procedure:** 6-7-2021 12 1/4" hole 6-7-2021 Surface Hole @ 1,190' MD, 1,190' TVD Casing shoe @ 1,177' MD, 1,177' TVD Ran 9-5/8" 40# J-55 LTC 0' - 1,091' Ran 9-5/8" 40# HCK55 LTC 1,091' - 1,177' Cement w/ 400 sx Class C (1.79 yld, 13.5 ppg), followed by 105 sx Class C (1.35 yld, 14.8 ppg) Test casing to 1,500 psi for 30 min - OK. Circ 245 sx cement to surface BOP/DIVERTERS/ROTATING HEAD-TEST BOP'S TO BLM SPECIFICATIONS: TEST CHOKE MANIFOLD, UPPER AND LOWER PIPE RAMS, BLIND RAMS, ROADSIDE KILL, TIW & DART VALVES TO 250 PSI LOW & 10,000 PSI HIGH, TEST ANNULAR & ATTEMPT TO TEST STANDPIPE TO 250 PSI LOW & 5000 PSI HIGH, (REBUILD 4" STANDPIPE VALVE ON RIG FLOOR(, RE TEST STANDPIPE (GOOD TEST) TEST ORBIT VALVE TO 250 PSI LOW & 500 PSI HIGH. PERFORM DRAW DOWN TEST. BOP TESTED BY LONESTAR HYDROSTATIC

<b>Well Name:</b> THRASHER 33 FED COM	<b>Well Location:</b> T24S / R34E / SEC 33 / SWSE / 32.1673219 / -103.4716568	<b>County or Parish/State:</b> LEA / NM
<b>Well Number:</b> 708H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM120363	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3002548397	<b>Well Status:</b> Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

<b>Operator Electronic Signature:</b> EMILY FOLLIS	<b>Signed on:</b> JUN 30, 2021 09:46 AM
<b>Name:</b> EOG RESOURCES INCORPORATED	
<b>Title:</b> Sr. Regulatory Administrator	
<b>Street Address:</b> 5509 Champions Drive	
<b>City:</b> Midland	<b>State:</b> TX
<b>Phone:</b> (432) 848-9163	
<b>Email address:</b> emily_follis@eogresources.com	

Field Representative

<b>Representative Name:</b>		
<b>Street Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip:</b>
<b>Phone:</b>		
<b>Email address:</b>		

BLM Point of Contact

<b>BLM POC Name:</b> Jonathon W Shepard	<b>BLM POC Title:</b> Petroleum Engineer
<b>BLM POC Phone:</b> 5752345972	<b>BLM POC Email Address:</b> jshepard@blm.gov
<b>Disposition:</b> Accepted	<b>Disposition Date:</b> 07/09/2021
<b>Signature:</b> Jonathon Shepard	

Well Name: THRASHER 33 FED COM	Well Location: T24S / R34E / SEC 33 / SWSE / 32.1673219 / -103.4716568	County or Parish/State: LEA / NM
Well Number: 708H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM120363	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548397	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Subsequent Report

Sundry ID: 2506491

Type of Submission: Subsequent Report

Date Sundry Submitted: 07/07/2021

Date Operation Actually Began: 06/28/2021

Type of Action: Drilling Operations

Time Sundry Submitted: 12:48

**Actual Procedure:** 6-28-2021 8-3/4 6-28-2021 Intermediate Hole @ 11,780' MD, 11,727' TVD Casing shoe @ 11,944' MD Ran 7-5/8", 29.7#, ICYP-110 MO-FXL Stage 1: Cement w/ 410 sx Class H (1.21 yld, 15.6 ppg) Test casing to 2,650 psi for 30 min - good. Did not circ cement to surface, TOC @ 7,000' by Calc Stage 2: Bradenhead squeeze w/ 1,000 sx Class C (1.41 yld, 14.8 ppg) Stage 3: Top out w/ 227 sx Class C (1.36 yld, 14.8 ppg), Lines flushed w/ 4 bbls FW, TOC @ 0' by Visual resume drilling

<b>Well Name:</b> THRASHER 33 FED COM	<b>Well Location:</b> T24S / R34E / SEC 33 / SWSE / 32.1673219 / -103.4716568	<b>County or Parish/State:</b> LEA / NM
<b>Well Number:</b> 708H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM120363	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3002548397	<b>Well Status:</b> Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

<b>Operator Electronic Signature:</b> EMILY FOLLIS	<b>Signed on:</b> JUL 07, 2021 12:48 PM
<b>Name:</b> EOG RESOURCES INCORPORATED	
<b>Title:</b> Sr. Regulatory Administrator	
<b>Street Address:</b> 5509 Champions Drive	
<b>City:</b> Midland	<b>State:</b> TX
<b>Phone:</b> (432) 848-9163	
<b>Email address:</b> emily_follis@eogresources.com	

Field Representative

<b>Representative Name:</b>		
<b>Street Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip:</b>
<b>Phone:</b>		
<b>Email address:</b>		

BLM Point of Contact

<b>BLM POC Name:</b> Jonathon W Shepard	<b>BLM POC Title:</b> Petroleum Engineer
<b>BLM POC Phone:</b> 5752345972	<b>BLM POC Email Address:</b> jshepard@blm.gov
<b>Disposition:</b> Accepted	<b>Disposition Date:</b> 07/09/2021
<b>Signature:</b> Jonathon Shepard	

Well Name: THRASHER 33 FED COM	Well Location: T24S / R34E / SEC 33 / SWSE / 32.1673219 / -103.4716568	County or Parish/State: LEA / NM
Well Number: 708H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM120363	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548397	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Subsequent Report

Sundry ID: 2507492

Type of Submission: Subsequent Report

Date Sundry Submitted: 07/13/2021

Date Operation Actually Began: 07/11/2021

Type of Action: Drilling Operations

Time Sundry Submitted: 12:09

**Actual Procedure:** 7-11-2021 6 3/4" HOLE 7-11-2021 Production Hole @ 22,604' MD, 12,214' TVD Casing shoe @ 22,583' MD, 12,214' TVD Ran 5.5", 20#, ICYP-110 TXP 0' - 11,247' (MJ @ 11,890' and 22,108') Ran 5.5", 20#, ICYP-110 TLW-SC 11,247' - 11,811' Ran 5.5", 20#, ICYP-110 TXP 11,811' - 22,583' Cement w/ 970 sx Class H (1.23 yld, 14.5 ppg) Did not test casing (wet shoe). Did not circ cement to surface, TOC @ 10,872' by Calc RR 7-12-2021

<b>Well Name:</b> THRASHER 33 FED COM	<b>Well Location:</b> T24S / R34E / SEC 33 / SWSE / 32.1673219 / -103.4716568	<b>County or Parish/State:</b> LEA / NM
<b>Well Number:</b> 708H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM120363	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3002548397	<b>Well Status:</b> Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

<b>Operator Electronic Signature:</b> EMILY FOLLIS	<b>Signed on:</b> JUL 13, 2021 12:09 PM
<b>Name:</b> EOG RESOURCES INCORPORATED	
<b>Title:</b> Sr. Regulatory Administrator	
<b>Street Address:</b> 5509 Champions Drive	
<b>City:</b> Midland	<b>State:</b> TX
<b>Phone:</b> (432) 848-9163	
<b>Email address:</b> emily_follis@eogresources.com	

Field Representative

<b>Representative Name:</b>		
<b>Street Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip:</b>
<b>Phone:</b>		
<b>Email address:</b>		

BLM Point of Contact

<b>BLM POC Name:</b> Jonathon W Shepard	<b>BLM POC Title:</b> Petroleum Engineer
<b>BLM POC Phone:</b> 5752345972	<b>BLM POC Email Address:</b> jshepard@blm.gov
<b>Disposition:</b> Accepted	<b>Disposition Date:</b> 07/22/2021
<b>Signature:</b> Jonathon Shepard	

Well Name: THRASHER 33 FED COM	Well Location: T24S / R34E / SEC 33 / SWSE / 32.1673219 / -103.4716568	County or Parish/State: LEA / NM
Well Number: 708H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM120363	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002548397	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Well Spud
Date Sundry Submitted:	06/07/2021	Time Sundry Submitted:	2:07:19 PM
Date Operation Will Begin:	05/29/2021	Time Operation Will Begin:	11:00:00 AM
APD Approved Date:	01/06/2021		
US Well Number	3002548397		
Field Contact Name:	S EVANS	Field Contact Number:	(432) 636-3600
Rig Name:		Rig Number:	HP258
Spud Type:	Conductor Hole, Rathole and/or Mousehole		
Procedure Description:	5-30-2021 20" Conductor @ 117'		
Disposition:	Accepted		
Accepted Date:	06/07/2021		

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 55753

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 55753
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	Need intermediate casing depth.	11/2/2021