

Well Name: BISTI COAL 8 COM	Well Location: T25N / R12W / SEC 8 / SWNE / 36.418121 / 108.131332	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMSF078056	Unit or CA Name: BISTI COAL 8 COM	Unit or CA Number: NMNM87089
US Well Number: 3004528328	Well Status: Producing Gas Well	Operator: DJR OPERATING LLC

Subsequent Report

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 02/10/2021

Time Sundry Submitted: 08:51

Date Operation Actually Began: 11/24/2020

Actual Procedure: The subject well was Plugged & Abandoned on 11/24/20 per the attached detailed As Plugged Wellbore Diagram and marker.

SR Attachments

Actual Procedure

- Bisti\_Coal\_8\_COM\_1\_PA\_marker\_20210210085129.pdf
- EOWR\_AsPlugged\_WBD\_Bisti\_Coal\_8\_COM\_1\_20210210085129.pdf

<b>Well Name:</b> BISTI COAL 8 COM	<b>Well Location:</b> T25N / R12W / SEC 8 / SWNE / 36.418121 / 108.131332	<b>County or Parish/State:</b> SAN JUAN / NM
<b>Well Number:</b> 1	<b>Type of Well:</b> OTHER	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMSF078056	<b>Unit or CA Name:</b> BISTI COAL 8 COM	<b>Unit or CA Number:</b> NMNM87089
<b>US Well Number:</b> 3004528328	<b>Well Status:</b> Producing Gas Well	<b>Operator:</b> DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

<b>Operator Electronic Signature:</b> FORD	<b>Signed on:</b> FEB 10, 2021 08:51 AM
<b>Name:</b> DJR OPERATING LLC	
<b>Title:</b> Regulatory Specialist	
<b>Street Address:</b> 1 Road 3263	
<b>City:</b> Aztec	<b>State:</b> NM
<b>Phone:</b> (505) 632-3476	
<b>Email address:</b> sford@djrlc.com	

Field Representative

<b>Representative Name:</b>		
<b>Street Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip:</b>
<b>Phone:</b>		
<b>Email address:</b>		

BLM Point of Contact

<b>BLM POC Name:</b> WILLIAM F TAMBEKOU	<b>BLM POC Title:</b> PETROLEUM ENGINEER
<b>BLM POC Phone:</b> 7192698500	<b>BLM POC Email Address:</b> wtambekou@blm.gov
<b>Disposition:</b> Accepted	<b>Disposition Date:</b> 04/01/2021
<b>Signature:</b> William Max Tambekou	

**DJR Operating, LLC**

**Bisti Coal 8 COM 1**

**API # 30-045-28328**

**SW/NE, Unit G, Sec. 8, T25N, R12W**

**San Juan County, NM**



P&A End of Well Report  
DJR Operating, LLC  
Bisti Coal 8 COM #001  
API: 30-045-28328  
SWNW G-8-25N-12W  
San Juan County, NM

Spud Date: 11/14/1990

Plugged Date: 11/24/2020

11/24/20: Set cement retainer at 1048'. Pressure test 4 1/2" casing to 1000 psi, good test.

Plug 1: Mix and pump 10 sx class G cement through retainer into Fruitland perfs.

Plug 2: 1048 to surface. Mix and pump balanced plug of 82 sx class G cement from retainer to surface. TOOH. Tag fallback at 100' in 4 1/2" casing, 30' in 7" x 4 1/2" annulus. Mix and place 30 sx top off plug with polypipe to surface. Install P&A marker.

All cement used: Class G cement mixed at 15.8 ppg. 1.15 yield.

BLM Representative onsite to witness: William Diers

# DJR Operating, LLC P&A End of Well Report

**Bisti Coal 8 Com 1**

API # 30-045-28328

SW/NE, Unit G, Sec 8, T25N, R12W  
San Juan County, NM

GL 6184'

KB N/A

Spud Date 11/14/1990

11-24-2020: Install P&A marker

## SURF CSG

Hole size 8.75"  
Csg Size: 7"  
Wt: 20#  
Grade: J-55  
ID: 6.456"  
Depth 132'  
casing cap ft<sup>3</sup>/ft: 0.2273  
TOC: Circ cmt  
to surface

## FORMATION TOPS


Formation	Surface
Nacimiento	Surface
Ojo Alamo	N/A
Kirtland	N/A
Fruitland	950'
Pictured Cliffs	1136'

## PROD CSG

Hole size 6.25"  
Csg Size: 4.5"  
Wt: 9.5#  
Grade: J-55  
ID: 4.09"  
Depth 1213'  
casing cap ft<sup>3</sup>/ft: 0.0912  
7x4.5 capacity ft<sup>3</sup>/ft 0.1169  
TOC: Circ cmt  
to surface

Cement Ret. 1048'  
Fruitland Coal perfs  
1091-1114'

COTD 1189'  
TD 1260'



11-24-2020: Tag fallback at 100' in 4 1/2" casing, 30' in 7" x 4 1/2" annulus. Mix and place 30 sx top off plug with polypipe to surface

11-24-2020: Plug 2: 1048 to surface. Mix and pump balanced plug of 82 sx class G cement from retainer to surface. TOOH.

11-24-2020: Plug 1: Mix and pump 10 sx class G cement through retainer into Fruitland perfs.

Set cement retainer at 1048'. Pressure test 4 1/2" casing to 1000 psi, good test

All cement used was class G cement mixed at 15.8 ppg, yield 1.15  
Regulatory representative on site, William Diers, BLM  
GPS coordinates: Lat: 36.41827011946589, Lng: -108.13217081129551

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 57705

CONDITIONS

Operator:  DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID:  371838
	Action Number:  57705
	Action Type:  [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	11/4/2021