

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 06/29/2021
⁴ API Number 30 - 025-45875	⁵ Pool Name MESA VERDE; WOLFCAMP	⁶ Pool Code 98252
⁷ Property Code: 320829	⁸ Property Name: MESA VERDE WOLFCAMP UNIT	⁹ Well Number: 13H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
L 4	18	24S	32E		330	SOUTH	1378	WEST	LEA

¹¹ Bottom Hole Location

FTP- 562' FSL 283' FWL LTP- 184' FNL 349' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L 1	18	24S	32E		53	NORTH	350	WEST	LEA

¹² Lse Code F	¹³ Producing Method Code : P	¹⁴ Gas Connection Date: 07/02/21	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date
------------------------------------	--	---	-----------------------------------	------------------------------------	-------------------------------------

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
273222	GREAT LAKES PETROLEUM TRANSPORTATION, LLC	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 03/16/21	²² Ready Date 06/29/2021	²³ TD 17181'M 12075'V	²⁴ PBTD 17156'M 12075'V	²⁵ Perforations 12509-17050'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
14-3/4"	10-3/4"	960'	890		
9-7/8"	7-5/8"	11365'	2615		
6-1/8"	5-1/2" x 4-1/2"	17169'	512		
	2-7/8" tbg	11867'	na		

V. Well Test Data

³¹ Date New Oil 07/02/21	³² Gas Delivery Date 07/02/21	³³ Test Date 07/13/21	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 781
³⁷ Choke Size 59/128	³⁸ Oil 1616	³⁹ Water 4147	⁴⁰ Gas 4350		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.



Signature:

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:

Janalyn_mendiola@oxy.com

Date:

09/28/2021

Phone:

432-685-5936

OIL CONSERVATION DIVISION

Approved by: **PATRICIA MARTINEZ**Title: **PETROLEUM SPECIALIST**Approval Date: **11/9/2021**

Well Name: MESA VERDE WC UNIT	Well Location: T24S / R32E / SEC 18 / LOT 4 / 32.2110368 / -103.7185246	County or Parish/State: LEA / NM
Well Number: 13H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM66925	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002545875	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2629008

Type of Submission: Subsequent Report	Type of Action: Workover Operations
Date Sundry Submitted: 08/14/2021	Time Sundry Submitted: 09:08
Date Operation Actually Began: 06/10/2021	

Actual Procedure: RUPU 06/10/21, RIH & clean out to PBTD @ 17156', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 17050-12509' Total 456 holes. Frac in 19 stages w/ 252056BBL Produced Water w/ 18296100# sand, RD Liberty Oilfield Services 06/24/21. Well ready to produce 06/29/21. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 09/10/2021. Formation Tops for this completion are as follows: Rustler 775'M 775'V Salado (Top of Salt) 1104'M 1104'V Castile (anhydrite/bottom salt) 3208'M 3207'V Lamar/Delaware 4652'M 4650'V Bell Canyon 4682'M 4680'V Cherry Canyon 5535'M 5534'V Brushy Canyon 6789'M 6786'V Bone Spring 8486'M 8459'V Ist Bone Springs 9611'M 9557'V 2nd Bone Springs 10251'M 10175'V 3rd Bone Springs 11633'M 11462'V Wolfcamp 12170'M 11893'V

Well Name: MESA VERDE WC UNIT	Well Location: T24S / R32E / SEC 18 / LOT 4 / 32.2110368 / -103.7185246	County or Parish/State: LEA / NM
Well Number: 13H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM66925	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002545875	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.


Operator Electronic Signature: JANA MENDIOLA	Signed on: AUG 14, 2021 09:08 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 10/22/2021
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-025-45875		
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name MESA VERDE WOLFCAMP UNIT		
								6. Well Number: 13H		
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER										
8. Name of Operator: OXY USA INC.						9. OGRID: 16696				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat MESA VERDE; WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	18	24S	32E	4	330	SOUTH	1378	WEST	LEA
BH:	D	18	24S	32E	1	53	NORTH	350	WEST	LEA
13. Date Spudded 03/16/21	14. Date T.D. Reached 05/27/2021		15. Date Rig Released 06/02/2021			16. Date Completed (Ready to Produce) 06/29/2021		17. Elevations (DF and RKB, RT, GR, etc.) 3572' GL		
18. Total Measured Depth of Well 17181'M 12075'V			19. Plug Back Measured Depth 17156'M 12075'V			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12509-17050' WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75" J55		45.5		960'		14.75"		890sx-surf circ		
7.625" HCL80		26.4		11365'		9.875"		2615sx-surf circ		
5.5" P110		20		0-11275'		6.125"		512sx-TOC@10200'		
4.5" P110		13.5		11275-17169'		6.125"		512sx-TOC@10200'		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET		
						2-7/8"	11867'	11858'		
26. Perforation record (interval, size, and number) 12509-17050' Total 456 holes, Hole Size=0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 12509-17050' 252056BBL Produced Water w/ 18296100# sand				
28. PRODUCTION										
Date First Production 07/02/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) GAS LIFT				Well Status (Prod. or Shut-in) Prod.				
Date of Test 07/08/2021	Hours Tested 24 hrs.	Choke Size 59/128	Prod'n For Test Period	Oil - Bbl 1616	Gas - MCF 4350	Water - Bbl. 4147	Gas - Oil Ratio 2692			
Flow Tubing Press.	Casing Pressure 781	Calculated 24- Hour Rate	Oil - Bbl. 1616	Gas - MCF 4350	Water - Bbl. 4147	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By		
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature: 			Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>			Date: <u>09/28/2021</u>	
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 775'	T. Bell Canyon 4682'	T. Ojo Alamo	T. Penn A "
T. Salado 1104'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 3208'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4652'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 5535'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 6789'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 8486'	T. Todilto	
T. Abo	T. 1 st Bone Springs 9611'	T. Entrada	
T. Wolfcamp 12170'	T. 2 nd Bone Springs 10251'	T. Wingate	
T. Penn	T. 3 rd Bone Springs 11633'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
Mesa Verde Wolfcamp Unit 13H
API No. 30-025-45875



Perfs @ 12509-17050'

TD- 17181'M 12075'V

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 52551

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 52551
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

<input checked="" type="checkbox"/>	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
<input checked="" type="checkbox"/>	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 52551

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 52551
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	FILE 3160-4 COMPLETION REPORT WITHIN 10 DAYS TO NMOCD AFTER BLM APPROVAL.	11/9/2021