State of New Mexico

Energy, Minerals and Natural Resources Department Oil Conservation Division Hobbs District Office

R	RA	D	FA	THE	AD	TEST	ΓR	EP	0	RT	١

Operator Name								. API Number			
Matador Production Company								30-025-30734			
Property Name									Well No.		
A. Control	Shoot	12 Feder	ral						1	1	
¹ . Surface Location									A COLUMN STEEL STOCKS THE STEELING AS A COLUMN STEELING STATE OF STATE S		
UL - Lot	Section 12	Township 18S	Range 32E		Feet from 2310	N/S Li Sout		Feet From 980	E/W Line East	County Lea	
Well Status											
YES TA'D	WELL N	O YES	SHUT-IN	NO IN	INJECTOR J	SWD	OIL) PRO	DDUCER GA	s 3/20	DATE	

OBSERVED DATA

	(A)Surface	(B)Interm(1)	(C)Interm(2)	(D)Prod Csng	(E)Tubing
Pressure	Shadada Baddanaanda aan kasa sarah kasa baran karan ka	1 20 osi	NLA	1 0 psi	NIA
Flow Characteristics			The second secon	The state of the s	
Puff	Y/N	Y/(N)	Y/N	Y / N	CO2
Steady Flow	Y / N	(Y) N	Y / N	Y/N	WTR GAS
Surges	Y/N	Y / (N)	Y / N	Y/N	Type of Fluid
Down to nothing	Y/N	(Y) N	Y/N	Y/N	Injected for Waterflood if
Gas or Oil	Y/N	(Y)/ N	Y / N	Y/N	applies
Water	Y/N	Y / (N)	Y/N	Y/N	

Remarks - Please state for each string (A,B,C,D,E) pertinent information regarding bleed down or continuous build up if applies.

(B)

Straight gas flows until it bled off to zero psi

STook ~ 30 Sec to bleed all the way off

Signature: Kyle Chi W	OIL CONSERVATION DIVISION
Printed name: Kyle Christy	Entered into RBDMS
Title: Production Engineer	Re-test
E-mail Address: Kchristy @ Matadorresources. com	X
Date: 4 12 21 Phone: 303 - 929 - 9000	\mathcal{N}
Date of test 3/26 Williess: Katherine Tess	

PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify: All valves prior to testing

Gauges: Install on each casing string to record pressure.

Assure: That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open: Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges: Record pressure on each gauge and casing string on BHT form. Open

valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string:

•	Blow or Puff	Yes or No
•	Bled down to Nothing	Yes or No
•	Steady Flow	Yes or No
0	Oil or Gas	Yes or No
•	Water	Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

Instructions below apply to the District 1 Hobbs office since this must be reported on a form.

In case of pressure:

1. Record pressure reading on gauge.

- 2. Bleed and note time elapsed to bleed down.
- 3. Leave valve open for additional observation.
- 4. Note any fluids expelled.

In absence of Pressure:

- 1. Leave valve open for additional observation.
- 2. Note types of fluids expelled.
- 3. Note if fluids persist throughout test.

Note: Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

District III

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 23722

CONDITIONS

Operator:	OGRID:
MATADOR PRODUCTION COMPANY	228937
One Lincoln Centre	Action Number:
Dallas, TX 75240	23722
	Action Type:
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)

CONDITIONS

Cr	reated By	Condition	Condition Date		
l kfo	ortner	None	11/12/2021		