

Well Name: CHACON AMIGOS	Well Location: T22N / R3W / SEC 11 / NENW /	County or Parish/State: SANDOVAL / NM
Well Number: 6	Type of Well: OIL WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC360	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004320513	Well Status: Oil Well Shut In	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2634293

Type of Submission: Subsequent Report

Date Sundry Submitted: 09/15/2021

Date Operation Actually Began: 09/02/2021

Type of Action: Plug and Abandonment

Time Sundry Submitted: 08:06

Actual Procedure: The subject well was Plugged & Abandoned on 9/2/21 per the attached detailed As Plugged Wellbore Diagram and Marker.

SR Attachments

Actual Procedure

- PA_Marker_20210915080611.pdf
- EOW_Chacon_Amigos_6__20210915080610.pdf

Well Name: CHACON AMIGOS	Well Location: T22N / R3W / SEC 11 / NENW /	County or Parish/State: SANDOVAL / NM
Well Number: 6	Type of Well: OIL WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC360	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004320513	Well Status: Oil Well Shut In	Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: SEP 15, 2021 08:06 AM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 10/20/2021
Signature: Kenneth Rennick	



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

Memorandum

To: Robert Switzer, Environmental Protection Specialist
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.


Realty Officer

cc: Jicarilla Oil and Gas Administration

P&A Marker
DJR Operating, LLC
Chacon Amigos 6
API #: 30-043-20513
NENW C-11-22N-3W
Sandoval County, NM



P&A End of Well Report
DJR Operating, LLC
Chacon Amigos #006
API: 30-043-20513
NENW C-11-22N-3W

Spud Date: 05/13/1981

Plugged Date: 09/02/2021

8-30-2021:

Set CR at 6700'. PT casing, good test. Ran CBL log from 6700' to surface.

Plug 1: Dakota: Mix and pump 20 sx through CR into Dakota perfs.

8-31-2021:

Plug 2: Dakota: Pump balanced plug of 12 sx from 6700' to 6550'.

Plug 3: Gallup: Pump balanced plug of 12 sx from 5698' to 5548'.

Plug 4: Mancos: Perf 3 holes at 4880'. Not able to establish rate into perfs, BLM and NMOCD OK to pump balanced plug of 16 sx from 4880' to 4730'. WOC, 9-01-2021: Tagged plug at 4756', (26' low) Spot plug 5 from 4756' to 4656'.

9-01-2021:

Plug 6: Mesa Verde: Perf 3 holes at 4062'. Set CR at 4012'. Pump 56 sx plug (40 sx outside csg, 4 sx under CR, 12 sx above CR.)

Plug 7: Chacra: Perf 3 holes at 3335'. Set CR at 3285'. Pump 56 sx plug (40 sx outside csg, 4 sx under CR, 12 sx above CR.)

Plug 8: Pictured Cliffs, Fruitland, Ojo Alamo: Pump balanced plug of 36 sx from 2568'-2103'.

Plug 9: Nacimiento: Perf 3 holes at 1240'. Set CR at 1190'. Pump 56 sx plug (40 sx outside csg, 4 sx under CR, 12 sx above CR.)

9-02-2021:

Plug 10: Surface csg shoe: Perf 3 holes at 420'. Establish circ out BH. TIH, set CR at 320'. Mix and pump 30 sx (20 sx outside csg, 8 sx below CR and reverse out from 320'). WOC, BH press = 0.

Plug 11: Perf 3 holes at 300', bullhead 132 sx down csg, circ cement out BH.

Cut off WH, install surface P&A marker

TOC in 4 1/2" csg at 128', top off with poly pipe and 32 sx cement.

All cement used: Class G cement mixed at 15.8 ppg. 1.15 yield.

BLM Representative onsite to witness: Leo Pacheco

**End of Well Report
DJR Operating, LLC
Chacon Amigos 6**

API # 30-043-20513
NE/NW, Unit C, Sec 11, T22N, R3W
Sandoval County, NM

GL 7111'
KB 7125'
Spud Date 5/13/1981

SURF CSG

Hole size 12.25"
Csg Size: 8.625"

Wt: 24#

Grade: K-55
ID: 8.097"
Depth 275'

Csg cap ft³: 0.3576
TOC: Surf

FORMATION TOPS

Nacimiento	1190'
Ojo Alamo	2155'
Kirtland	2285'
Fruitland	2430'
Pictured Cliffs	2515'
Lewis	2630'
Chacra	3285'
Mesa Verde	4010'
Mancos	4830'
Gallup	5640'
Dakota	6748'


PROD CSG

Hole size 7.875"
Csg Size: 4.5"
Wt: 10.5/11.6#
Grade: K-55
ID: 4.052"
Depth 7021'
Csg cap ft³: 0.0895
Csg/Csq Ann ft³: 0.2471
Csg/OH cap ft³: 0.2278
TOC: Stg 1 (Calc) 5298'
TOC: Stg 2 (Calc) 1966'

DV Tool at 2766'

Perfs 6745-6859'

PBTD 6922'
TD 7017'



9-02-2021: TOC in 4 1/2" csg at 128', top off with poly pipe and 32 sx cement.

Cut off WH, install surface P&A marker

Plug 11: Perf 3 holes at 300', bullhead 132 sx down csg, circ cement out BH.

9-02-2021: Plug 10: Surface csg shoe: Perf 3 holes at 420'. Establish circ out BH. TIH, set CR at 320'. Mix and pump 30 sx (20 sx outside csg, 8 sx below CR and reverse out from 320'). WOC, BH press = 0.

9-01-2021: Plug 9: Nacimiento: Perf 3 holes at 1240'. Set CR at 1190'. Pump 56 sx plug (40 sx outside csg, 4 sx under CR, 12 sx above CR.)

9-01-2021: Plug 8: Pictured Cliffs, Fruitland, Ojo Alamo: Pump balanced plug of 36 sx from 2568'-2103'.

9-01-2021: Plug 7: Chacra: Perf 3 holes at 3335'. Set CR at 3285'. Pump 56 sx plug (40 sx outside csg, 4 sx under CR, 12 sx above CR.)

9-01-2021: Plug 6: Mesa Verde: Perf 3 holes at 4062'. Set CR at 4012'. Pump 56 sx plug (40 sx outside csg, 4 sx under CR, 12 sx above CR.)

8-31-2021: Plug 4: Mancos: Perf 3 holes at 4880'. Not able to establish rate into perfs, BLM and NMOCD OK to pump balanced plug of 16 sx from 4880' to 4730'. WOC, 9-01-2021: Tagged plug at 4756', (26' low) Spot plug 5 from 4756' to 4656'.

8-31-2021: Plug 3: Gallup: Pump balanced plug of 12 sx from 5698' to 5548'.

8-31-2021: Plug 2: Dakota: Pump balanced plug of 12 sx from 6700' to 6550'.

CR 6700'

8-30-2021: Plug 1: Dakota: Mix and pump 20 sx through CR into Dakota perfs.

8-30-2021: Set CR at 6700'. PT casing, good test. Ran CBL log from 6700' to surface.

All cement used was: Class G mixed at 15.8 ppg, yield 1.15
Regulatory Representative: Leo Pacheco, BLM
GPS Coordinates: 36.156389N, 107.128611W

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 58385

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 58385
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	11/15/2021