

Well Name: CENTRAL BISTI UNIT	Well Location: T25N / R12W / SEC 8 / SWNW / 36.4174 / -108.14079	County or Parish/State: SAN JUAN / NM
Well Number: 63	Type of Well: INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name:
Lease Number: NMSF078056	Unit or CA Name: CENTRAL BISTI UNIT	Unit or CA Number: NMNM78386X
US Well Number: 3004505486	Well Status: Temporarily Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2631342

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 08/30/2021	Time Sundry Submitted: 10:58
Date Operation Actually Began: 08/06/2021	

Actual Procedure: The subject well was Plugged & Abandoned on 08/06/2021 per the attached detailed As Plugged Wellbore Diagram and Marker.

SR Attachments

- Actual Procedure
- CBU_WI_63_DHM_20210830105821.pdf
 - CBU_WI_63_AsPlugged_WBD_20210830105821.pdf

Well Name: CENTRAL BISTI UNIT	Well Location: T25N / R12W / SEC 8 / SWNW / 36.4174 / -108.14079	County or Parish/State: SAN JUAN / NM
Well Number: 63	Type of Well: INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name:
Lease Number: NMSF078056	Unit or CA Name: CENTRAL BISTI UNIT	Unit or CA Number: NMNM78386X
US Well Number: 3004505486	Well Status: Temporarily Abandoned	Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: AUG 30, 2021 10:58 AM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 10/20/2021
Signature: Kenneth Rennick	

**P&A Marker
DJR Operating, LLC
Central Bisti Unit WI-63
API: 30-045-05486
SWNW E-8-25N-12W
San Juan County, NM**



P&A End of Well Report
DJR Operating, LLC
Central Bisti Unit WI #063
API: 30-045-05486
SWNW E-08-25N-12W

Spud Date: 07/13/1956
Plugged Date: 08/06/2021

8/2/2021:

Plug 1 (Gallup): With EOT at 4794', mixed and placed a 20 sx balanced plug. WOC. Tag TOC at 4706'. Ran CBL. Plug 2: Spot 12 sx on top of Plug 1 to finish covering Gallup top. 8/3/2021-Tag TOC at 4636'.

8/3/2021: Perf'd 3 holes at 3842'. Could not establish rate. Received BLM/OCD approval to set balanced plug.

Plug 3 (Mancos): With EOT at 3900', mixed and pumped 20 sx. WOC. Tag TOC at 3710'.

8/4/2021:

Plug 4 (Mesa Verde): Perf'd 3 holes at 1950'. Could not establish rate. Received BLM/OCD approval to set balanced plug. With EOT at 2000', mixed and pumped 20 sx. WOC. Tag TOC at 1730'. PT casing per OCD. Test good.

Plug 5 (Chacra): Perf 3 holes at 1560'. Could not establish rate. Received BLM/OCD approval to set balanced plug. With EOT at 1600', mixed and pumped 20 sx. WOC.

8/6/2021:

Plug 6 (Pictured Cliffs/Fruitland): Perf 3 holes at 1224'. Set CR at 1174'. Established rate. Squeezed below CR with 90 sx and spotted 28 sx on top. Had circulation out BH while pumping.

Plug 7 (Kirtland and surface): Perf 3 holes at 495'. Tie onto 5-1/2" casing. Mixed and pumped 135 sx. Circulated cement out BH. Installed DHM. Topped off cellar with 17 sx. RD&MOL.

All cement used: Class G cement mixed at 15.8 ppg. 1.15 yield.
BLM Representative onsite to witness: Casey Arnett

Proposed Wellbore Diagram

DJR Operating, LLC

Central Bisti Unit WI-63

API # 30-045-05486

SW/NW, Unit E, Sec 8, T25N, R12W
San Juan County, NM

GL: 6230'

KB: 6241'

Spud Date 7/13/1956

SURF CSG

Hole size 12.25"
Csg Size: 8.625"
Wt: 24#
Grade: J-55
ID: 8.097"
Depth 324'
Csg cap ft³: 0.3576
TOC: N/A

FORMATION TOPS

Formation	Depth
Nacimiento	Surface
Ojo Alamo	445'
Kirtland	998'
Fruitland	1174'
Pictured Cliffs	1510'
Chacra	1900'
Mesa Verde	3792'
Mancos	4682'
Gallup	

PROD CSG


Hole size 7.875"
Csg Size: 5.5"
Wt: 14#
Grade: J-55
ID: 5.012
Depth 4949'
Csg cap ft³: 0.137
Csg/Csg Ann ft³: 0.1926
Csg/OH cap ft³: 0.1733
TOC: 4110' (TS)
4-1/2" FJ liner set at 4753'.
Circ. cement to surface

TOC 4110' (TS)

4-1/2" FJ liner set at 4753'
Circulated cmt to surface
Perfs 4806-4816'

Squeezed Perfs 4839-4896'

PBTD 4826'
TD 4950'



8/6/2021: Plug 7 (Kirtland and surface): Perf 3 holes at 495'. Tie onto 5-1/2" casing. Mixed and pumped 135 sx. Circulated cement out BH. Installed DHM. Topped off cellar with 17 sx. RD&MOL.

8/6/2021: Plug 6 (Pictured Cliffs/Fruitland): Perf 3 holes at 1224'. Set CR at 1174'. Established rate. Squeezed below CR with 90 sx, and spotted 28 sx on top. Had circulation out BH while pumping.

8/4/2021: Plug 5 (Chacra): Perf 3 holes at 1560'. Could not establish rate. Received BLM/OCD approval to set balanced plug. With EOT at 1600', mixed and pumped 20 sx. WOC.

8/4/2021: Plug 4 (Mesa Verde): Perf 3 holes at 1950'. Could not establish rate. Received BLM/OCD approval to set balanced plug. With EOT at 2000', mixed and pumped 20 sx. WOC. Tag TOC at 1730'. PT casing per OCD. Test good.

8/3/2021: Perf 3 holes at 3842'. Could not establish rate. Received BLM/OCD approval to set balanced plug. Plug 3 (Mancos): With EOT at 3900', mixed and pumped 20 sx. WOC. Tag TOC at 3710'.

8/2/2021: Plug 1 (Gallup): With EOT at 4794', mixed and placed a 20 sx balanced plug. WOC. Tag TOC at 4706'. Ran CBL. Plug 2: Spot 12 sx on top of Plug 1 to finish covering Gallup top. 8/3/2021-Tag TOC at 4636'.

Could not establish rate

GPS: 36° 25' 3" N 108° 8' 29" W

All cement pumped was Class G mixed at 15.8 ppg, 1.15 ft³/ft yield, with 2% CaCl₂. BLM Representative on location was Casey Arnett.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 58388

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 58388
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	11/15/2021