
Submit 1 Copy To Appropriate District	State of New Mexico	Form C-103
Office E <u>District I</u> – (575) 393-6161 1625 N. Franck Dr. Habba NM 88240	DIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505	Revised July 18, 2013  WELL API NO. 30-005-63910  5. Indicate Type of Lease STATE FEE  6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505		
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		7. Lease Name or Unit Agreement Name Milo 33 Fee 8. Well Number 2H
1. Type of Well: Oil Well Gas Well Other P&A  2. Name of Operator EOG Resources, Inc.		9. OGRID Number 7377
3. Address of Operator 104 South Fourth Street, Artesia, NM 88210		10. Pool name or Wildcat Cottonwood Creek; Wolfcamp
4. Well Location Unit Letter I: 1880	feet from the South line and	236 feet from the East line
Section 32	Township 15S Range 25E	NMPM Chaves County
11. E	llevation (Show whether DR, RKB, RT, GR, et 3459'GR	ic.)
12. Check Appror	oriate Box to Indicate Nature of Notice	e. Report or Other Data
<del>_</del>	NGE PLANS	
	perations. (Clearly state all pertinent details, EE RULE 19.15.7.14 NMAC. For Multiple Con.	
of starting any proposed work). SE proposed completion or recompletion of recompletion of recompletion of recompletion of proposed 1.25' 9/22/21 – Spotted a 25 sx Class "C" cement plug from 1' tagged.  9/23/21 – Spotted a 25 sx Class "C" cement plug from plugged.  9/23/21 – Spotted a 25 sx Class "C" cement plug from plugged.	EE RULE 19.15.7.14 NMAC. For Multiple Con.  'ball. Set a CIBP at 4477' with 25 sx Class "C" celug from 3990'-3728' calc TOC. Spotted a 25 sx C	Completions: Attach wellbore diagram of ement on top to 4260', tagged. Class "C" cement plug from 3270'-3021' calc TOC. d a 30 sx Class "C" cement plug from 1170'-870',  "C" cement from 60' and circulated up to surface.
of starting any proposed work). SE proposed completion or recompletion of recompletion of recompletion of recompletion of proposed 1.25' 9/22/21 – Spotted a 25 sx Class "C" cement plug from 1 spotted a 25 sx Class "C" cement plug from 1 tagged.  9/23/21 – Spotted a 25 sx Class "C" cement plug from plug from 1 tagged.	EE RULE 19.15.7.14 NMAC. For Multiple Coon.  'ball. Set a CIBP at 4477' with 25 sx Class "C" celug from 3990'-3728' calc TOC. Spotted a 25 sx Class 'C' calc TOC. Perforated at 1120'. Spotted ug from 660'-411' calc TOC. Spotted 6 sx Class '	Completions: Attach wellbore diagram of ement on top to 4260', tagged. Class "C" cement plug from 3270'-3021' calc TOC. d a 30 sx Class "C" cement plug from 1170'-870',  "C" cement from 60' and circulated up to surface.
of starting any proposed work). SE proposed completion or recompletion of recompletion of recompletion of recompletion of proposed 1.25' 9/22/21 – Spotted a 25 sx Class "C" cement plug from 1' tagged.  9/23/21 – Spotted a 25 sx Class "C" cement plug from plug from 1' tagged.	EE RULE 19.15.7.14 NMAC. For Multiple Coon.  'ball. Set a CIBP at 4477' with 25 sx Class "C" celug from 3990'-3728' calc TOC. Spotted a 25 sx Class 'C' calc TOC. Perforated at 1120'. Spotted ug from 660'-411' calc TOC. Spotted 6 sx Class '	Completions: Attach wellbore diagram of ement on top to 4260', tagged. Class "C" cement plug from 3270'-3021' calc TOC. d a 30 sx Class "C" cement plug from 1170'-870', "C" cement from 60' and circulated up to surface. Cut off anchors and cleaned location. WELL IS
of starting any proposed work). SE proposed completion or recompletion of recompletion of recompletion of recompletion of proposed 1.25' 9/22/21 – Spotted a 25 sx Class "C" cement plug from 1' tagged.  9/23/21 – Spotted a 25 sx Class "C" cement plug from plug from 1' tagged.	EE RULE 19.15.7.14 NMAC. For Multiple Coon.  'ball. Set a CIBP at 4477' with 25 sx Class "C" celug from 3990'-3728' calc TOC. Spotted a 25 sx Class 'C' calc TOC. Perforated at 1120'. Spotted ug from 660'-411' calc TOC. Spotted 6 sx Class '	Completions: Attach wellbore diagram of ement on top to 4260', tagged.  Class "C" cement plug from 3270'-3021' calc TOC. d a 30 sx Class "C" cement plug from 1170'-870',  "C" cement from 60' and circulated up to surface. Cut off anchors and cleaned location. WELL IS  Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @
of starting any proposed work). SE proposed completion or recompletion of specific proposed a 25 sx Class "C" cement plug from 1 stagged.  9/23/21 – Spotted a 25 sx Class "C" cement plug from 10/21/21 - Cut off wellhead and installed beloge the plugged AND ABANDONED.	EE RULE 19.15.7.14 NMAC. For Multiple Coon.  'ball. Set a CIBP at 4477' with 25 sx Class "C" ce lug from 3990'-3728' calc TOC. Spotted a 25 sx Class 'O'-1661' calc TOC. Perforated at 1120'. Spotted lug from 660'-411' calc TOC. Spotted 6 sx Class we ground level dry hole marker as per NMOCD. Cooperation of the cooper	Completions: Attach wellbore diagram of ement on top to 4260', tagged. Class "C" cement plug from 3270'-3021' calc TOC. d a 30 sx Class "C" cement plug from 1170'-870', "C" cement from 60' and circulated up to surface. Cut off anchors and cleaned location. WELL IS  Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us
of starting any proposed work). SE proposed completion or recompletion of specific proposed a 25 sx Class "C" cement plug from 1 stagged.  9/23/21 – Spotted a 25 sx Class "C" cement plug from 10/21/21 - Cut off wellhead and installed beloge the plugged AND ABANDONED.	EE RULE 19.15.7.14 NMAC. For Multiple Coon.  'ball. Set a CIBP at 4477' with 25 sx Class "C" ce lug from 3990'-3728' calc TOC. Spotted a 25 sx Class 'G' color 1661' calc TOC. Perforated at 1120'. Spotted lug from 660'-411' calc TOC. Spotted 6 sx Class we ground level dry hole marker as per NMOCD. Cookies and the state of the sta	Completions: Attach wellbore diagram of ement on top to 4260', tagged. Class "C" cement plug from 3270'-3021' calc TOC. d a 30 sx Class "C" cement plug from 1170'-870', "C" cement from 60' and circulated up to surface. Cut off anchors and cleaned location. WELL IS  Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us
of starting any proposed work). SE proposed completion or recompletic 9/21/21 – MIRU and NU BOP. Dropped 1.25' 9/22/21 – Spotted a 25 sx Class "C" cement plus from 1' tagged. 9/23/21 – Spotted a 25 sx Class "C" cement plus from 1' tagged. 9/23/21 – Spotted a 25 sx Class "C" cement plus 10/21/21 - Cut off wellhead and installed below PLUGGED AND ABANDONED.	EE RULE 19.15.7.14 NMAC. For Multiple Coon.  'ball. Set a CIBP at 4477' with 25 sx Class "C" ce lug from 3990'-3728' calc TOC. Spotted a 25 sx Class 'Doc'-1661' calc TOC. Perforated at 1120'. Spotted lug from 660'-411' calc TOC. Spotted 6 sx Class we ground level dry hole marker as per NMOCD. Cookies and the structure of the st	Completions: Attach wellbore diagram of ement on top to 4260', tagged. Class "C" cement plug from 3270'-3021' calc TOC. d a 30 sx Class "C" cement plug from 1170'-870',  "C" cement from 60' and circulated up to surface. Cut off anchors and cleaned location. WELL IS  Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us  dge and belief.  Ist DATE November 7, 2021



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 60608

## **CONDITIONS**

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	60608
	Action Type:
	[C-103] Sub. Plugging (C-103P)

## CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/16/2021