Office

Submit 1 Copy To Appropriate District

1625 N. French Dr., Hobbs, NM 88240

District I - (575) 393-6161

<u>District II</u> – (575) 748-1283	OIL CONSEDUATION	ON DIVISION	30-025-11761			
811 S. First St., Artesia, NM 88210 <u>District III</u> – (505) 334-6178	OIL CONSERVATION DIVISION 1220 South St. Francis Dr.		5. Indicate Type of Lease			
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505		STATE _	FEE 🛛		
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Sama re, miv	1 67505	6. State Oil & Gas	Lease No.		
87505						
	SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A			7. Lease Name or Unit Agreement Name		
DIFFERENT RESERVOIR. USE "APPLIC.			South Justis Unit E			
PROPOSALS.)	Cas Wall D Other		8. Well Number #	23		
 Type of Well: Oil Well Name of Operator 	Gas Well Other		9. OGRID Number	•		
Legacy Reserves Operating LP			240974			
3. Address of Operator			10. Pool name or V	Vildcat		
15 Smith Road, #3000; Midland, 7	Γx 79705		Justis; Blineberry-	Tubb-Drinkard		
4. Well Location						
Unit Letter D:	feet from the	N line and		the Wline		
Section 25	Township 25S	Range 37E	NMPM	County Lea		
	11. Elevation (Show whether)			
	30)66'GR				
10 01 1 4	'	NI (CNI (D (0.1 D	i T		
12. Check A	ppropriate Box to Indicate	e Nature of Notice,	Report or Other D	ata		
NOTICE OF INT	ΓΕΝΤΙΟΝ ΤΟ:	SUB	SEQUENT REP	ORT OF:		
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WOR	The second secon	LTERING CASING		
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRI	LLING OPNS.□ P	AND A		
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMENT	ГЈОВ 🗌	PNR		
DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM						
CLOSED-LOOP SYSTEM OTHER:		OTHER:				
13. Describe proposed or comple						
	k). SEE RULE 19.15.7.14 NM	IAC. For Multiple Cor	npletions: Attach well	llbore diagram of		
proposed completion or reco	mpletion.					
08/23/21 MIRU plugging equipmen	t. Dug out cellar. ND well hea	nd, NU BOP, Tagged 4	1½" CIBP @ 4960'.	08/24/21 Circulate hole		
w/ 115 MLF. Pressure tested csg, he						
csg, held 500 PSI. Spotted 50 sx class						
perfs to 500 PSI. Spotted 30 sx class	•		-			
WOC. 08/26/21 Tagged plug @ 1819 sx class C cmt @ 550-300'. WOC.						
150' & circulated to surface. 08/30/2						
class C cmt to surface in 13 3/8" csg						
"Above Ground Dry Hole Marker"	. Backfilled cellar, cut off dea	dmen, cleaned location	on, and moved off.			
				٦		
Spud Date:	Rig Release	Date:				
I hereby certify that the information al	bove is true and complete to the	e best of my knowledge	and belief.	w		
May by						
SIGNATURE	TITLE R	Regulatory Compliance	DATE	9-10-2021		
7						
Type or print name Terri Stathem	n E-mail address: <u>tst</u>	tathem@legacyreserves	s.com PHONE	E: <u>432-221-6332</u>		
For State Use Only	1					
APPROVED BY:	FINAL TITLE (Compliance Officer A	NATE	11/17/21		
Conditions of Approval (if any):	J V VIIILE		DATE	,		
FF						

State of New Mexico

Energy, Minerals and Natural Resources

Form C-103

Released to Imaging: 11/18/2021 9:17:18 AM

Revised July 18, 2013

WELL API NO.

Perfs @ 4068-4180'

CIBP @ 6924'

Legacy		PLUG	GED
Author:	Abby @ BCM		
Well Name	South Jusis Unit E	Well No.	#23
Field	Justis; Blinebry-Tubb-Drnkd	API#:	30-025-11761
County	Lea	Location	Sec 25, T25S, R37E
State	New Mexico		660' FNL & 990' FWL
Spud Date	9/21/1958	GL.	

Description	0.D.	Grade	Weight	Depth	Hole	Cmt Sx	тос
Surface Csg	13 3/8		36#	497	17 1/2	400	0
Inter Csg	9 5/8	J55	36#	3,277	12 1/4	1,500	1125' TS
Prod Csg	7	ss	23#	6,937	8 3/4	465	3255' TS
Liner	4 1/2			0-6014	7	500	

7. Perf'd @ 150'. Sqz'd 60 sx class C cmt @ 150' & circulated to surface. Spotted 40 sx class C cmt to surface in 13 3/8" csg. Formation Tops Апһу 790 T/Salt 888 B/Salt 2130 Yates 2284 13 3/8 csg set @ 497 with 400 cmt sx 7 Rivers 2510 6. Perf'd @ 550'. Sqz'd 50 sx class C cmt @ 550-300'. WOC & Tagged plug @ Queen 2943 Grbg 3234 5. Spotted 25 sx class C cmt @ 940-562'. WOC. Tagged plug @ 578'. Glorieta 4604 Clearfork 5090 Tubbs 5617

4. Spotted 25 sx class C cmt @ 2180-1818'. WOC & Tagged plug @ 1819'.


9 5/8 csg set @ 3,277 with 1,500 cmt sx

6,937 with

- 3. Perf'd @ 3305'. Pressured up on perfs to 500 PSI. Spotted 30 sx class C cmt @ 3355-2921'. WOC. Tagged plug @ 2934'.
- 2. Spotted 50 sx class C cmt @ 4946-4223'. WOC. Tagged plug @ 4201'.
- 1. Tagged CIBP @ . Circulate hole w/ 115 MLF. Pressure tested csg, held 0 PSI. Spotted 25 sx class C cmt @ 4960-4598'. WOC. Tagged plug @ 4946'.'

CIBP @ 4960' w/ 50' cmt (4 sx)

Perfs @ 4992-5957'



csg set @

465 cmt sx

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 47569

CONDITIONS

Operator:	OGRID:
LEGACY RESERVES OPERATING, LP	240974
15 Smith Road	Action Number:
Midland, TX 79705	47569
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	11/17/2021