

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-22827
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator Endeavor Energy Resources, LP		6. State Oil & Gas Lease No. 065525
3. Address of Operator 110 North Marienfeld, Suite 200, Midland, TX 79701		7. Lease Name or Unit Agreement Name Elliot Fields
4. Well Location Unit Letter U : 660 feet from the S line and 660 feet from the E line Section 6 Township 21S Range 38E NMPM County Lea		8. Well Number #1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3556' GL		9. OGRID Number 190595
10. Pool name or Wildcat Drinkard		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☒
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	PNR ☐
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

02/04/21 Moved rig to location. **02/05/21** Rigged up plugging equipment. POH w/ rods. Dug out cellar. **02/08/21** ND well head, NU BOP. POH w/ tbg. Set 7 5/8" CIBP @ 6950'. Per Gilbert Cordero w/ NM OCD's request. Circ'd hole w/ MLF. **02/09/21** Circ'd hole w/ MLF. Pressure tested csg. Held 0 PSI. Spotted 25 sx class C cmt @ 6950-6852'. Set 7 5/8" CIBP @ 6571'. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 6571-6473'. WOC. **02/10/21** Tagged plug @ 6450'. Perf'd @ 5000'. Sqz'd 40 sx class C cmt @ 5000-4900'. WOC. Tagged plug @ 4890'. Perf'd @ 3000'. Pressured up on perms to 1500 PSI. Spotted 40 sx class C cmt @ 3050-2854'. **02/17/21** Tagged plug @ 2850'. Perf'd csg @ 911'. Established an injection rate of 1000 PSI. Sqz'd 40 sx class C cmt @ 911-811'. WOC. Tagged plug @ 805'. Perf'd csg @ 450'. Established an injection rate of 1200 PSI. Sqz'd 40 sx class C cmt @ 450-350'. Lost circulation. WOC. **12/18/21** Tagged plug @ 350'. Perf'd @ 150'. ND BOP, NU Flange. Sqz'd 65 sx class C cmt @ 150' & circulated to surface. Rigged down & moved off. **02/19/21** Moved in backhoe and welder, cut off well head and Kerry Fortner w/ OCD verified cmt to surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, off deadmen, cleaned location, and moved off.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jan South TITLE Senior Regulatory Analyst DATE 02/22/2021
 Type or print name Jan South E-mail address: JSouth@eeronline.com PHONE: 432-262-4014 ext:1014
 For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 11/19/21
 Conditions of Approval (if any):

**WELLBORE DIAGRAM
ELLIOT FIELDS #1**

Created: 11/24/20 By: _____
 Updated: _____ By: _____
 Lease: ELLIOT FIELDS
 Field: DRINKARD
 Surf. Loc.: 660' FSL & 660' FEL
 Bot. Loc.: _____
 County: LEA St.: NM
 Status: _____

Well #: 1
 API: 30-025-22827
 Unit Ltr.: U Sec. 6
 TSHP/Rng: 21S-38E
 Pool Code: OGRID: 14301
 Directions: _____


Surface Casing

Size: 10-3/4"
 Wt., Grd.: 40.5#
 Depth: 851'
 Sxs Cmt: 425
 Circulate: yes
 TOC: surface
 Hole Size: 13-3/4"

FORMATION TOPS	

Intermediate Casing

Size: 7-5/8"
 Wt., Grd.: 26#
 Depth: 7460'
 Sxs Cmt: 950
 Circulate: NO
 TOC: SURFACE
 Hole Size: 8-5/8"



Perfs @ 6722-7408'

Perfs @ 7225-7414'

7460'

**WELLBORE DIAGRAM
ELLIOT FIELDS #1
PLUGGED**

Created: 11/24/20 Sy: _____
 Updated: _____ Sy: _____
 Lease: ELLIOT FIELDS
 Field: DRINKARD
 Surf. Loc.: 660' FSL & 660' FEL
 Bot. Loc.: _____
 County: LEA SL: NM
 Status: _____

Well #: 1
 API: 30-025-22827
 Unit Ltr.: U Sec. 6
 TSHP/Rng: 21S-38E
 Pool Code: OGRID: 14301
 Directions: _____


Surface Casing

Size: 10-3/4"
 Wt., Grd.: 40.5#
 Depth: 851'
 Sxs Cmt: 425
 Circulate: yes
 TOC: surface
 Hole Size: 13-3/4"

FORMATION TOPS

Intermediate Casing

Size: 7-5/8"
 Wt., Grd.: 26#
 Depth: 7460'
 Sxs Cmt: 950
 Circulate: NO
 TOC: SURFACE
 Hole Size: 9-5/8"



7. Perf'd @ 150'. ND BOP, NU Flange. Sqz'd 65 sx class C cmt @ 150' & circulated to surface.

6. Perf'd csg @ 450'. Sqz'd 40 sx class C cmt @ 450-350'. WOC. Tagged plug @ 350'.

5. Perf'd csg @ 911'. Sqz'd 40 sx class C cmt @ 911-811'. WOC. Tagged plug @ 805'.

4. Spotted 40 sx class C cmt @ 3050-2854'. Tagged plug @ 2850'

3. Perf'd @ 5000'. Sqz'd 40 sx class C cmt @ 5000-4900'. WOC. Tagged plug @ 4890'.

2. Set 7 5/8" CIBP @ 6571'. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 6571-6473'. WOC. 02/10/21 Tagged plug @ 6450'.

Perfs @ 6722-7408'

1. Set 7 5/8" CIBP @ 6950'. Circ'd hole w/ MLF. Pressure tested csg, Held 0 PSI. Spotted 25 sx class C cmt @ 6950-6852'.

Perfs @ 7225-7414'

**WELLBORE DIAGRAM
ELLIOT FIELDS #1**

Created: 11/24/20 By: _____
 Updated: _____ By: _____
 Lease: ELLIOT FIELDS
 Field: DRINKARD
 Surf. Loc.: 660' FSL & 660' FEL
 Bot. Loc.: _____
 County: LEA St: NM
 Status: _____

Well #: 1
 API: 30-025-22827
 Unit Ltr.: U Sec. 6
 TSHP/Rng: 21S-38E
 Pool Code: OGRID: 14301
 Directions: _____


Surface Casing

Size: 10-3/4"
 Wt., Grd.: 40.5#
 Depth: 851'
 Sxs Cmt: 425
 Circulate: yes
 TOC: surface
 Hole Size: 13-3/4"

FORMATION TOPS	

Intermediate Casing

Size: 7-5/8"
 Wt., Grd.: 26#
 Depth: 7460'
 Sxs Cmt: 950
 Circulate: NO
 TOC: SURFACE
 Hole Size: 8-5/8"



Perfs @ 6722-7408'

Perfs @ 7225-7414'

7460'

**WELLBORE DIAGRAM
ELLIOT FIELDS #1
PLUGGED**

Created: 11/24/20 Sy: _____
 Updated: _____ Sy: _____
 Lease: ELLIOT FIELDS
 Field: DRINKARD
 Surf. Loc.: 660' FSL & 660' FEL
 Bot. Loc.: _____
 County: LEA SL: NM
 Status: _____

Well #: 1
 API: 30-025-22827
 Unit Ltr.: U Sec. 6
 TSHP/Rng: 21S-38E
 Pool Code: OGRID: 14301
 Directions: _____


Surface Casing

Size: 10-3/4"
 Wt., Grd.: 40.5#
 Depth: 851'
 Sxs Cmt: 425
 Circulate: yes
 TOC: surface
 Hole Size: 13-3/4"

FORMATION TOPS

Intermediate Casing

Size: 7-5/8"
 Wt., Grd.: 26#
 Depth: 7460'
 Sxs Cmt: 950
 Circulate: NO
 TOC: SURFACE
 Hole Size: 9-5/8"



7. Perf'd @ 150'. ND BOP, NU Flange. Sqz'd 65 sx class C cmt @ 150' & circulated to surface.

6. Perf'd csg @ 450'. Sqz'd 40 sx class C cmt @ 450-350'. WOC. Tagged plug @ 350'.

5. Perf'd csg @ 911'. Sqz'd 40 sx class C cmt @ 911-811'. WOC. Tagged plug @ 805'.

4. Spotted 40 sx class C cmt @ 3050-2854'. Tagged plug @ 2850'

3. Perf'd @ 5000'. Sqz'd 40 sx class C cmt @ 5000-4900'. WOC. Tagged plug @ 4890'.

2. Set 7 5/8" CIBP @ 6571'. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 6571-6473'. WOC. 02/10/21 Tagged plug @ 6450'.

Perfs @ 6722-7408'

1. Set 7 5/8" CIBP @ 6950'. Circ'd hole w/ MLF. Pressure tested csg, Held 0 PSI. Spotted 25 sx class C cmt @ 6950-6852'.

Perfs @ 7225-7414'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 55574

CONDITIONS

Operator: ENDEAVOR ENERGY RESOURCES, LP 110 North Marienfeld Midland, TX 79701	OGRID: 190595
	Action Number: 55574
	Action Type: [C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	11/19/2021