Received by OCD: 11/15/2021 11:39:43 AM 1625 N. French Dr., Hobbs, NM 88240

Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210

Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Page 1 of 11 Form C-101 Revised July 18, 2013

Energy Minerals and Natural Resources

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

☐AMENDED REPORT

APPL	CATIC	N FOR	PERMIT TO	O DRILL, RE-	ENTER, I	DEEPEN,	PLUGBAC	K, OR A	DD A ZONE	
			I Operator Name at IACX Productio 5001 LBJ Freeway Dallas, TX 7.	n, LLC. , Suite 300				^{2.} OGRID No.	877	
								^{3.} API Nun 30-005-63	nber 395	
4. Prop. 32	erty Code 8005			^{5.} Proper Night Owl A	rty Name FA State Com				Well No.	
	7			7. Surface	Location					
UL - Lot H	Section 22	Township 9S	Range 26E		eet from 1980	N/S Line North	Feet From 660	E/W Line East		
				8 Proposed Bo			000	East	Chaves	
UL - Lot	Section	Township	Range		eet from	N/S Line	Feet From	E/W Line	County	
I and the second	L			9. Pool Int	formation			<u> </u>	7	
				Pool Name	2>				Pool Code	
				Pecos Slope; Abo (C			· · · · · · · · · · · · · · · · · · ·		82730	
	rk Type		12. Well Type	Additional We	ell Intormati ole/Rotary		Lease Type	15.	Ground Level Elevation	
	P ultiple		G 17. Proposed Depth	18. F.	ormation	11	State October State	State 3,776'		
	N 5,600' Wolfe				fcamp		Contractor			
Depth to Grou	Depth to Ground water Distance from nearest fresh water						Distance to nearest surface water			
We will b	e using a c	losed-loop	system in lieu of	lined pits			· · · · · · · · · · · · · · · · · · ·			
			21.	Proposed Casing a	nd Cement	Program				
Туре		Size	Casing Size	Casing Weight/ft	Set	ting Depth	Sacks of 0	Cement	Estimated TOC	
Surface		25"	8.625"	24	1	,121'	1110 (in	1110 (in place) 0		
Prod	7.8	75"	5.5"	15.5	- 6	5,414'	550 (in	place)	3,800'	
			Casina	(Comont Buoguan		1.6				
			Casing	/Cement Program	1: Additiona	Comments				
			22. P	roposed Blowout	Prevention 1	Program		·		
	Туре		W	orking Pressure		Test Pressure			Manufacturer	
	Manual BOP			3000 psi		3000 p	si	Whichev	er company is available	
of my knowle	dge and beli	ef.		and complete to the be		OIL C	CONSERVAT	TION DIV	ISION	
19.15.14.9 (B Signature:) NMACE	, if applica	d with 19.15.14.9 (A) NMAC 🗌 and/or	Approved	Ву:				
Printed name:	Keith Hutcl	nens		****	Title:					
Title: Product	ion Supervis	sor	TARAN MANAGEMENT AND		Approved	Date:	E	xpiration Date		
E-mail Addres		hens@iacxp								
Date: 10/12/20	021		Phone: 575-416-	3240	Conditions	s of Approval At	tached			

	Owl AFA State Com		Field:	Casing Pro	gram
	IL & 660' FEL Sec 4-1	.0S-26E Chaves C	County	8-5/8" 24# J55	1,121'
6L: 3,776'	Zero:	KB:			
pud Date: 07/20/	'01 Com	pletion Date:		5-1/2" 15.5# J55	6,414'
Comments: API No	. 30-005-63395				
				Farmatian	-
			Before	Formation	***************************************
				San Andres	1034'
				Glorieta	2140'
	, a m , a m	97 g 10 g 10 g		Yeso	2250'
	"" " " " " " " " " " " " " " " " " " "	ar a		Tubb	3672'
	\$ " g t 4 2 2 2 2 2 2 2 2 2	on 5 M on 1 In a c		Abo	4436'
	15 g 25 g	20 1 20 2 30 4 31 5 31 5 31 5		wc	5112'
.2.25" hole	** ** ** ** ** ** ** ** ** ** ** ** **	en grande de la companya de la compa		Cisco	5691'
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			Strawn	5818'
	1 " 0 2 "	0.4 2.5 3.5 4.5 5.5		Miss	5928'
	N N N N N N N N N N	10 T g g g g g g g g g g g g g g g g g g		Granite	6266'
	1 A 2 A 3 A 4 A 4 A 4 A 4 A 4 A 4 A 4 A 4 A 4	8.625" @	1,121'		
		w/1110 s>	(Circ.)		
	1 3 N 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3				

.875" hole	1 m m m m m m m m m m m m m m m m m m m				
	3 3 3 3 4 1 1 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3				
	* m * m * m * m * m * m * m * m * m * m				
	" " " " " " " " " " " " " " " " " " "				
	(a, a, b) (b, a, b) (c, a,				
	5 a 5 a 5 a 5 a 5 a 5 a 5 a 5 a 5 a 5 a				
	13 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
	7 0 7 2 7 2 7 2 7 2 7 2 7 2 7 2 7 2 7 2	Cisco porf	s: 5,692'-5,780' 104	holos / 42"\	
	10 3 10 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	cisco peri	3. 3,032 -3,780 104	noies (.42")	
	1				
IBP @ 5,970' + 35' cmt	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$				
10r @ 5,970" + 35" cmt	17 2 3 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				
	**************************************	Ordo perfs: 6	5,014'-6,048' 102 holes (.	42")	
DTD. F 0701	44				
BTD: 5,970'	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5.5" @ 6,4			
		w/550sx 7			
	FC. C 2741	2 9001 00+		[
	FC: 6,371' TD: 6,414'	3,800' est		Not to so	cale

Well Name: Night	Owl AFA State Com	#2 Field:	Casing Pro	gram
		OS-26E Chaves County	8-5/8" 24# J55	1,121'
GL: 3,776'	Zero:	KB:		
	01 Com	pletion Date:	5-1/2" 15.5# J55	6,414'
Comments: API No	. 30-005-63395			
		After	Formation	Tops
		<u>After</u>	San Andres	1034'
			Glorieta	2140'
	, a a , a a , a	s H _g	Yeso	2250'
	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	" 1 " 1 " 2 " 2	Tubb	3672'
	T	(a) (a) (b) (a) (a) (a) (a) (a) (a) (a) (a) (a) (a	Abo	4436'
	T = 2 T =	# # # # # # # # # # # # # # # # # # #	wc	5112'
.2.25" hole	7 1/2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	57 64 65 61	Cisco	5691'
	1 1 2 2 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2		Strawn	5818'
	" " " " " " " " " " " " " " " " " " "	6 년 10 년 10 년	Miss	5928'
	1 0 m 2 1 2 m 2 1 1 m 2 2 2 2 2 2 2 2 2 2 2		Granite	6266'
	* a g a 1 * a g a 2 * a g a 2 * a g a 3 * a g a 3 * b g a 3 * b g a 3	8.625" @ 1,121'		
		w/1110 sx (Circ.)		

	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
7.875" hole				
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$			
	* 10 T * 20			
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Abo perfs: 4,545'-50', 4,668'-77'	" 80'-85', 4,780'-95', 4,812'-18'	
	\$ 27 16 1 \$ 28 7 16 1 \$ 28 7 16 1 \$ 28 7 16 1 \$ 28 8	-		

IBP @ 5,642 + 35'cmt	1			
	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cisco perfs: 5,692'-5,780'	104 holes (.42")	
	To the Total State of the Total	L	,	
	1			
IBP @ 5,970' +35' cmt	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			
	10 7 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Ordo perfs: 6,014'-6,048' 102 hc	oles (.42")	
	10 12 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7-2-3,010 102 110		
		5.5" @ 6,414'		
BTD: 5,970'	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			
BTD: 5,970'	$\begin{array}{cccccccccccccccccccccccccccccccccccc$			
BTD: 5,970'	FC: 6.371'	w/550sx TOC @	Not to a	calo
BTD: 5,970'	FC: 6,371' TD: 6,414'		Not to s	cale

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr.

WELL LOCATION AND ACREAGE DEDICATION PLAT

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

Phone: (505) 334-6178 Fax: (505) 334-6170 Santa Fe, NM 87505 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

¹ API Number				² Pool Code ³ Pool Name				***************************************			
30	0-005-63395			82730		Pecos Slope; Abo (Gas)					
⁴ Property C	Code				⁵ Property 1	Name			⁶ Well Number		
328005				Night Owl AFA State Com						2	
⁷ OGRID N	⁷ OGRID No. ⁸ Operator Name						⁹ Elevation				
329877				IACX Production, LLC.						3,783'	
					¹⁰ Surface 1	Location					
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East	/West line	County	
Н	22	9S	26E		1980	North	660	Eas	st	Chaves	
			11 Bo	ttom Hol	e Location If	Different Fron	n Surface				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East	/West line	County	
	,										
12 Dedicated Acres	¹³ Joint o	r Infill 14 Co	onsolidation	Code 15 Or	der No.					11111111111111111111111111111111111111	
,											

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

16				
		10501	14801	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order
		Night Dul "AF6" State Com AF1	Night Out 1/4FA" State Com #7	heretofore entered by the dynsym. 10/12/2021 Signature Date Keith Hutchens Printed Name keithhutchens@iacxproduction.com E-mail Address
				¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
				Date of Survey Signature and Seal of Professional Surveyor: Certificate Number

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

			1 – Plan D Effective May 25,					
I. Operator: IACX Pro	duction, LLC.	OGRID: 329	9877		Date: 1	1/9/2021		
II. Type: 🛛 Original	☐ Amendment	t due to 🗆 19.15.2	7.9.D(6)(a) NMA	C □ 19.15.27.9.D	(6)(b) N	MAC □ C	Other.	
If Other, please describe	e:							
III. Well(s): Provide the be recompleted from a s	e following ins single well pad	formation for each or connected to a	new or recomple central delivery p	eted well or set of point.	wells pr	roposed to	be dri	lled or proposed t
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D		icipated MCF/D	P	Anticipated roduced Water BBL/D
Night Owl AFA State #2	30-005-63395	H-22-9S-26E	1980' FNL 660' FEL	0		428		0
IV. Central Delivery P V. Anticipated Schedu proposed to be recomple	le: Provide the	following informa	ation for each nev	v or recompleted v al delivery point.				D)(1) NMAC] used to be drilled of
Well Name	API	Spud Date	TD Reached Date	Completion Commencement		Initial Fl Back Da		First Production Date
Night Owl AFA State #2	<u>30-005-</u> <u>63395</u>			11/23/2021		12/15/20)21	12/20/2021
VI. Separation Equipm VII. Operational Prac Subsection A through F	tices: ⊠ Attac	ch a complete desc						
VIII. Best Management during active and planned	nt Practices: []	☑ Attach a complee.	ete description of	Operator's best n	nanager	ment practi	ces to	minimize ventin

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

		EFFECTIV	E APRIL 1, 2022	
Beginning April 1, reporting area must	2022, an operator the complete this section	hat is not in compliance n.	with its statewide natural g	as capture requirement for the applicable
☐ Operator certifie capture requirement	s that it is not requi	ired to complete this secteoporting area.	tion because Operator is in	compliance with its statewide natural gas
IX. Anticipated Na	tural Gas Producti	on:		
W	ell	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF
X. Natural Gas Ga	thering System (NO	GGS):		
Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in
production operation the segment or portion the segment or portion. XII. Line Capacity production volume to the XIII. Line Pressure natural gas gathering. Attach Operator' XIV. Confidentiali Section 2 as provide.	ns to the existing or pon of the natural gas gas from the well prior to the compart of the compa	planned interconnect of the segathering system(s) to verthering system will therefore on the date of first product does not anticipate the dabove will continue to deduction in response to the detection of the d	the natural gas gathering system in the well(s) will be considered will not have capacity to go in the well(s) connect meet anticipated increases in the increased line pressure. Lant to Section 71-2-8 NMS 27.9 NMAC, and attaches a factor of the well as the connect and	atticipated pipeline route(s) connecting the em(s), and the maximum daily capacity of nected. Eather 100% of the anticipated natural gas ted to the same segment, or portion, of the a line pressure caused by the new well(s). EA 1978 for the information provided in full description of the specific information

(h)

(i)

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: Departor will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In.

Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; (a) (b) power generation for grid; compression on lease; (c) (d) liquids removal on lease; reinjection for underground storage: (e) reinjection for temporary storage; (f) reinjection for enhanced oil recovery; (g)

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

fuel cell production; and

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:

guif Klb	
Printed Name: Keith Hutchens	
Title: Production Supervisor	
E-mail Address: keithhutchens@iacxproduc	tion.com
Date: 11/10/2021	
Phone: 575-416-3240	
	OIL CONSERVATION DIVISION
	(Only applicable when submitted as a standalone form)
Approved By:	
Approved By: Title:	
Title:	
Title: Approval Date:	

IACX Production LLC

Natural Gas Management Plan - Attachment

VI. IACX Production, LLC. production tank batteries include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool in conjunction with the total number of wells planned to or existing within the facility. Separation equipment is upgraded prior to well being drilled or completed, if determined to be undersized or needed. The separation equipment is designed and built according to the relevant industry specifications (API specification 12J and ASME Sec VIII DIv I). Other recognized industry publications such as the Gas Processors Suppliers Association (GPSA) are referenced when designing separation equipment to optimize gas capture.

VII. IACX Production LLC will take the following actions to comply with the regulations listed in 19.15.27.8:

A. IACX Production will maximize the recovery of natural gas by minimizing waste, as defined by 19.15.2 NMAC, of natural gas through venting and flaring. IACX Production will ensure that our wells will be connected to a natural gas gathering system with sufficient capacity to transport natural gas.

B. All drilling operations will be equipped with a rig flare at least 100 feet from the nearest surface hole location. Rig flare will be utilized to combust any natural gas that is brought to surface during normal operations. In the case of emergency, flaring volumes will be reported appropriately.

C. During completion operations any natural gas brought to surface will be flared rather than vented, where technically feasible. Immediately following completion operations, wells will flow to permanent separation equipment. Produced natural gas from separation equipment will be sent to sales. If natural gas does not meet gathering pipeline specifications, IACX Production will flare for 60 days or until natural gas meets the pipeline specifications. IACX Production will ensure flare is properly sized and is equipped with an automatic igniter or continuous pilot. Gas samples will be taken twice per week and natural gas will be routed into a gathering system as soon as the pipeline specifications are met.

D. Natural gas will not be flared with the exception of 19.15.27.8(D)(1-4). If there is no adequate takeaway for the separator gas, wells will be shut-in until that natural gas gathering system is available with exception of emergency or malfunction situations. Volumes will be reported appropriately.

E. IACX Production will comply with performance standards pursuant to 19.15.27.8(E)(1-8). All equipment will be designed and sized to handle maximum pressures to minimize waste. Storage tanks constructed after May 25, 2021 will be equipped with an automatic gauging system that reduces venting of natural gas. Flare stacks installed or replaced after May 25, 2021 will be equipped with an automatic ignitor or continuous pilot. IACX Production will conduct AVO inspections as described in 19.15.27.8(E)(5)(a) with frequencies specified in 19.15.27.8(E)(5)(b) and (c). All emergencies or malfunctions will be resolved as quickly and safely as possible to minimize waste.

F. The volume of natural gas that is vented or flared as the result of an emergency or malfunction during drilling and/or completion operations will be estimated and reported accordingly. The volume of natural gas that is vented, flared or beneficially used during production operations, will be measured and reported accordingly. IACX Production will install equipment to measure the volume of natural gas

flared from existing piping or a flowline piped from equipment such as high-pressure separators, heater treaters, or VRUs associated with a well or facility associated with a well authorized by an APD after May 25, 2021 that has an average daily production of less than 60,000 cubic feet of natural gas. If metering is not practicable due to circumstances such as low flow rate or low pressure venting or flaring, IACX Production will estimate the volume of flared or vented natural gas. Measuring equipment will conform to industry standards and will not be equipped with a manifold

VIII. For maintenance activities involving production equipment and compression, venting will be limited to the depressurization of the subject equipment to ensure safe working conditions. For maintenance of production equipment, the associated producing wells will be shut-in to eliminate venting. For maintenance of VRUs, all natural gas normally routed to the VRU will be routed to flare.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 61781

CONDITIONS

Operator:	OGRID:
IACX Production LLC	329877
5001 LBJ Freeway, Suite 300	Action Number:
Dallas, TX 75244	61781
	Action Type:
	[C-101] Drilling Non-Federal/Indian (APD)

CONDITIONS

Created	Condition	Condition
Ву		Date
	Will require approval of an administrative order for simultaneous dedication prior to putting the new pool into production. (these are submitted on the multi-use administrative order form via e-mail).	11/29/2021
kpickford	WOC & tag	11/30/2021
kpickford	Notify NMOCD 24 Hours Prior to beginning operations	11/30/2021