

Well Name: OZZY FEDERAL COM 18C	Well Location: T17S / R28E / SEC 13 / NESE / 32.8330192 / -104.1235914	County or Parish/State: EDDY / NM
Well Number: 001H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM14847	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001548309	Well Status: Drilling Well	Operator: LONGFELLOW ENERGY LP

Subsequent Report

Sundry ID: 2637699	
Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 10/06/2021	Time Sundry Submitted: 01:37
Date Operation Actually Began: 09/08/2021	

Actual Procedure: Spud Well @ 1:45 PM 9-8-2021. Drill 17 ½” hole to 360’. Ran 9 jts of 13 3/8” 54.5# J-55 to 352’. Pumped 30 bbl FW spacer followed by 485 sks (116 bbls) of 14.8 ppg class C cement. No cement to surface. Run 1” pipe down backside, tagged cement at 130’, pumped 200 sks (46 bbls) class C cement, 2 bbls back to surface. WOC for 4 hours. Install well head and BOP, pressure test BOP to 250 low for 10 mins and 3000 high for 10 mins, test annular to 2500 for 10 mins. Good tests. Test casing to 1500 psi for 10 min, good test. Drill 12 ¼” to 1268’. Run 29 jts of 9 5/8” 36# J-55 to 1264’. Pump 30 bbls FW spacer. Pump 445 sks (138 bbls) 13.5 ppg 1.74 yield lead cement. Pump 165 sks (40bbls) 14.8 ppg 1.34 yield class C tail cement. Bump plug. 187 sks (58 bbls) circulated back to surface. Test casing to 1600 psi for 30 min, good test. Drill 8 ¾” hole to 9267’. Run 107 jts 5 ½” 20# HCL-80 casing with 5 ½” to 7” crossover and 104 jts of 7” 32# HCL-80 casing to 9257’. Crossover at 4331’. Pump 50 bbls fw spacer. Pump 350 sks (135 bbls) of 12.2 ppg 2.16 yield 25/75 Poz lead cement. Pump 1400 sks (331 bbls) 14.8 ppg 1.33 yield class C tail cement. Bumped plug. 161 sks (62 bbls) back to surface.

Well Name: OZZY FEDERAL COM 18C	Well Location: T17S / R28E / SEC 13 / NESE / 32.8330192 / -104.1235914	County or Parish/State: EDDY / NM
Well Number: 001H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM14847	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001548309	Well Status: Drilling Well	Operator: LONGFELLOW ENERGY LP

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: DAVID CAIN	Signed on: OCT 06, 2021 01:37 PM
Name: LONGFELLOW ENERGY LP	
Title: Engineering Technologist & Regulatory Specialist	
Street Address: 16803 DALLAS PARKWAY	
City: ADDISON	State: TX
Phone: (214) 265-4715	
Email address: DAVID.CAIN@LONGFELLOWENERGY.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 11/10/2021
Signature: Jonathon Shepard	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 64911

CONDITIONS

Operator: LONGFELLOW ENERGY, LP 8115 Preston Road Dallas, TX 75225	OGRID: 372210
	Action Number: 64911
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/3/2021