

Well Name: CARTER COLLIER 5 FEDERAL	Well Location: T18S / R27E / SEC 5 / SWNE /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number:	Unit or CA Name:	Unit or CA Number:
US Well Number: 300150079000X1	Well Status: Abandoned	Operator: REDWOOD OPERATING LLC

Accepted for record – NMOCD gc 12/6/2021

Subsequent Report

Sundry ID: 2645954

Type of Submission: Subsequent Report

Date Sundry Submitted: 11/29/2021

Date Operation Actually Began: 11/15/2021

Type of Action: Plug and Abandonment

Time Sundry Submitted: 10:06

Actual Procedure: 11/15/21 Moved rig to location. 11/16/21 POH w/ rods & pump. Dug out cellar. ND well head. 11/17/21 ND well head, NU BOP. POH w/ 60 jts of tbg. RIH w/ guage ring to 1500'. Set 7" CIBP @ 1419'. Circ'd hole w/ MLF. Pressure tested csg, did not hold. Could not isolate holes in casing. Spotted 25 sx class C cmt @ 1419-1274'. WOC. 11/18/21 Tagged plug @ 1310'. Isolated holes in csg @ 45' to surface. Perf'd @ 1100'. Pressured up on perfs to 500 PSI. Spotted 85 sx class C cmt @ 1166-658'. WOC. 11/19/21 Tagged plug @ 662'. Perf'd @ 200'. Established an injection rate but did not circulate. Sqz'd 50 sx class C cmt @ 200-100'. WOC. Tagged plug @ 111'. Perf'd @ 65'. Pressured up on perfs to 600 PSI. Spotted 40 sx class C cmt @ 111' & circulated to surface. Rigged down & moved off. 11/22/21 Tagged plug @ 45'. Pump'd 15 sx class C cmt @ 45' to surface. Moved in backhoe and welder. Cut off well head & anchors. Gabriel Beneway w/ BLM verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

SR Attachments

Actual Procedure

Carter_Collier_5_Fed_1___Plugged_20211129100549.pdf

Carter_Collier_5_Fed_1___Current_20211129100549.pdf

Well Name: CARTER COLLIER 5 FEDERAL	Well Location: T18S / R27E / SEC 5 / SWNE /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number:	Unit or CA Name:	Unit or CA Number:
US Well Number: 300150079000X1	Well Status: Abandoned	Operator: REDWOOD OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: DELILAH FLORES	Signed on: NOV 29, 2021 10:06 AM
Name: REDWOOD OPERATING LLC	
Title: Regulatory Technician 1	
Street Address: 11344 LOVINGTON HWY	
City: ARTESIA	State: NM
Phone: (575) 748-1288	
Email address: DELILAH@MEC.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JAMES A AMOS	BLM POC Title: Acting Assistant Field Manager
BLM POC Phone: 5752345927	BLM POC Email Address: jamos@blm.gov
Disposition: Accepted	Disposition Date: 11/29/2021
Signature: James A. Amos	

**Plug Abandonment
Subsequent Report**


OPERATOR NAME:	Redwood Operating LLC
LEASE NO.:	NMLC064384
WELL NAME & NO.:	Carter Collier 5 Federal #1
US WELL NUMBER:	30-015-00790
LOCATION:	T18S/ R27E/ Sec 5/ SWNE
COUNTY:	Eddy County, NM

11/15/21 Moved rig to location. 11/16/21 POH w/ rods & pump. Dug out cellar. ND well head. 11/17/21 ND well head, NU BOP. POH w/ 60 jts of tbg. RIH w/ guage ring to 1500'. Set 7" CIBP @ 1419'. Circ'd hole w/ MLF. Pressure tested csg, did not hold. Could not isolate holes in casing. Spotted 25 sx class C cmt @ 1419-1274'. WOC. 11/18/21 Tagged plug @ 1310'. Isolated holes in csg @ 45' to surface. Perf'd @ 1100'. Pressured up on perms to 500 PSI. Spotted 85 sx class C cmt @ 1166-658'. WOC. 11/19/21 Tagged plug @ 662'. Perf'd @ 200'. Established an injection rate but did not circulate. Sqz'd 50 sx class C cmt @ 200-100'. WOC. Tagged plug @ 111'. Perf'd @ 65'. Pressured up on perms to 600 PSI. Spotted 40 sx class C cmt @ 111' & circulated to surface. Rigged down & moved off. 11/22/21 Tagged plug @ 45'. Pump'd 15 sx class C cmt @ 45' to surface. Moved in backhoe and welder. Cut off well head & anchors. Gabriel Beneway w/ BLM verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Redwood Operating		Plugged
Author:	Abby BCM	
Well Name	Carter Collier Fed	Well No. #1
Field/Pool	Red Lake Queen Grbg	API #: 30-015-00790
County	Eddy	Location: Sec 5, T18S, R27E
State	New Mexico	2310' FNL & 2310' FEL
Spud Date	5/13/1948	GL:

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	10		40#	990-1057			
Inter Csg	8 5/8		28#	1,460		75	
Prod Csg	7		??#	1,454		35	

Formation	Top
Bowers	600 +/-
Queen	790 +/-
GRBG	1160 +/-
Premier	1400 +/-
San Andres	1715 +/-



3. Perf'd @ 200'. Established an injection rate but did not circulate. Sqz'd 50 sx class C cmt @ 200-100'. WOC. Tagged plug @ 111'. Perf'd @ 65'. Pressured up on perfs to 600 PSI. Spotted 40 sx class C cmt @ 111' & circulated to surface. Tagged plug @ 45'. Pump'd 15 sx class C cmt @ 45' to surface.

10 40# CSG @ 990-1057

2. Perf'd @ 1100'. Pressured up on perfs to 500 PSI. Spotted 85 sx class C cmt @ 1166-658'. WOC & Tagged plug @ 662'.


1. 7" CIBP @ 1419'. Circ'd hole w/ MLF. Pressure tested csg, did not hold. Spotted 25 sx class C cmt @ 1419-1274'. WOC. Tagged plug @ 1310'.

7 ??# CSG @ 1,454
8 5/8 28# CSG @ 1,460

Redwood Operating		CURRENT	
Author:	Abby BCM	Well No.	#1
Well Name	Carter Collier Fed	API #:	30-015-00790
Field/Pool	Red Lake Queen Grbg	Location:	Sec 5, T18S, R27E
County	Eddy		2310' FNL & 2310' FEL
State	New Mexico	GL:	
Spud Date	5/13/1948		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	10		40#	990-1057			
Inter Csg	8 5/8		28#	1,460		75	
Prod Csg	7		??#	1,454		35	

Formation	Top
Bowers	600 +/-
Queen	790 +/-
GRBG	1160 +/-
Premier	1400 +/-
San Andres	1715 +/-



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 64175

CONDITIONS

Operator: Redwood Operating LLC PO Box 1370 Artesia, NM 882111370	OGRID: 330211
	Action Number: 64175
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	12/6/2021