

Well Name: GUMBY BAG FEDERAL	Well Location: T19S / R23E / SEC 17 / SENW /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM92145	Unit or CA Name:	Unit or CA Number:
US Well Number: 300153224500X1	Well Status: Abandoned	Operator: EOG RESOURCES INCORPORATED

Accepted for record – NMOCD gc 12/15/2021

Subsequent Report

Sundry ID: 2647005

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 12/05/2021	Time Sundry Submitted: 08:31
Date Operation Actually Began: 10/07/2021	

Actual Procedure: Please see attached subsequent P&A. Thank you.

SR Attachments

Actual Procedure

Gumby_BAG_Federal_1_12_5_21_20211205203145.pdf

Well Number: 1

Type of Well: CONVENTIONAL GAS
WELL

Allottee or Tribe Name:

Lease Number: NMNM92145

Unit or CA Name:

Unit or CA Number:

US Well Number: 300153224500X1

Well Status: Abandoned

Operator: EOG RESOURCES
INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: TINA HUERTA

Signed on: DEC 05, 2021 08:31 PM

Name: EOG RESOURCES INCORPORATED

Title: Regulatory Specialist

Street Address: 104 SOUTH FOURTH STREET

City: Artesia

State: NM

Phone: (575) 748-4168

Email address: tina_huerta@eogresources.com

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927

BLM POC Email Address: jamos@blm.gov

Disposition: Accepted

Disposition Date: 12/08/2021

Signature: James A. Amos

Gumby BAG Federal 1 – Sub P&A
30-015-32245
F-17-19S-23E

10/7/21 - MIRU and NU BOP. Set CIBP at 7722'. Verified CIBP was set.

10/8/21 – Pressure tested to 500 psi for 15 min, held good. Spotted 30 sx Class C cement on top of CIBP to 7389', tagged.

10/11/21 – Spotted a 25 sx Class C cement plug from 7283'-7036' calc TOC. No tag. Spotted a 25 sx Class C cement plug from 6038'-5836' calc TOC. No tag. Spotted a 25 sx Class C cement plug from 4747'-4550' calc TOC. No tag. Spotted a 25 sx Class C cement plug from 3583'-3336' calc TOC. No tag. Spotted a 25 sx Class C cement plug from 2990'-2743' calc TOC. No tag. Spotted a 25 sx Class C cement plug from 2208'-1961' calc TOC. No tag.

10/12/21 – Perforated at 1635'. Attempted injection rate. Pressured up to 1000 psi for 15 min, held good. Contacted Gilbert Espinoza with BLM. Spotted a 35 sx Class C cement plug from 1685'-1370', tagged.

10/13/21 – Perforated at 484'. Attempted injection rate. Pressured up to 500 psi. Witnessed by Gilbert Espinoza. Drop down 50' to 534'. Spotted a 30 sx Class C cement plug from 534'-228', tagged. Perforated at 200'. Attempted injection rate. Pressured up to 500 psi for 15 min, held good. Drop down 228'. Spotted 25 sx Class C cement from 228' and circulated up to surface. Topped off wellbore with cement. Visual cement to surface.

11/15/21 - Cut off wellhead. Installed above ground dry hole marker as per BLM. Cover cellar and cut off anchors.

WELL IS PLUGGED AND ABANDONED.

Gumby BAG Federal 1

The schematic illustrates a wellbore with the following components from top to bottom:

- Plug 10**: TOC ~50'
- Plug 9**: Marked with 'A' on the left and a plug symbol on the right.
- Plug 8**: Marked with 'B' on the left and a plug symbol on the right.
- Plugs 7 through 1**: A series of alternating dark gray and light gray horizontal bands representing different plug materials.
- Existing Morrow Perfs: 7772' - 7788'**: A section of the wellbore with multiple horizontal perforations.
- Bottom Section**: Marked with 'C' at the base, showing a plug symbol and a small dark gray band.

At the bottom of the schematic, the following data is provided:

PBTD:	MD
TD: 8,550	MD

Sec. 17-T19-RS23E
1650' FNL & 1980' FWL

API:	301532245
GL:	4066
KB:	4084

#	HOLE SIZE	SIZE	WGHT	GRADE	Top	Bottom	Sx Cmt	Circ/TOC	TOC Method
A	17 1/2	13 3/8	48		0	361	1342	1"ed	
B	12 1/4	9 5/8	36		0	1,512	1106	1"ed	
C	8 3/4	5 1/2	15.5/17		50	7,980	2310		50 by CBL

		Formation	Top			Formation	Top		
		Glorieta	2046			Cisco	5960		
		Upper Yeso	2158			Strawn	7160		
		Tubb	2803			Atoka	7518		
		Lower Yeso	2940			Morrow	7721		
		Abo	3460			Chester	7873		
		WC	4674						

#	Joints	Description	Length	OD	ID	Grade	Wt (lb/ft):	Top (ftKB):	Btm (ftKB):
	2 7/8								
	Packer @ 7692								

#	SX	Class	Top	Bottom	Tag	Notes	
1	30	C	7,389	7,722	Y	CIBP	
2	25	C	7,036	7,283	N		
3	25	C	5,836	6,038	N		
4	25	C	4,550	4,747	N		
5	25	C	3,336	3,583	N		
6	25	C	2,743	2,990	N		
7	25	C	1,961	2,208	N		
8	35	C	1,370	1,685	Y	Perforated	
9	30	C	228	534	Y	Perforated	
10	25	C	0	228	N	Perforated, topped off with cement, visual cement to surface	

[illegible]

12/14/21

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 67016

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 67016
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	12/15/2021