

Well Name: WEST BISTI COAL 14 COM	Well Location: T25N / R13W / SEC 14 / NENW / 36.406565 / -108.189718	County or Parish/State: SAN JUAN / NM
Well Number: 1T	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM69534	Unit or CA Name: WEST BISTI COAL 14 COM	Unit or CA Number: NMNM89347
US Well Number: 3004533371	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2644281

Type of Submission: Subsequent Report

Date Sundry Submitted: 11/15/2021

Date Operation Actually Began: 10/25/2021

Type of Action: Plug and Abandonment

Time Sundry Submitted: 11:11

**Actual Procedure:** The subject well was Plugged & Abandoned on 10/25/2021 per the attached End of Well Report, Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

- EOWR\_WBC\_14\_Com\_1T\_20211115111126.pdf
- PA\_Marker\_WBC\_14\_Com\_1T\_20211115111126.pdf
- AsPlugged\_WBD\_WBC\_14\_Com\_1T\_20211115111126.pdf

<b>Well Name:</b> WEST BISTI COAL 14 COM	<b>Well Location:</b> T25N / R13W / SEC 14 / NENW / 36.406565 / -108.189718	<b>County or Parish/State:</b> SAN JUAN / NM
<b>Well Number:</b> 1T	<b>Type of Well:</b> OTHER	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM69534	<b>Unit or CA Name:</b> WEST BISTI COAL 14 COM	<b>Unit or CA Number:</b> NMNM89347
<b>US Well Number:</b> 3004533371	<b>Well Status:</b> Abandoned	<b>Operator:</b> DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

<b>Operator Electronic Signature:</b> SHAW-MARIE FORD	<b>Signed on:</b> NOV 15, 2021 11:11 AM
<b>Name:</b> DJR OPERATING LLC	
<b>Title:</b> Regulatory Specialist	
<b>Street Address:</b> 1 Road 3263	
<b>City:</b> Aztec	<b>State:</b> NM
<b>Phone:</b> (505) 632-3476	
<b>Email address:</b> sford@djrlc.com	

Field Representative

<b>Representative Name:</b>		
<b>Street Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip:</b>
<b>Phone:</b>		
<b>Email address:</b>		

BLM Point of Contact

<b>BLM POC Name:</b> KENNETH G RENNICK	<b>BLM POC Title:</b> Petroleum Engineer
<b>BLM POC Phone:</b> 5055647742	<b>BLM POC Email Address:</b> krennick@blm.gov
<b>Disposition:</b> Accepted	<b>Disposition Date:</b> 11/24/2021
<b>Signature:</b> Kenneth Rennick	

DJR Operating, LLC  
P&A End of Well Report  
West Bisti Coal 14 Com 1T  
API # 30-045-33371  
NE/NW, Unit C, Sec 14, T25N, R13W  
San Juan County, NM

Spud Date: 6/17/2008

Plug Date: 10/25/2021

10/22/2021:

MIRU rig and equipment. SITP = 0, SICP = 80, BH = 0. Pull rods and pump. Pull production tubing. TIH with workstring and string mill to 1280'. Set cement retainer at 1270'. SDFWE.

10/25/2021:

SICP = 0, BH = 0. Pressure test 5 1/2" casing to 600 psi. Good test.

Plug 1: Fruitland perfs: Pump 10 sx cement through CR into Fruitland perfs.

Plug 2: Mix and pump from 1260' with 145 sx cement to cover Fruitland, Kirtland, Ojo Alamo, and surface casing shoe.

TOOH. NDBOP, cut off WH, install P&A marker. TOC in 8 5/8" x 5 1/2" at 3', inside 5 1/2" casing at surface. Mix top off plug of 25 sx cement. RIG RELEASED.

All cement used: Class G cement mixed at 15.8 ppg, yield 1.15 cu. ft/sx

Regulatory Representative: Dustin Porch, BLM

GPS Coordinates: Lat: 36.4065612712875, Lng: -108.189667314291

/sl

DJR Operating, LLC  
P&A Marker  
West Bisti Coal 14 Com 1T  
API # 30-045-33371  
NENW Unit C, Sec 14, T25N, R13W  
San Juan County, NM



**DJR Operating, LLC**  
**AsPlugged Wellbore Diagram**

**West Bisti Coal 14 Com 1T**

API # 30-045-33371

NE/NW, Unit C, Sec 14, T25N, R13W  
 San Juan County, NM

GL 6388'

KB 6400'

Spud Date 6/17/2008

**SURF CSG**

Hole size 12.25"  
 Csg Size: 8.625"  
 Wt: 24#  
 Grade: J-55  
 ID: 6.336"  
 Depth 141'  
 casing cap ft<sup>3</sup>/ft: 0.3575  
 TOC: Circ cmt  
 to surface

**FORMATION TOPS**


Nacimiento	Surface
Ojo Alamo	N/A
Kirtland	N/A
Fruitland	919'
Pictured Cliffs	1363'

**PROD CSG**

Hole size 7.875"  
 Csg Size: 5.5"  
 Wt: 15.5#  
 Grade: J-55  
 ID: 4.95"  
 Depth 1458'  
 casing cap ft<sup>3</sup>/ft: 0.1336  
 8.625x5.5 cap ft<sup>3</sup>/ft 0.1926  
 TOC: Circ cmt  
 to surface

Cement Ret. 1270'  
 Fruitland Coal perms  
 1292-1344'

COTD 1426'  
 TD 1500'



10:25-2021: Top off plug. 25 sx cement.  
 TOC in 8 5/8" x 5 1/2" at 3'. Inside 5 1/2"  
 at surface. RIG RELEASED.

10-25-2021: Plug 2: With EOT at 1260',  
 mix and pump 145 sx cement to cover  
 Fruitland, Kirtland, Ojo Alamo and surface  
 casing shoe.

10-25-2021: Plug 1: Fruitland perms:  
 Pump 10 sx cement through CR into  
 Fruitland perms.

10-22-2021: Set CR at 1270'.

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 63695

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 63695
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	12/28/2021