ceived by WCD: 1/6/2022 6:55:03 AM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Repo
Well Name: RIVERBEND FED	Well Location: T24S / R29E / SEC 22 / SWNW /	County or Parish/State: EDDY / NM
Well Number: 9	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM81586	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001528861	Well Status: Abandoned	Operator: OXY USA INCORPORATED
	Accepted for record – NMOCD gc 1/7/2022	

Subsequent Report

Sundry ID: 2649066

Type of Submission: Subsequent Report Date Sundry Submitted: 12/15/2021 Date Operation Actually Began: 10/22/2021 Type of Action: Plug and Abandonment Time Sundry Submitted: 03:17

Actual Procedure: see attached

SR Attachments

Actual Procedure

RiverbendFed_009_ReportSummary_20211215151735.pdf RiverbendFed_009_FinalWellbore_20211215151736.pdf

Received by OCD: 1/6/2022 6:55:03 AM Well Name: RIVERBEND FED	Well Location: T24S / R29E / SEC 22 / SWNW /	County or Parish/State: EDDY / of 5
Well Number: 9	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM81586	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001528861	Well Status: Abandoned	Operator: OXY USA INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: STEPHEN JANACEK

State:

Signed on: DEC 15, 2021 03:17 PM

Name: OXY USA INCORPORATED Title: Regulatory Engineer Street Address: 5 Greenway Plaza, Suite 110 City: Houston State: TX Phone: (713) 497-2417 Email address: stephen_janacek@oxy.com

Field Representative

Representative Name: Street Address: City: Phone: Email address:

Zip:


BLM Point of Contact

BLM POC Name: JAMES A AMOS BLM POC Phone: 5752345927 Disposition: Accepted Signature: James A. Amos

BLM POC Title: Acting Assistant Field Manager BLM POC Email Address: jamos@blm.gov Disposition Date: 12/17/2021

•

Day	D	Date	Event	Details
	1	22-Oct	rig up	MIRU.
	2		pull equipme	POOH Rods
				PU 3 ¾" Tri-Cone Bit on 4-3 ½" collars, Top Sub on 2 3/8" tbg. Tagged @5785'. RU Power Swivel. Broke
	3	26-Oct	clean out	circulation with 130 bbls. Washed down to 5890'. Lost circ. Bit Plugged & Drill string stuck. Unable to
·				MIRU Rotary Wireline. Ran Free Point Tool. Tagged the top of 3 ½" Drill Collars @ 5737'. Ran Free point on
				tbg from 5737' to 5107'. Tubing 100% stuck @ 5297' & 5172'. Tubing 82% stuck @ 5146' (18% Free).
				Tubing collar @ 5139'. RIH with 1.58" OD Cutter. Made 1 st cut on tbg @ 5725' that left @ 15' of tbg above
				top of Drill Collars. While POOH with Cutter. Wireline Tools stuck @ 550' from surface. Worked to free
				wireline. Wireline parted. Left @ 450' of E-Line & cutter body in the hole. Secured WL with Splice Clamps.
	4	27-Oct	fish	Continue POOH with 100' of E-Line. RIH with 1.58 Gauge Ring. Tagged top of E-Line @740'. POOH with
				RIH with Wireline Center Spear. Tagged on top of 2 3/8" tb @ 4286'. Did not tag E-Line. RIH with 104 jts of
				2 3/8" tbg. Screw 2 3/8" tbg back together @ 4286'. MIRU Rotary Wireline. RIH with 1.75" Gauge Ring.
	5	28-Oct	fish	Tagged top of E-Line @ 5117'. POOH with GR. RIH with Jet Cutter. Cut 2 3/8" tbg @5100'. POOH with 162
				PU 3 7/8" SOD, MID Kut-Rite Shoe, 4 jts of 3 ½" Washpipe, 4- 3 1/8" Drill Collars on 2 3/8" workstring tbg.
	6	29-Oct	fish	Tagged 5108'. RU Power Swivel. Wash over 2 3/8" tbg from 5108' to 5247'. Bottomed out on Washpipe
				PU 3 7/8" Overshot dressed with 2 3/8" grapple, 3 1/8" Jars, 4-3 1/8" Collars on 152 jts of 2 3/8" tbg.
				Tagged TOF @ 5052'. Latched onto 2 3/8" Tubing Fish. Pulled Free. Gain of 3-K. POOH with 152 jts of 2
	7	30-Oct	fish	3/8" tbg, 3 1/8" Intensifier, 4-3 1/8" collars, 3 1/8" Jars & 3 ¾" Overshot. Recovered 19 jts of 2 3/8" Tubing
				PU 3 7/8" Overshot dressed with 2 3/8" grapple, 3 1/8" Jars, 4-3 1/8" Collars on 152 jts of 2 3/8" tbg.
				Tagged TOF @ 5725'. Latched onto 2 3/8" Tubing Fish. Grapple slipping off Fish. POOH with Fishing
<u> </u>	8	1-Nov		Assembly. Change out grapple & added 4' Overshot Ext. RIH with Fishing Assembly. Latch on to TOF @
				Jar on Fish for 6 hrs. Jarred Free after 6.5 hrs. POOH with Workstring & Jarring Assembly. (Recovered ½ jt
	9	2-Nov		2 3/8" tbg, 4- 3/18" Drill Collars & 3 ¼" Tri-Cone Bit. Lay down all Fishing Tools.
				RIH with 3 ¾" Bit & 2 3/8" Tubing Bailer on 2 3/8" tbg. Tagged Fill @ 5830'. Clean out down to 5922'. POOH
	10	3-Nov		with Bailer & Bit. Bailer was loaded with Frac sand. RIH with 3 ³ / ⁴ Bit on Bailer Assembly & 2 3/8" tbg.
				RIH with 5 jts of 2 3/8" tbg. Tagged Fill @ 5830'. Clean out down to 5970'. POOH with Bailer & Bit. Bailer
	1 1	4 Nov		was loaded with Frac sand. RIH with 3 ³ / ⁴ Tri-Cone Bit on Bailer Assembly & 2 3/8 ⁴ tbg. Tagged @ 5916 ⁴ .
	11	4-INOV		RU Swivel. Clean out from 5916' to 5984'. Drilling on compacted Hard Sand for 3 hrs made no progress. RD RIH with 3 7/8" Blade Bit on Bailer Assembly & 2 3/8" tbg. Tagged @ 5916'. RU Swivel. Clean out from
,	12	5-Nov		5980' to 6016'. Drilling for 3 hrs made no progress. RD Swivel. POOH with Bailer Assembly & 3 7/8" Blade
-	12	5-1100		RIH with 3 7/8" Blade Bit on Bailer Assembly & 2 3/8" tbg. Tagged @ 6010'. Bail out sand & Fill from 6010'
	13	6-Nov		to 6120' top of 4 ½" CIBP. Drill & Bail on CIBP. Pushed CIBP down to 6636'. POOH with 50 jts of 2 3/8"
	13	01100		Pumped 80 bbls of Brine to Kill Well. Made Short Trip with 3 7/8" Blade Bit on Bailer Assembly & 2 3/8"
	14	8-Nov		tbg. Tagged @ 6630'. POOH with Bit & Bailer Assembly. RIH with 2 3/8" Perf Sub on 209 jts of 2 3/8" tbg.
				Spotted 100 sx of Class C cmt from 6636' to 5116'. Displaced with 19.5 bbls of MLB. POOH with 100 jts of 2
				3/8" tbg. WOC 4 hrs. RIH with 2 3/8" tbg. Tagged TOC @ 5336'. POOH with 2 3/8" tbg. MIRU Ranger
:	15	9-Nov		Wireline. Set 4 ½" CIBP @ 5175'. RDMO WL. RIH open- ended with 164 jts of 2 3/8" tbg. Tagged top of 4 ½"
				Spotted 25 sx of Class C cmt from 5175' to 4888'. Displaced with 19 bbls of MLB. POOH with 36 jts of 2
				3/8" tbg. WOC 4 hrs. Pull EOT up to 4044'. Spotted 105 sx of Class C cmt from 4044' to 2660'. Displaced
				with 9.5 bbls of MLB.POOH with lay down 50 jts & stand back 40jts of 2 3/8" tbg. WOC 4 hrs. RIH with 2
1				3/8" tbg. Tagged TOC @ 2443'. POOH with 2 3/8" tbg. MIRU Ranger Wireline. Perforated 4 ½" csg @ 657'.
	16	10-Nov		Attempted to est pump in rate. Pressure to 1000 psi. No loss of pressure. BLM decision to perf 4 ½" csg @
				Pumped 45 sx of Class C cmt from 758'. POOH with 20 jts of 2 3/8" tbg in hole. Reverse circulated well
1				from 100'. POOH with tbg. MIRU Ranger Wireline. Perforated 4 ½" csg in well @ 100'. RD WL. Est PIR of 2
	17	11-Nov	plug	BPM @ 300 psi. ND BOP. NU wellhead B-1 Adapter Flange. Pumped 35 sx of Class C cmt from 100' to



District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	70771
	Action Type:
	[C-103] Sub. Plugging (C-103P)
CONDITIONS	

Created By Condition gcordero None

CONDITIONS

Action 70771

Condition Date 1/7/2022

Page 5 of 5

.