

Submit 1 Copy To Appropriate District Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised August 1, 2011

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

WELL API NO. 30-025-07635
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 19552
7. Lease Name or Unit Agreement Name South Hobbs (G/SA) Unit
8. Well Number: 11
9. OGRID Number: 157984
10. Pool name or Wildcat Hobbs (G/SA)

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other: Injector	
2. Name of Operator Occidental Permian Ltd.	
3. Address of Operator P.O. Box 4294, Houston, TX, 77210	
4. Well Location Unit Letter <u>A</u> : <u>330</u> feet from the <u>North</u> line and <u>330</u> feet from the <u>East</u> line Section <u>6</u> Township <u>19S</u> Range <u>38E</u> NMPM <u>Lea</u> County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3628' (GL)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<b>NOTICE OF INTENTION TO:</b> PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> OTHER: <input type="checkbox"/>	<b>SUBSEQUENT REPORT OF:</b> REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> <b>P AND A</b> <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> PNR <input type="checkbox"/> OTHER: <input type="checkbox"/>
---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**10-25-21** Check psi, 200 psi on csg, Bled off, Pressure tested csg to 600 psi and held, Nd wh, Nu bop, Ru workflow, Rih picking up 117 2-7/8" tbg, Tagged TOC @3781', Notified NMOCD, Spotted 25 sxs class c cement (1.32 yield) 5.87 bbls and displaced w 21 bbls of bw, Pooh laying down 4 2-7/8" tbg, Stood back 15 stands, Sion.

**10-26-21** Htgsm, 0 psi on tbg, 0 psi on csg, Rih w 30 2-7/8" tbg, Tagged TOC @3642', Notified NMOCD, Circulated well with 150 bbls of 10# gelled brine water, Pooh laying down 41 2-7/8" tbg, Pooh standing back 76 2-7/8" tbg, Ruwl, Rih and perforated 7" csg @2850', Pooh and rdwl, Rih w 7" ad1 packer and 76 2-7/8" tbg, Set packer @2450', Pressure tested csg to 500 psi and held, Established injection rate @ 1 bbls a min w 1500 psi, Stayed w 700 psi, Notified NMOCD, Decided to spot a cement plug, Sion.

**10-27-21** Check psi, 0 psi on tbg, 0 psi on csg, Rih picking up 14 2-7/8" tbg to 2910', Mixed and pumped 40 sxs class c cement (1.32 yield) 9.4 bbls and displaced w 15.25 bbls of bw, Pooh laying down 8 2-7/8" tbg, Pooh standing back 30 2-7/8" tbg, EOT @1683', WOC for 3 hrs, Rih w 31 2-7/8" tbg, Tagged TOC @2684', Notified NMOCD, Pooh laying down 34 2-7/8" tbg, EOT @1618', Mixed and pumped 50 sxs class c cement (1.32 yield) 11.75 bbls and displaced w 7.75 bbls of bw, Pooh laying down 50 2-7/8" tbg, Sion.

**10-28-21** Htgsm, Check psi, 0 psi, Ruwl, Rih and perforated 7" csg @250', Had 2 misruns but perforated on 3rd shot, Pooh and rdwl, Established injection rate @ 2 bbls a min w 500 psi, Nd bop, Nu capflange, Mixed and pumped 230 sxs class c cement (1.32 yield) 54 bbls and circulated up surface casing, Pressured up to 500 psi, Notified NMOCD, Rdpu, Cleaned location. Sion.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Faris

TITLE Production Engineer DATE 11/3/2021

Type or print name Faris Al Ismaili E-mail address faris\_al\_ismaili@oxy.com PHONE: 832-973-0186

**For State Use Only**

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 2/4/22



Occidental Petroleum Corporation

**SHU 011****API# 30-025-07635**

TWN 19-S; RNG 38-E

Injector

Surface/Csg Shoe Plug @ 250'  
Perf and Sqz ~ 230 sx

12-1/2" 50# @ 214'  
cmt'd with 200 sxs  
TOC @ surface (Circ)

Rustle Plug @ 1600'  
Spot 100' cmt, tag @ 1500'

9-5/8" 36# @ 2795'  
cmt'd with 500 sxs  
TOC @ surface (Calc)

Yates Plug @ 2850'  
Spot 40 sxs , Tag @ 2684'

CIBP at 3815' cap with cmt toc @3642'  
spotted 25 sxs


6-5/8" 24# @ 3968'  
cmt'd with 300 sxs  
TOC @ 2910' (CBL)

CIBP at 4100' cap with cmt toc @4080'

4-1/2" 10.5# @ 3792'-4231'  
cmt'd with 80 sxs  
TOC @ 3792' TOL (Circ)

plug back @4205'

TD @ 4230'





Occidental Petroleum Corporation

**SHU 011****API# 30-025-07635**

TWN 19-S; RNG 38-E

Injector

Surface/Csg Shoe Plug @ 250'  
Perf and Sqz ~ 230 sx

12-1/2" 50# @ 214'  
cmt'd with 200 sxs  
TOC @ surface (Circ)

Rustle Plug @ 1600'  
Spot 100' cmt, tag @ 1500'

9-5/8" 36# @ 2795'  
cmt'd with 500 sxs  
TOC @ surface (Calc)

Yates Plug @ 2850'  
Spot 40 sxs, Tag @ 2684'

CIBP at 3815' cap with cmt toc @3642'  
spotted 25 sxs


6-5/8" 24# @ 3968'  
cmt'd with 300 sxs  
TOC @ 2910' (CBL)

CIBP at 4100' cap with cmt toc @4080'

4-1/2" 10.5# @ 3792'-4231'  
cmt'd with 80 sxs  
TOC @ 3792' TOL (Circ)

plug back @4205'

TD @ 4230'



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 65553

CONDITIONS

Operator: OCCIDENTAL PERMIAN LTD P.O. Box 4294 Houston, TX 772104294	OGRID: 157984
	Action Number: 65553
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q with marker pic to release	2/4/2022