ceived by UCD: 1/28/2022 2:13:14 PM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Report 01/28/2022
Well Name: LARGO	Well Location: T29N / R9W / SEC 34 / NESW / 36.67935 / -107.7729	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM0555563	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004507645	Well Status: Producing Gas Well	Operator: HILCORP ENERGY COMPANY

Notice of Intent

Sundry ID: 2652909

Type of Submission: Notice of Intent

Date Sundry Submitted: 01/18/2022

Date proposed operation will begin: 02/01/2022

Type of Action: Recompletion Time Sundry Submitted: 07:25

Procedure Description: Hilcorp Energy Company requests permission to recomplete the subject well in the Chacra and downhole commingle with the existing Mesaverde and Dakota. Please see the attached procedure, current and proposed wellbore diagram, plat and natural gas management plan. A closed loop system will be used. A pre-reclamation site visit was held on 1/14/2022 with Bob Switzer/BLM. The reclamation plan is attached.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

 $Largo_Federal_1_CH_C_102_Plat_20220118072038.pdf$

Largo_Federal_1_NGMP_20220118072038.pdf

Largo_Federal_1_RC_NOI_Procedure_20220118072038.pdf

Largo_Federal_1_Reclamation_Plan_20220118072038.pdf

Received by OCD: 1/28/2022 2:13:14 PM Well Name: LARGO	Well Location: T29N / R9W / SEC 34 / NESW / 36.67935 / -107.7729	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM0555563	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004507645	Well Status: Producing Gas Well	Operator: HILCORP ENERGY COMPANY

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: KANDIS ROLAND Name: HILCORP ENERGY COMPANY Title: Operation Regulatory Tech Street Address: 382 Road 3100 City: Farmington State: NM Phone: (505) 599-3400 Email address: kroland@hilcorp.com

Field Representative

Representative Name: Street Address: City: State: Phone: Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Phone: 5055647742 Disposition: Approved Signature: Kenneth Rennick

BLM POC Title: Petroleum Engineer BLM POC Email Address: krennick@blm.gov Disposition Date: 01/27/2022

Zip:

Signed on: JAN 18, 2022 07:25 AM

Largo Federal #1

034-029N-009W-K

API#: 3004507645

Chacra Recompletion Procedure

12/16/2021

Procedure:

- 1. MIRU service rig and associated equipment.
- 2. Test BOP's
- 3. TOOH w/ 2-3/8" tubing currently set with EOT at 6,660'.
- 4. Set a CIBP to isolate the Mesa Verde and Dakota perforations @ +/- 3,759'.
- 5. Load the hole.
- 6. Run CBL to verify TOC at 1800'.
- 7. Pressure test casing to maximum fracture pressure.
- 8. ND BOP's. NU frac stack and test same to maximum fracture pressure.
- 9. RDMO service rig.
- 10. MIRU frac spread.
- 11. Perforate and frac the Chacra from 3,000 to 3,700'. RDMO frac spread.
- 12. MIRU service rig.
- 13. Test BOP's.
- 14. PU mill and RIH to clean out to Mesa Verde/Dakota isolation plug.
- 15. When water and sand rates are acceptable, flow test the Chacra.
- 16. Drill out Mesa Verde/Dakota isolation plug and TOOH.
- 17. TIH and land production tubing. Obtain a commingled flow rate.
- 18. ND BOP's, NU production tree.
- 19. RDMO service rig & turn well over to production.

004507645	Surface Legal Location Field 1 034-029N-009W-K BASIN	Name License No N DAKOTA (PRORATED GAS)		State/Province NEW MEXICO	Well Configuration Type VERTICAL
iginal KB/RT Eleva		Date Rig Release Date	5:30	PBTD (All) (#KB) Original Hole - 6,704.0	Total Depth All (TVD) (ftKB)
ost Recent Jo	b	2001 N. 20020		original flore of forts	line and the second sec
b Category ACILITIES	Primary Job Type COMMINGLE	Secondary Job Type COMMINGI F	Actual Star 2/11/199	t Date 39	End Date 2/20/1999
D: 6,740.0		Original Hole [VERT	CAL]		
MD (ftKB)		Vertical schem	atic (actual)		
121				Casing Joints, 10	3/4in; 12.00-307.00; 295.00; 1-
12.1				1; 10 3/4; 10.19	
307.1				Shoe, 10 3/4in; 30	07.00-308.00; 1.00; 1-2; 10 3/4;
308.1				10.15	
319.9					
1,020.0	- OJO ALAMO (OJO ALAMO (final))			Casing Joints, 7.5	/8in; 12.00-2,399.00; 2,387.00;
1,176.8	- KIRTLAND (KIRTLAND (final))			2-1; 7 5/8; 6.97	and research the second street set
1,660.1	- FRUITLAND (FRUITLAND (final))				
1,799.9					
2,123.0	 PICTURED CLIFFS (PICTURED CLIFFS (final 	al)) ———————————————————————————————————		Costan Ininte Cin	12.00 4 610 00 4 607 00 2 1
2,277.9	- LEWIS (LEWIS (final))			5; 4.41	; 12.00-4,619.00; 4,607.00; 3-1;
2,399.0					99.00-2,400.00; 1.00; 2-2; 7
2,399.9			201 - 205	5/8; 6.97	
3,100.1	- CHACRA (CHACRA (final))				2.00-6,626.55; 6,614.55; 1-1; 2
3,805.1	CLIFFHOUSE (CLIFFHOUSE (final))			3/8; 2.00	
3,809.1			800 800		
3,835.0	- MENEFEE (MENEFEE (final))		188	3,809.0-4,499.0ft	(B on 5/31/1965 00:00 (PERF
4,414.0	- POINT LOOKOUT (POINT LOOKOUT (fina			MESA VERDE); 3,8	809.00-4,499.00; 1965-05-31
4,499.0					
4,619.1				Stage Tool, 5in; 4,	619.00-4,621.00; 2.00; 3-2; 5;
4,621.1		W	100	4.41	
4,816.9	- MANCOS (MANCOS (final))				
5,416.0			30		
5,589.9	GALLUP (GALLUP (final))				; 4,621.00-6,739.00; 2,118.00; 3
6,358.9	- GREENHORN (GREENHORN (final))			-3; 5; 4.41	
6,423.9	- GRANEROS (GRANEROS (final))				
6,490.2	- DAKOTA (DAKOTA (final))			F	KB on 5/31/1965 00:00 (PERF 0-6,694.00; 1965-05-31
6,491.1				2 3/8in, SEATING	NIPPLE; 6,626.55-6,627.65;
6,626.6				/ 1.10; 1-2; 2 3/8	IT; 6,627.65-6,658.85; 31.20; 1-
6,627.6		- 100 E	180/		1, 0,027.05-0,050.05; 31.20; 1-
6,658.8				2 3/8in, EXPENDA	BLE CHECK; 6,658.85-
6,659.4			1982	6,659.35; 0.50; 1-4 2 3/8in, SAW TOC	4; 2 3/8 DTH COLLAR; 6,659.35-
6,660.1				6,660.00; 0.65; 1-5	
6,693.9		100	200		
6,704.1					
6,738.8					0-6,740.00; 1.00; 3-4; 5; 4.41

	: LARGO FE			Schemati	c - Propo	osed			
04507645	Surfac	e Legal Location 029N-009W-K	Field Name	(PRORATED GAS)	License No.		State/Province NEW MEXICO		Well Configuration Type VERTICAL
ginal KB/RT Elev	ation (ft) KB-C	Ground Distance (ft)	Iriginal Spud Date	Rig	telease Date		PBTD (AII) (#KB)		Total Depth All (TVD) (1KB)
793.00 ost Recent J	12.	00	/31/1965 00:00	2/1	9/1999 15:30		Original Hole - 6,70)4.0	
Category CILITIES	00	Primary Job Type COMMINGLE	S	econdary Job Type COMMINGLE		Actual S	Start Date	End D	ate /1999
D: 6,740.0)	COMMUNICITY		Original Hol			1 303034	1770	
MD (ftKB)					al schematic				
							Caring Joints	10.3/dim	12.00-307.00; 295.00; 1-
12.1							1; 10 3/4; 10.1		12.00-301.00, 233.00, 1
307.1								n; 307.00-3	308.00; 1.00; 1-2; 10 3/4
308.1							10.19		
319.9				- seconder			26060		
1,020.0	OJO ALAMO (OJO ALAMO (fina	0)				Casing Joints	7 E /Rin: 1	2 00 2 200 00 2 287 00
1,176.8	- KIRTLAND (KI	RTLAND (final)) -				6905 6255	2-1; 7 5/8; 6.9		2.00-2,399.00; 2,387.00;
1,660.1	FRUITLAND (F	RUITLAND (final))							
1,799.9						33 M			
2,123.0	PICTURED CLI	FFS (PICTURED CL	IFFS (final))			***			
2,277.9 -	LEWIS (LEWIS	(final))					Casing Joints, 5: 4.41	5in; 12.00	-4,619.00; 4,607.00; 3-1;
2,399.0		Chacra Perfe	orations 3000)' - - 🎆 🖗		88		2,399.00-	2,400.00; 1.00; 2-2; 7
2,399.9		3	700'			10	5/8; 6.97		_
3,100.1	- CHACRA (CHA	CRA (final))		8		88. 	2 3/8in, Tubin	g; 12.00-6	i,626.55; 6,614.55; 1-1; 2
3,805.1	CLIFFHOUSE (CLIFFHOUSE (fina	m —	38		102	3/8: 2.00		
3,809.1				8					
3,835.0	MENEFEE (ME	NEFEE (final))				88	3 809 0-4 499	OftKB on	5/31/1965 00:00 (PERF
4,414.0	-POINT LOOKO	UT (POINT LOOK	OUT (final)) -		1	188			-4,499.00; 1965-05-31
4,499.0						綴			
4,619.1						<u></u>	Stage Tool, Si	n: 4.619.00	0-4,621.00; 2.00; 3-2; 5;
4,621.1				8	0	100	4.41	1, 1,015.00	
4,816.9	- MANCOS (MA	NCOS (final)) -							
5,416.0									
5,589.9	GALLUP (GALL	LIP (final))		8			Casing Joints,	5in; 4,621	.00-6,739.00; 2,118.00; 3
6,358.9		(GREENHORN (fin					-3; 5; 4.41		
6,423.9		RANEROS (final))		Š.					
6,490.2	DAKOTA (DAK						F		5/31/1965 00:00 (PERF
	DAKOTA (DAK	(inal))					1		4.00; 1965-05-31 E; 6.626.55-6.627.65;
6,491.1				100	•		1.10; 1-2; 2 3/	8	
6,626.6				100		802	2 3/8in, TAIL J 3; 2 3/8; 2.00	OINT; 6,6	27.65-6,658.85; 31.20; 1
6,627.6				3		88	/	NDABLE C	HECK; 6,658.85-
6,658.8							6,659.35; 0.50	; 1-4; 2 3/	8
6,659.4				138			2 3/8in, SAW 6,660.00; 0.65		DLLAR; 6,659.35-
6,660.1				22		182 193	0,000,00,000	,,,	~
6,693.9				5	t	100			
6,704.1					CONTRACTOR OF				
6,738.8							Shoe, Sin: 6.7	39.00-6.74	0.00; 1.00; 3-4; 5; 4.41
6,740.2				55	010101010101010	100	2.10 cl 201 d 21		the set of a large state of a large stat

•

OCD Permitting

Form C-102 August 1, 2011

Permit 306816

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1 ADI Mumahan

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACRE	AGE DEDICATION PLAT
2. Pool Code	3. Pool Name

30-045-07645	2. Pool Code 82329	OTERO CHACRA (GAS)
4. Property Code	5. Property Name	6. Well No.
318604	LARGO FEDERAL	001
7. OGRID No.	8. Operator Name	9. Elevation
372171	HILCORP ENERGY COMPANY	5781

10. Surface Location

UL - Lot	Section		Township		Range		Lot Idn	Feet From		N/S Line		Feet From		E/W Line		County	
	K	34		29N		09W			1450		S		1450		W		SAN
																JUAN	

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated A 160	cres .00 SW/4		13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
E-Signed By: Kandis Roland Title: Regulatory Tech Date: 1/17/2022
SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
Surveyed By: Ernest V. Echohawk
Date of Survey: 4/29/2019
Certificate Number: 3602

Re	ceived	by	OCD:	1/28/2022	2:13:14	PM
----	--------	----	------	-----------	---------	----

Submit Electronically

Via E-permitting

State of New Mexico Energy, Minerals and Natural Resources Department

> **Oil Conservation Division** 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp Energy Company OGRID: 372171 Date: <u>1/17/2022</u>

II. Type: \square Original \square Amendment due to \square 19.15.27.9.D(6)(a) NMAC \square 19.15.27.9.D(6)(b) NMAC \square Other.

If Other, please describe:

III. Well(s): Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	ULSTR	Footages	Anticipat	Anticipated	Anticipated
				ed Oil	Gas	Produced
				BBL/D	MCF/D	Water BBL/D
Largo Federal 1	3004507645	K-34-29N-9W	1450' FSL & 1450' FWL	0	230	2

IV. Central Delivery Point Name: ____Chaco Processing Plant_____[See 19.15.27.9(D)(1) NMAC]

V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	Spud	TD Reached	Completion	Initial Flow	First Production Date
		Date	Date	Commencement	Back Date	
				Date		
Largo Federal 1	3004507645	<u>N/A</u>	<u>N/A</u>	N/A	<u>N/A</u>	Not Yet Scheduled

VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture.

VII. Operational Practices: 🖂 Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.

VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

 \square Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

 \Box Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. *If Operator checks this box, Operator will select one of the following:*

Well Shut-In. \Box Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan. \Box Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (**h**) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: Kandís Roland			
Printed Name: Kandis Roland			
Title: Operations/Regulatory Tech Sr.			
E-mail Address: kroland@hilcorp.com			
Date: 1/17/2022			
Phone:713-757-5246			
OIL CONSERVATION DIVISION			
(Only applicable when submitted as a standalone form)			
Approved By:			
Title:			
Approval Date:			
Conditions of Approval:			

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - \circ $\;$ This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1 4.
- 5. Subsection (E) Performance standards
 - All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Hilcorp Energy Recomplete Reclamation Plan Largo Federal 1 API: 30-045-07645 T29N-R9W-Sec.34-K LAT: 36.67935 LONG: -107.7729 Footage: 1450' FSL & 1450' FWL San Juan County, NM

1. PRE- RECLAMATION SITE INSPECTION

A pre-reclamation site inspection was completed with Bob Switzer from the BLM and Eufracio Trujillo, Hilcorp Energy SJ South Construction Foreman, on January 14, 2022.

2. LOCATION RECLAMATION PROCEDURE

- 1. Reclamation work will begin in spring period.
- 2. All trash and debris will be removed within a 25' buffer outside of the location disturbance during reclamation.
- 3. Brush hog location and fence off area for disturbance.
- 4. Reclaim all disturbed area being used for recompletion activities.
- 5. Reestablish teardrop on location.
- 6. Fix road going into location pad.
- 7. Reclaim areas used to the locations to the South of pad as TUA's

3. SEEDING PROCEDURE

- 1. A Pinion/Juniper seed mix with some Sage will be used for all reclaimed and disturbed areas of the well pad(s) and lease road.
- 2. Drill seed will be done where applicable and all other disturbed areas will be broadcast seeded and harrowed. Broadcast seeding will be applied at a double the rate of seed.
- 3. Timing of the seeding will be when the ground is not frozen or saturated.

4. WEED MANAGEMENT

1. No action is required at this time for weed management, no noxious weeds were identified during this onsite.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	76612
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By	Condition	Condition Date
kpickford	DHC required	2/4/2022
kpickford	Notify NMOCD 24 Hours Prior to beginning operations	2/4/2022

Page 13 of 13

Action 76612