

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-021-20426
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. LG-4605
7. Lease Name or Unit Agreement Name BRAVO DOME CO2 GAS UNIT
8. Well Number 111
9. OGRID Number 16696
10. Pool name or Wildcat BRAVO DOME CO2 GAS 640 (96010)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☒	
2. Name of Operator OXY USA INC.	
3. Address of Operator P.O. BOX 4294, HOUSTON, TX 77210	
4. Well Location Unit Letter <u>G</u> : <u>1700</u> feet from the <u>NORTH</u> line and <u>1700</u> feet from the <u>EAST</u> line Section <u>11</u> Township <u>18N</u> Range <u>31E</u> NMPM County <u>HARDING</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4441' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☒
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

PLEASE SEE ATTACHED PA JOB SUMMARY AND FINAL WELLBORE DIAGRAM.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Stephen Janacek TITLE REGULATORY ENGINEER DATE 1/4/2022

Type or print name STEPHEN JANACEK E-mail address: STEPHEN_JANACEK@OXY.COM PHONE: 713-493-1986

For State Use Only

APPROVED BY: Monica Kuehling TITLE Deputy Oil and Gas Inspector DATE 2/22/2021

Conditions of Approval (if any):

BDU 1831-111
30-021-20426
PA Job Summary

11-8-2021
MIRU BRIGADE RIG 9. NU BOPE.

11-9-2021
TIH WITH TUBING AND TAG @ 2034'. PUMP 25 BBLS SALT GEL. TOO H AND PLACE EOT 1722', PUMP 30 SX (7 BBLS) CLASS C CMT FROM 1722-1398', TOO H AND PLACE EOT @ 1340', REVERSE CIR UNTIL SALT GEL, WAIT 4 HRS, TIH AND TAG @ 1492', TOO H AND PLACE EOT @ 1340'. PUMP 80 SX (18.8 BBLS) CLASS C CMT FROM 1340'-477'. TOO H TO 310'. REVERSE CIRCULATE. SHUT IN WELL

TIH AND TAG TOC @ 612'. TOO H AND PLACE EOT @ 310'. PUMP 29 SX (6.9 BBLS) CLASS C CMT TO SURFACE. ND BOP, TOP OFF CEMENT. RDMO BRIGADE RIG 9.

Stephen Janacek
1/4/2022

Final Wellbore
BRAVO DOME CO2 GAS UNIT #111
30-021-20426-0000
Harding

12-1/4" hole @ 710'
8-5/8" 24# csg @ 705'
w/ 400sx-TOC-Surf-Circ.


M&P 29sx Class C cmt 310'-Surf
Verify @ Surf

M&P 80sx Class C cmt 1340'-612' (TAG).

M&P 30sx Class C cmt 1722'-1398' (TAG)

7-7/8" hole @ 2171'
5-1/2" 15.5# csg @ 2178'
w/ 550sx - TOC-Surf-Circ.

CIBP @ 2060'
Perfs 2070' - 2120'



PBTB 2160'

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 70352

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 70352
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	Follow rule 19.15.25.10 B. The operator shall mark the exact location of plugged and abandoned wells with a steel marker not less than four inches in diameter set in cement and extending at least four feet above mean ground level. Note: Marker must be set in cement of which none of the wells plugged in the fall of 2021 by OXY had their marker set in cement. Operators are required to submit - a C-103Q on state or fee wells	2/3/2022