

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NMNM56264
2. Name of Operator READ & STEVENS INCORPORATED Contact: KELLY BARAJAS E-Mail: kbarajas@read-stevens.com		6. If Indian, Allottee or Tribe Name
3a. Address ROSWELL, NM 88202	3b. Phone No. (include area code) Ph: 575-624-3760 Fx: 575-622-8643	7. If Unit or CA/Agreement, Name and/or No.
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 10 T20S R34E NENE 200FNL 350FEL 32.354172 N Lat, 103.322216 W Lon		8. Well Name and No. NORTH LEA 10 FED COM 1H
		9. API Well No. 30-025-43679-00-X1
		10. Field and Pool or Exploratory Area LEA
		11. County or Parish, State LEA COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Well Spud	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

1/25/20: Drlg from 1220' to 1773' (TD) surface hole. Circ to run 13 3/8" csg. Run 13 3/8" csg as follows: shoe, shoe jnt, float collar, 41 jnts 543.5 J-55 STC to 1770'. Notified Jim McCormick at 5:00 a.m. for pre-cmt job.

1/26/20: Pump cmt as follows: 20 bbls FW spacer w/dye. Lead w/1169 sxs 13.5# Class C, Tail w/200 sxs 14.8# Class C. Drop plug, disp w/267.4 bbls FW. Bump plug. Floats held. Circ 98 bbls clean. WOC 8 hrs. NU 13 5/8" 5K DR BOP. Test BOP and annular. Notified BLM rep for 4 hr pre-BOP test at 7:00 p.m. MST.

1/27/20: WOC. PU & MU w/12 1/4" BHA. TIH to float collar @ 1773'. Test csg to 1000 psi. Test good. Circ drlg plug, float collar and cmt to 1773'. Drlg 12 1/4" Int Hole from 1773'-3750'.

14. I hereby certify that the foregoing is true and correct. Electronic Submission #500980 verified by the BLM Well Information System For READ & STEVENS INCORPORATED, sent to the Hobbs Committed to AFMSS for processing by PRISCILLA PEREZ on 01/28/2020 (20PP1125SE)	
Name (Printed/Typed) BILL PIERCE	Title ENGINEER
Signature (Electronic Submission)	Date 01/28/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By ACCEPTED	JONATHON SHEPARD Title PETROELUM ENGINEER	Date 01/29/2020
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Revisions to Operator-Submitted EC Data for Sundry Notice #500980

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	SPUD SR	SPUD SR
Lease:	NMNM56264	NMNM56264
Agreement:		
Operator:	READ & STEVENS, INC. 400 N. PENNSYLVANIA, SUITE 1000 ROSWELL, NM 88201 Ph: 575-622-3770	READ & STEVENS INCORPORATED ROSWELL, NM 88202 Ph: 575 622 3770 Fx: 575 622 8643
Admin Contact:	KELLY BARAJAS PRODUCTION & REGULATORY E-Mail: kbarajas@read-stevens.com Ph: 575-622-3770 Fx: 575-622-8643	KELLY BARAJAS REPORT PREPARER E-Mail: kbarajas@read-stevens.com Ph: 575-624-3760 Fx: 575-622-8643
Tech Contact:	BILL PIERCE ENGINEER E-Mail: bill@vfpetroleum.com Ph: 432-683-3344 Fx: 915-683-3352	BILL PIERCE ENGINEER E-Mail: bill@vfpetroleum.com Ph: 432-683-3344 Fx: 915-683-3352
Location:		
State:	NM	NM
County:	LEA COUNTY	LEA
Field/Pool:	LEA	LEA
Well/Facility:	NORTH LEA 10 FEDERAL #1H Sec 10 T20S R34E 200FNL 575FEL	NORTH LEA 10 FED COM 1H Sec 10 T20S R34E NENE 200FNL 350FEL 32.354172 N Lat, 103.322216 W Lon

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM56264

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
NORTH LEA 10 FED 1H9. API Well No.
30-025-43679-00-X110. Field and Pool or Exploratory Area
LEA11. County or Parish, State
LEA COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Contact: KELLY BARAJAS

READ & STEVENS INCORPORATED E-Mail: kbarajas@read-stevens.com

3a. Address

ROSWELL, NM 88202

3b. Phone No. (include area code)

Ph: 575-624-3760

Fx: 575-622-8643

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 10 T20S R34E NENE 200FNL 350FEL
32.354172 N Lat, 103.322216 W Lon

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

2/13/2020: Circ to run 5 1/2" production csg. Run 5 1/2" csg as follows: shoe, shoe jnt, float collar, 47 jnts 20# HCP110 GCBP csg to 2,112.57'. 1 marker jnt, 72 jnts 20# HCP110 GCBP csg to 3,243.20'. 1 marker jnt, 229 jnts 20# HCP110 GCBP csg to 10,295.85'. 349 5 1/2" jnts total csg. Csg MD 15,724.01'. Less above KB 5.99'. Csg set @ MD 15,740'.

2/14/2020: Pump cmt as follows: 50 bbls FW spacer, Lead w/1328 sxs Class "C" 50% w/Integra-Chem Poz 50% 11.50 ppg. Tail-in w/1208 sxs 50% Class "C" w/50% Class "H". Displace w/312 bbls FW.

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #503636 verified by the BLM Well Information System**For READ & STEVENS INCORPORATED, sent to the Hobbs****Committed to AFMSS for processing by PRISCILLA PEREZ on 02/18/2020 (20PP1347SE)**

Name (Printed/Typed) BILL PIERCE

Title ENGINEER

Signature (Electronic Submission)

Date 02/18/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTEDJONATHON SHEPARD
Title PETROELUM ENGINEER

Date 02/18/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Revisions to Operator-Submitted EC Data for Sundry Notice #503636

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM56264	NMNM56264
Agreement:		
Operator:	READ & STEVENS, INC. 400 N. PENNSYLVANIA, SUITE 1000 ROSWELL, NM 88201 Ph: 575-622-3770	READ & STEVENS INCORPORATED ROSWELL, NM 88202 Ph: 575 622 3770 Fx: 575 622 8643
Admin Contact:	KELLY BARAJAS PRODUCTION & REGULATORY E-Mail: kbarajas@read-stevens.com Ph: 575-622-3770 Fx: 575-622-8643	KELLY BARAJAS REPORT PREPARER E-Mail: kbarajas@read-stevens.com Ph: 575-624-3760 Fx: 575-622-8643
Tech Contact:	BILL PIERCE ENGINEER E-Mail: bill@vfpetroleum.com Ph: 432-683-3344 Fx: 915-683-3352	BILL PIERCE ENGINEER E-Mail: bill@vfpetroleum.com Ph: 432-683-3344 Fx: 915-683-3352
Location:		
State:	NM	NM
County:	LEA COUNTY	LEA
Field/Pool:	LEA	LEA
Well/Facility:	NORTH LEA 10 FEDERAL #1H Sec 10 T20S R34E 200FNL 575FEL	NORTH LEA 10 FED 1H Sec 10 T20S R34E NENE 200FNL 350FEL 32.354172 N Lat, 103.322216 W Lon

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM56264

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
NORTH LEA 10 FED 1H9. API Well No.
30-025-43679-00-X110. Field and Pool or Exploratory Area
LEA11. County or Parish, State
LEA COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Contact: KELLY BARAJAS

READ & STEVENS INCORPORATED E-Mail: kbarajas@read-stevens.com

3a. Address

ROSWELL, NM 88202

3b. Phone No. (include area code)

Ph: 575-624-3760

Fx: 575-622-8643

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 10 T20S R34E NENE 200FNL 350FEL
32.354172 N Lat, 103.322216 W Lon**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other	Drilling Operations
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

1/28/20: Drlg 12 1/4" Int hole to 5100'.

1/29/20: TOH. TIH w/new bit. Drlg to 5350' (TD) Int Hole. Pump 50 bbls High Vis Sweep to surface. TOH to run 9 5/8" csg. LD 12 1/4" BHA. Make up shoe track. Run csg. Circ.

1/30/20: RU cmt. Load and test lines to 3K. Test ok. Pump 30 bbls FW, 50 bbls spacer. Pump 222 sxs Class "C" Lead and 386 sxs Class 'C' Tail. Drop bottom plug. Disp w/402 bbls FW. WOC. NDBOP. NU and test BOP 250 low, 5000 high as per NM onshore order #2.

1/31/20: WOC. Make up conventional BHA. TIH to top of DV tool @ 3659'. Drlg out DV tool. TIH to float collar @ 5300'. Tag @ 5277'. Test csg to 1500 psi. Drlg float collar and shoe. Drlg 8 3/4" production hole from 5350' to 5380'. TOH to run run cmt bond log. TIH w/WL to 5340'. Log

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #501665 verified by the BLM Well Information System**For READ & STEVENS INCORPORATED, sent to the Hobbs****Committed to AFMSS for processing by PRISCILLA PEREZ on 01/31/2020 (20PP1173SE)**

Name (Printed/Typed) BILL PIERCE

Title ENGINEER

Signature (Electronic Submission)

Date 01/31/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTEDJONATHON SHEPARD
Title PETROELUM ENGINEER

Date 02/06/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #501665 that would not fit on the form

32. Additional remarks, continued

well. TIH w/8 3/4" directional drilling assembly. Scribe and test ok. Drlg 8 3/4" production hole from 5380' to 5700'.

Revisions to Operator-Submitted EC Data for Sundry Notice #501665

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM56264	NMNM56264
Agreement:		
Operator:	READ & STEVENS, INC. 400 N. PENNSYLVANIA, SUITE 1000 ROSWELL, NM 88201 Ph: 575-622-3770	READ & STEVENS INCORPORATED ROSWELL, NM 88202 Ph: 575 622 3770 Fx: 575 622 8643
Admin Contact:	KELLY BARAJAS PRODUCTION & REGULATORY E-Mail: kbarajas@read-stevens.com Ph: 575-622-3770 Fx: 575-622-8643	KELLY BARAJAS REPORT PREPARER E-Mail: kbarajas@read-stevens.com Ph: 575-624-3760 Fx: 575-622-8643
Tech Contact:	BILL PIERCE ENGINEER E-Mail: bill@vfpetroleum.com Ph: 432-683-3344 Fx: 915-683-3352	BILL PIERCE ENGINEER E-Mail: bill@vfpetroleum.com Ph: 432-683-3344 Fx: 915-683-3352
Location:		
State:	NM	NM
County:	LEA COUNTY	LEA
Field/Pool:	LEA	LEA
Well/Facility:	NORTH LEA 10 FEDERAL #1H Sec 10 T20S R34E 200FNL 575FEL	NORTH LEA 10 FED 1H Sec 10 T20S R34E NENE 200FNL 350FEL 32.354172 N Lat, 103.322216 W Lon

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM56264

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
NORTH LEA 10 FED COM 1H9. API Well No.
30-025-43679-00-X110. Field and Pool or Exploratory Area
LEA11. County or Parish, State
LEA COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Contact: KELLY BARAJAS

READ & STEVENS INCORPORATED E-Mail: kbarajas@read-stevens.com

3a. Address

ROSWELL, NM 88202

3b. Phone No. (include area code)

Ph: 575-624-3760

Fx: 575-622-8643

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 10 T20S R34E NENE 200FNL 350FEL
32.354172 N Lat, 103.322216 W Lon**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Well Spud
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

Spud well January 23, 2020 at 11:00 a.m.

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #500638 verified by the BLM Well Information System**For READ & STEVENS INCORPORATED, sent to the Hobbs****Committed to AFMSS for processing by PRISCILLA PEREZ on 01/25/2020 (20PP1081SE)**

Name (Printed/Typed) BILL PIERCE

Title ENGINEER

Signature (Electronic Submission)

Date 01/24/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTEDJONATHON SHEPARD
Title PETROELUM ENGINEER

Date 01/29/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Revisions to Operator-Submitted EC Data for Sundry Notice #500638

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	SPUD SR	SPUD SR
Lease:	NMNM56264	NMNM56264
Agreement:		
Operator:	READ & STEVENS, INC. 400 N. PENNSYLVANIA, SUITE 1000 ROSWELL, NM 88201 Ph: 575-622-3770	READ & STEVENS INCORPORATED ROSWELL, NM 88202 Ph: 575 622 3770 Fx: 575 622 8643
Admin Contact:	KELLY BARAJAS PRODUCTION & REGULATORY E-Mail: kbarajas@read-stevens.com Ph: 575-622-3770 Fx: 575-622-8643	KELLY BARAJAS REPORT PREPARER E-Mail: kbarajas@read-stevens.com Ph: 575-624-3760 Fx: 575-622-8643
Tech Contact:	BILL PIERCE ENGINEER E-Mail: bill@vfpetroleum.com Ph: 432-683-3344 Fx: 915-683-3352	BILL PIERCE ENGINEER E-Mail: bill@vfpetroleum.com Ph: 432-683-3344 Fx: 915-683-3352
Location:		
State:	NM	NM
County:	LEA COUNTY	LEA
Field/Pool:	LEA	LEA
Well/Facility:	NORTH LEA 10 FEDERAL #1H Sec 10 T20S R34E 200FNL 575FEL	NORTH LEA 10 FED COM 1H Sec 10 T20S R34E NENE 200FNL 350FEL 32.354172 N Lat, 103.322216 W Lon

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM56264

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
NORTH LEA 10 FED 1H9. API Well No.
30-025-43679-00-X110. Field and Pool or Exploratory Area
LEA11. County or Parish, State
LEA COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Contact: KELLY BARAJAS

READ & STEVENS INCORPORATED E-Mail: kbarajas@read-stevens.com

3a. Address

ROSWELL, NM 88202

3b. Phone No. (include area code)

Ph: 575-624-3760

Fx: 575-622-8643

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 10 T20S R34E NENE 200FNL 350FEL
32.354172 N Lat, 103.322216 W Lon**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

2/1/2020 - 2/3/2020

Drlg vertical hole f/5,700' to 9,575'.

2/4/2020: Drlg vertical hole f/9,575' to 10,399'. LD vertical BHA.

2/5/2020: Drlg 8 3/4" curve f/10,399' to 10,825'.

2/6/2020: Drlg 8 3/4" curve f/10,825' to 11,154'. TIH w/lateral assembly.

2/7/2020: Drlg 8 3/4" curve f/11,154' to 11,629'. Run free-point. TIH w/lateral assembly. Work stuck pipe.

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #503621 verified by the BLM Well Information System
For READ & STEVENS INCORPORATED, sent to the Hobbs
Committed to AFMSS for processing by PRISCILLA PEREZ on 02/18/2020 (20PP1346SE)

Name (Printed/Typed) BILL PIERCE

Title ENGINEER

Signature (Electronic Submission)

Date 02/18/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USEApproved By **ACCEPTED**JONATHON SHEPARD
Title PETROELUM ENGINEER

Date 02/19/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #503621 that would not fit on the form

32. Additional remarks, continued

2/8/2020: Work fish w/jars. Run free-point. Found stuck point @ 5,700'. TOH w/DP and 3 DC's. PU jars and energizer. Screw in sub. TIH to screw into fish @ 5,924.

2/9/2020: Work fish w/jars. Able to rotate and reciprocate pipe. Found metal fragments in UBHO sub not allowing MWD to seat properly. Drlg f/11,629' to 11,900'.

2/10/2020: Drlg f/11,900' to 13,550'.

2/11/2020: Drlg f/13,550' to 15,000'.

2/12/2020: Drlg f/15,000' to 15,740'. Reached TD.

Revisions to Operator-Submitted EC Data for Sundry Notice #503621

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM56264	NMNM56264
Agreement:		
Operator:	READ & STEVENS, INC. 400 N. PENNSYLVANIA, SUITE 1000 ROSWELL, NM 88201 Ph: 575-622-3770	READ & STEVENS INCORPORATED ROSWELL, NM 88202 Ph: 575 622 3770 Fx: 575 622 8643
Admin Contact:	KELLY BARAJAS PRODUCTION & REGULATORY E-Mail: kbarajas@read-stevens.com Ph: 575-622-3770 Fx: 575-622-8643	KELLY BARAJAS REPORT PREPARER E-Mail: kbarajas@read-stevens.com Ph: 575-624-3760 Fx: 575-622-8643
Tech Contact:	BILL PIERCE ENGINEER E-Mail: bill@vfpetroleum.com Ph: 432-683-3344 Fx: 915-683-3352	BILL PIERCE ENGINEER E-Mail: bill@vfpetroleum.com Ph: 432-683-3344 Fx: 915-683-3352
Location:		
State:	NM	NM
County:	LEA COUNTY	LEA
Field/Pool:	LEA	LEA
Well/Facility:	NORTH LEA 10 FEDERAL #1H Sec 10 T20S R34E 200FNL 575FEL	NORTH LEA 10 FED 1H Sec 10 T20S R34E NENE 200FNL 350FEL 32.354172 N Lat, 103.322216 W Lon

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 63060

CONDITIONS

Operator: READ & STEVENS INC P.O. Box 1518 Roswell, NM 88202	OGRID: 18917
	Action Number: 63060
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/2/2021