

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals.**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NMNM56264
2. Name of Operator READ & STEVENS INCORPORATED Contact: KELLY BARAJAS E-Mail: kbarajas@read-stevens.com		6. If Indian, Allottee or Tribe Name
3a. Address ROSWELL, NM 88202	3b. Phone No. (include area code) Ph: 575-624-3760 Fx: 575-622-8643	7. If Unit or CA/Agreement, Name and/or No.
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 10 T20S R34E NWNE 400FNL 1470FEL 32.353772 N Lat, 103.323933 W Lon		8. Well Name and No. NORTH LEA 10 FED 2H
		9. API Well No. 30-025-43680-00-X1
		10. Field and Pool or Exploratory Area TEAS-BONE SPRING
		11. County or Parish, State LEA COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

2/22/2020: Depth 1,607'. WOC. Notified BLM for 4 hr pre-BOP test at 11:00 p.m.

2/23/2020: Drlg 12 1/4" intermediate hole f/1,607' to 3,300'. Test BOP and annular to 3000 psi high/250 psi low. TIH to top of FC at 1,562'. Test csg to 1000 psi. Tests ok.

2/24/2020: Drlg f/3,300' to 5,200'.

2/25/2020: Drlg f/5,200' to 5,655'. TD for Int hole. Pump sweep and circ to surface. TOH to run 9 5/8" csg. Run csg as follows: Float shoe, float collar, 1 jnt 40# J-55 LT&C, 142 jnts 40# HCL-80 LT&C csg. Csg set at 5,655'.

2/26/2020: RU cmt'rs. Load and test lines to 3K. Test ok. Pump 30 bbls spacer. 50 bbls spacer.

14. I hereby certify that the foregoing is true and correct. Electronic Submission #504570 verified by the BLM Well Information System For READ & STEVENS INCORPORATED, sent to the Hobbs Committed to AFMSS for processing by PRISCILLA PEREZ on 02/26/2020 (20PP1439SE)	
Name (Printed/Typed) KELLY BARAJAS	Title REPORT PREPARER
Signature (Electronic Submission)	Date 02/26/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By ACCEPTED	JONATHON SHEPARD Title PETROELUM ENGINEER	Date 02/27/2020
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #504570 that would not fit on the form

32. Additional remarks, continued

Lead w/204 sxs 12.5# Class "C", Tail-in w/386 sxs 14.8# Class "C" cmt. Drop bottom plug. Disp w/402 bbls FW. WOC. TOC @ 1,540'. RU WL to perf 9 5/8" at 1,535'. BLM engineer Yolanda Jimenez advised to squeeze cmt to surface. RD WL. Pump 50 bbls FW. Pump 600 sxs Class "C" cmt. Disp w/112 bbls FW. Close valve at cmt swage and WOC. Set slips on 9 5/8" csg.

Revisions to Operator-Submitted EC Data for Sundry Notice #504570

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM56264	NMNM56264
Agreement:		
Operator:	READ & STEVENS, INC. 400 N. PENNSYLVANIA, SUITE 1000 ROSWELL, NM 88201 Ph: 575-622-3770	READ & STEVENS INCORPORATED ROSWELL, NM 88202 Ph: 575 622 3770 Fx: 575 622 8643
Admin Contact:	KELLY BARAJAS PRODUCTION & REGULATORY E-Mail: kbarajas@read-stevens.com Ph: 575-622-3770 Fx: 575-622-8643	KELLY BARAJAS REPORT PREPARER E-Mail: kbarajas@read-stevens.com Ph: 575-624-3760 Fx: 575-622-8643
Tech Contact:	KELLY BARAJAS PRODUCTION & REGULATORY E-Mail: kbarajas@read-stevens.com Ph: 575-622-3770 Fx: 575-622-8643	KELLY BARAJAS REPORT PREPARER E-Mail: kbarajas@read-stevens.com Ph: 575-624-3760 Fx: 575-622-8643
Location:		
State:	NM	NM
County:	LEA COUNTY	LEA
Field/Pool:	LEA	TEAS-BONE SPRING
Well/Facility:	NORTH LEA 10 FEDERAL #2H Sec 10 T20S R34E 400FNL 1470FEL	NORTH LEA 10 FED 2H Sec 10 T20S R34E NWNE 400FNL 1470FEL 32.353772 N Lat, 103.323933 W Lon

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM56264

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
NORTH LEA 10 FED 2H9. API Well No.
30-025-43680-00-X110. Field and Pool or Exploratory Area
TEAS-BONE SPRING11. County or Parish, State
LEA COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Contact: KELLY BARAJAS

READ & STEVENS INCORPORATED E-Mail: kbarajas@read-stevens.com

3a. Address

ROSWELL, NM 88202

3b. Phone No. (include area code)

Ph: 575-624-3760

Fx: 575-622-8643

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 10 T20S R34E NWNE 400FNL 1470FEL
32.353772 N Lat, 103.323933 W Lon**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

02/27/2020 - 03/02/2020: Drlg production hole f/5,655' to 10,225'.

03/03/2020 - 03/09/2020: Drlg lateral f/10,225' - 15,754'. Total Depth.

03/10/2020: Run csg as follows: 5.5" float shoe, TTS, Float Collar, 2 MJ's, 361 jnts of 5.5" 20# HCP-110 csg. Csg set @ 15,754'.

03/11/2020: RU cmtr's. Load & test lines to 5,000 psi. Test ok. Pump 50 bbls 11# gel spacer. Cmt Lead w/1327 sxs Integrachem Poz 50%, Class "C" 50% @ 11.5 ppg. Tail w/1177 sxs Class "C" 50%, Class "H" 50% @ 14.8 ppg. Drop 1 rupture plug (1500) psi. Pump 10 bbls sugar wtr. Drop 2nd rupture plug (3000) psi. Pump 35 bbls acid. Disp w/348 bbls FW. Land & rupture. RD cmtr's. Flush out BOP stack. NDBOP. Set slips & NU tbg head. Jet & clean pits. RD solids control

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #506950 verified by the BLM Well Information System
For READ & STEVENS INCORPORATED, sent to the Hobbs
Committed to AFMSS for processing by PRISCILLA PEREZ on 03/15/2020 (20PP1640SE)

Name (Printed/Typed) KELLY BARAJAS

Title REPORT PREPARER

Signature (Electronic Submission)

Date 03/12/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTEDJONATHON SHEPARD
Title PETROELUM ENGINEER

Date 03/19/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #506950 that would not fit on the form

32. Additional remarks, continued

equipment. Release rig.

Revisions to Operator-Submitted EC Data for Sundry Notice #506950

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM56264	NMNM56264
Agreement:		
Operator:	READ & STEVENS, INC. 400 N. PENNSYLVANIA, SUITE 1000 ROSWELL, NM 88201 Ph: 575-622-3770	READ & STEVENS INCORPORATED ROSWELL, NM 88202 Ph: 575 622 3770 Fx: 575 622 8643
Admin Contact:	KELLY BARAJAS PRODUCTION & REGULATORY E-Mail: kbarajas@read-stevens.com Ph: 575-622-3770 Fx: 575-622-8643	KELLY BARAJAS REPORT PREPARER E-Mail: kbarajas@read-stevens.com Ph: 575-624-3760 Fx: 575-622-8643
Tech Contact:	KELLY BARAJAS PRODUCTION & REGULATORY E-Mail: kbarajas@read-stevens.com Ph: 575-622-3770 Fx: 575-622-8643	KELLY BARAJAS REPORT PREPARER E-Mail: kbarajas@read-stevens.com Ph: 575-624-3760 Fx: 575-622-8643
Location:		
State:	NM	NM
County:	UNITED STATES	LEA
Field/Pool:	TEAS; BONE SPRING, EAST	TEAS-BONE SPRING
Well/Facility:	NORTH LEA 10 FEDERAL 2H Sec 10 T20S R34E 400FNL 1470FEL	NORTH LEA 10 FED 2H Sec 10 T20S R34E NWNE 400FNL 1470FEL 32.353772 N Lat, 103.323933 W Lon

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM56264

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
NORTH LEA 10 FED 2H9. API Well No.
30-025-43680-00-X110. Field and Pool or Exploratory Area
TEAS-BONE SPRING11. County or Parish, State
LEA COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Contact: KELLY BARAJAS

READ & STEVENS INCORPORATED E-Mail: kbarajas@read-stevens.com

3a. Address

ROSWELL, NM 88202

3b. Phone No. (include area code)

Ph: 575-624-3760

Fx: 575-622-8643

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 10 T20S R34E NWNE 400FNL 1470FEL
32.353772 N Lat, 103.323933 W Lon**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Well Spud
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

2/19/2020: Spud well at 3:30 p.m.

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #503969 verified by the BLM Well Information System
For READ & STEVENS INCORPORATED, sent to the Hobbs
Committed to AFMSS for processing by PRISCILLA PEREZ on 02/21/2020 (20PP1366SE)

Name (Printed/Typed) KELLY BARAJAS

Title REPORT PREPARER

Signature (Electronic Submission)

Date 02/21/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTEDJONATHON SHEPARD
Title PETROELUM ENGINEER

Date 02/21/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Revisions to Operator-Submitted EC Data for Sundry Notice #503969

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	SPUD SR	SPUD SR
Lease:	NMNM56264	NMNM56264
Agreement:		
Operator:	READ & STEVENS, INC. 400 N. PENNSYLVANIA, SUITE 1000 ROSWELL, NM 88201 Ph: 575-622-3770	READ & STEVENS INCORPORATED ROSWELL, NM 88202 Ph: 575 622 3770 Fx: 575 622 8643
Admin Contact:	KELLY BARAJAS PRODUCTION & REGULATORY E-Mail: kbarajas@read-stevens.com Ph: 575-622-3770 Fx: 575-622-8643	KELLY BARAJAS REPORT PREPARER E-Mail: kbarajas@read-stevens.com Ph: 575-624-3760 Fx: 575-622-8643
Tech Contact:	KELLY BARAJAS PRODUCTION & REGULATORY E-Mail: kbarajas@read-stevens.com Ph: 575-622-3770 Fx: 575-622-8643	KELLY BARAJAS REPORT PREPARER E-Mail: kbarajas@read-stevens.com Ph: 575-624-3760 Fx: 575-622-8643
Location:		
State:	NM	NM
County:	LEA COUNTY	LEA
Field/Pool:	LEA	TEAS-BONE SPRING
Well/Facility:	NORTH LEA 10 FEDERAL #2H Sec 10 T20S R34E 400FNL 1470FEL	NORTH LEA 10 FED 2H Sec 10 T20S R34E NWNE 400FNL 1470FEL 32.353772 N Lat, 103.323933 W Lon

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NMNM56264
2. Name of Operator READ & STEVENS INCORPORATED		6. If Indian, Allottee or Tribe Name
Contact: KELLY BARAJAS E-Mail: kbarajas@read-stevens.com		7. If Unit or CA/Agreement, Name and/or No.
3a. Address ROSWELL, NM 88202	3b. Phone No. (include area code) Ph: 575-624-3760 Fx: 575-622-8643	8. Well Name and No. NORTH LEA 10 FED 2H
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 10 T20S R34E NWNE 400FNL 1470FEL 32.353772 N Lat, 103.323933 W Lon		9. API Well No. 30-025-43680-00-X1
		10. Field and Pool or Exploratory Area TEAS-BONE SPRING
		11. County or Parish, State LEA COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

2/21/2020: Drlg from 1,550' to 1,607'. (TD) surface hole. Circ to run 13 3/8" csg. Run 13 3/8" csg as follows: float shoe, float collar, 38 jnts 54.5# J-55 ST&C csg to 1,607'. Pump cmt as follows: 60 bbls FW spacer w/dye. Lead w/1169 sxs 13.5# Class "C". Tail-in w/200 sxs 14.8# Class "C". Drop plug. Disp w/241 bbls FW. Bump plug. Floats held. Circ 151 bbls clean. RD. WOC. Notified BLM rep Pat McKelvey for 4 hr pre-cmt job at 10:00 p.m. on 2/20/2020.

14. I hereby certify that the foregoing is true and correct. Electronic Submission #504555 verified by the BLM Well Information System For READ & STEVENS INCORPORATED, sent to the Hobbs Committed to AFMSS for processing by PRISCILLA PEREZ on 02/26/2020 (20PP1433SE)	
Name (Printed/Typed) KELLY BARAJAS	Title REPORT PREPARER
Signature (Electronic Submission)	Date 02/26/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By ACCEPTED	JONATHON SHEPARD Title PETROELUM ENGINEER	Date 02/27/2020
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Revisions to Operator-Submitted EC Data for Sundry Notice #504555

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM56264	NMNM56264
Agreement:		
Operator:	READ & STEVENS, INC. 400 N. PENNSYLVANIA, SUITE 1000 ROSWELL, NM 88201 Ph: 575-622-3770	READ & STEVENS INCORPORATED ROSWELL, NM 88202 Ph: 575 622 3770 Fx: 575 622 8643
Admin Contact:	KELLY BARAJAS PRODUCTION & REGULATORY E-Mail: kbarajas@read-stevens.com Ph: 575-622-3770 Fx: 575-622-8643	KELLY BARAJAS REPORT PREPARER E-Mail: kbarajas@read-stevens.com Ph: 575-624-3760 Fx: 575-622-8643
Tech Contact:	KELLY BARAJAS PRODUCTION & REGULATORY E-Mail: kbarajas@read-stevens.com Ph: 575-622-3770 Fx: 575-622-8643	KELLY BARAJAS REPORT PREPARER E-Mail: kbarajas@read-stevens.com Ph: 575-624-3760 Fx: 575-622-8643
Location:		
State:	NM	NM
County:	LEA COUNTY	LEA
Field/Pool:	LEA	TEAS-BONE SPRING
Well/Facility:	NORTH LEA 10 FEDERAL #2H Sec 10 T20S R34E 400FNL 1470FEL	NORTH LEA 10 FED 2H Sec 10 T20S R34E NWNE 400FNL 1470FEL 32.353772 N Lat, 103.323933 W Lon

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 63063

CONDITIONS

Operator: READ & STEVENS INC P.O. Box 1518 Roswell, NM 88202	OGRID: 18917
	Action Number: 63063
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	2/8/2022