

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Burnett Oil Co. Inc. Burnett Plaza - Suite 1500 801 Cherry Street- Unit 9 Fort Worth, Texas 76102		² OGRID Number 03080
		³ Reason for Filing Code/ Effective Date New Well/ 3/27/2021
⁴ API Number 30 - 015-47075	⁵ Pool Name Cedar Lake Glorieta Yeso	⁶ Pool Code 96831
⁷ Property Code 20767	⁸ Property Name Jackson A	⁹ Well Number 65

II. ¹⁰ Surface Location

UL or lot no. A	Section 24	Township 17S	Range 30E	Lot Idn	Feet from the 1264	North/South Line North	Feet from the 920	East/West line East	County Eddy
--------------------	---------------	-----------------	--------------	---------	-----------------------	---------------------------	----------------------	------------------------	----------------

¹¹ Bottom Hole Location

UL or lot no. A	Section 24	Township 17S	Range 30E	Lot Idn	Feet from the 986	North/South line North	Feet from the 991	East/West line East	County Eddy
¹² Lse Code F	¹³ Producing Method Code P	¹⁴ Gas Connection Date 5/15/2021	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters


¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
015694	Holly Frontier Corporation/Navajo Refinery P.O. Box 159 Artesia, NM 88211	O
038785	DCP Midstream LLC 5718 Westheimer, Suite 2000 Houston, Texas 77057	G
221115	Frontier Field Services LLC 2002 Timberloch Place, Suite 110 The Woodlands, TX 77380	G

IV. Well Completion Data

²¹ Spud Date 1/6/2021	²² Ready Dat 5/15/2021	²³ TD 6335'	²⁴ PBTD 6277'	²⁵ Perforations 4671-5946'	²⁶ DHC, MC
²⁷ Hole Size 12.25"	²⁸ Casing & Tubing Size 8.625"	²⁹ Depth Set 523	³⁰ Sacks Cement 300		
7.875"	5.5"	6281'	1380		
	2.875	5877'			

V. Well Test Data

³¹ Date New Oil 5/15/21	³² Gas Delivery Date 5/15/21	³³ Test Date 5/20/21	³⁴ Test Length 24	³⁵ Tbg. Pressure 260	³⁶ Csg. Pressure 150
³⁷ Choke Size	³⁸ Oil 283	³⁹ Water 643	⁴⁰ Gas 376		⁴¹ Test Method P

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 		OIL CONSERVATION DIVISION	
Printed name: Leslie Garvis		Approved by: PATRICIA MARTINEZ	
Title: Regulatory & Government Affairs Mgr		Title: PETROLEUM SPECIALIST	
E-mail Address: lgarvis@burnettoil.com		Approval Date: 2/25/2022	
Date: 6/23/2021	Phone: 817-583-8730		

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240
Phone (575) 393-8161 Fax: (575) 393-0720

DISTRICT II

811 S. First St., Artesia, NM 88210
Phone (575) 748-1283 Fax: (575) 748-0720

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone (505) 334-8178 Fax: (505) 334-8170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone (505) 476-3460 Fax: (505) 476-3462State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102

Revised August 13, 2011

Submit one copy to appropriate
District Office

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

☒ AMENDED REPORT

API Number 30-015-47075	Pool Code 96831	Pool Name CEDAR LAKE GLORIETA YESO
Property Code 20767	Property Name JACKSON A	Well Number 65
OGRID No. 03080	Operator Name BURNETT OIL COMPANY, INC.	Elevation 3714'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	FEET from the	SOUTH/South line	FEET from the	East/EAST line	County
A	24	17 S	30 E		1264	NORTH	920	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	FEET from the	SOUTH/South line	FEET from the	East/EAST line	County
A	24	17 S	30 E		986	NORTH	991	EAST	EDDY
Dedicated Acres 40	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

N: 664913.1 E: 664004.4 NAD 83 BOTTOM HOLE LOCATION Lat - N 32.824509° Long - W 103.920036° NMSPCE- N 663937.3 E 668295.4 (NAD-83) SURFACE LOCATION Lat - N 32.823745° Long - W 103.919808° NMSPCE- N 663659.6 E 668366.5 (NAD-83) Diagram showing distances: 986', 1264', 991', 920'.	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Leslie Garvis</i> 6/23/21 Signature Date Leslie Garvis Printed Name lgarvis@burnettoil.com Email Address
Diagram showing Section 24. N: 659632.8 E: 664020.9 NAD 83	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. OCTOBER 4 2019 Date Surveyed Signature & Seal of Professional Surveyor Certificate No. Gary L. Lienes 7977 BURNETT OIL COMPANY Scale: 1" = 1000' WO Num.: 35379

Burnett Oil Company, Inc.

Eddy County, NM NAD 83

Sec 24-T17S-R30E

Jackson A 65

Wellbore #1

Survey: Survey #1

Standard Survey Report

11 January, 2021

Microsoft
Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Jackson A 65
Project:	Eddy County, NM NAD 83	TVD Reference:	3714+17 @ 3731.0usft
Site:	Sec 24-T17S-R30E	MD Reference:	3714+17 @ 3731.0usft
Well:	Jackson A 65	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Project	Eddy County, NM NAD 83		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Sec 24-T17S-R30E			
Site Position:		Northing:	662,613.68 usft	Latitude:	32° 49' 15.111 N
From:	Map	Easting:	668,910.66 usft	Longitude:	103° 55' 4.981 W
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.23 °

Well	Jackson A 65					
Well Position	+N/-S	0.0 usft	Northing:	663,659.60 usft	Latitude:	32° 49' 25.481 N
	+E/-W	0.0 usft	Easting:	668,366.50 usft	Longitude:	103° 55' 11.310 W
Position Uncertainty		0.0 usft	Wellhead Elevation:	usft	Ground Level:	3,714.0 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	12/19/20	6.78	60.51	47,891.30505588

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.0	0.0	0.0	344.59	

Survey Program	Date	01/11/21			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
162.0	6,335.0	Survey #1 (Wellbore #1)	MWD	OWSG MWD - Standard	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
162.0	0.20	0.00	162.0	0.3	0.0	0.3	0.12	0.12	0.00
Rig Survey									
535.0	3.03	187.88	534.8	-8.8	-1.4	-8.2	0.87	0.76	-46.14
1st MWD Survey									
644.0	0.70	131.01	643.8	-12.1	-1.2	-11.4	2.49	-2.14	-52.17
770.0	1.63	350.21	769.8	-10.9	-1.0	-10.2	1.76	0.74	-111.75
896.0	4.53	348.10	895.6	-4.2	-2.3	-3.5	2.30	2.30	-1.67
1,021.0	4.44	350.39	1,020.2	5.4	-4.1	6.3	0.16	-0.07	1.83
1,146.0	4.13	359.70	1,144.8	14.6	-5.0	15.4	0.61	-0.25	7.45

Microsoft Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Jackson A 65
Project:	Eddy County, NM NAD 83	TVD Reference:	3714+17 @ 3731.0usft
Site:	Sec 24-T17S-R30E	MD Reference:	3714+17 @ 3731.0usft
Well:	Jackson A 65	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
1,271.0	3.74	7.00	1,269.5	23.2	-4.5	23.6	0.51	-0.31	5.84	
1,397.0	4.88	343.71	1,395.2	32.4	-5.5	32.7	1.64	0.90	-18.48	
1,523.0	4.70	339.75	1,520.8	42.4	-8.8	43.2	0.30	-0.14	-3.14	
1,649.0	4.40	338.52	1,646.4	51.7	-12.3	53.2	0.25	-0.24	-0.98	
1,775.0	3.82	343.27	1,772.0	60.3	-15.3	62.2	0.53	-0.46	3.77	
1,900.0	5.71	339.93	1,896.6	70.1	-18.6	72.5	1.53	1.51	-2.67	
2,026.0	5.54	337.56	2,022.0	81.6	-23.1	84.8	0.23	-0.13	-1.88	
2,152.0	5.05	338.17	2,147.4	92.4	-27.5	96.4	0.39	-0.39	0.48	
2,277.0	4.62	340.90	2,272.0	102.2	-31.2	106.8	0.39	-0.34	2.18	
2,404.0	4.22	341.86	2,398.6	111.5	-34.3	116.6	0.32	-0.31	0.76	
2,530.0	5.89	336.41	2,524.1	121.8	-38.4	127.6	1.38	1.33	-4.33	
2,655.0	5.45	340.72	2,648.5	133.3	-42.9	139.9	0.49	-0.35	3.45	
2,781.0	5.23	342.92	2,774.0	144.5	-46.5	151.6	0.24	-0.17	1.75	
2,906.0	4.97	345.82	2,898.5	155.2	-49.5	162.7	0.29	-0.21	2.32	
3,030.0	4.88	346.08	3,022.0	165.5	-52.1	173.4	0.07	-0.07	0.21	
3,156.0	4.57	346.52	3,147.6	175.6	-54.6	183.8	0.25	-0.25	0.35	
3,281.0	5.80	344.76	3,272.1	186.5	-57.4	195.0	0.99	0.98	-1.41	
3,406.0	6.02	342.48	3,396.4	198.8	-61.0	207.9	0.26	0.18	-1.82	
3,532.0	6.07	342.57	3,521.7	211.5	-65.0	221.2	0.04	0.04	0.07	
3,658.0	6.02	343.62	3,647.0	224.2	-68.9	234.4	0.10	-0.04	0.83	
3,783.0	6.02	344.06	3,771.3	236.8	-72.5	247.5	0.04	0.00	0.35	
3,908.0	5.85	345.47	3,895.7	249.3	-75.9	260.5	0.18	-0.14	1.13	
4,034.0	5.54	345.82	4,021.0	261.4	-79.0	273.0	0.25	-0.25	0.28	
4,159.0	3.47	338.96	4,145.6	270.8	-81.9	282.8	1.71	-1.66	-5.49	
4,285.0	1.71	314.44	4,271.5	275.6	-84.6	288.2	1.62	-1.40	-19.46	
4,411.0	0.48	164.06	4,397.5	276.4	-85.8	289.3	1.70	-0.98	-119.35	
4,537.0	0.44	146.39	4,523.5	275.5	-85.4	288.3	0.12	-0.03	-14.02	
4,663.0	0.66	162.57	4,649.5	274.4	-84.9	287.1	0.21	0.17	12.84	
4,788.0	0.62	166.26	4,774.5	273.1	-84.5	285.7	0.05	-0.03	2.95	
4,914.0	0.70	162.39	4,900.5	271.7	-84.1	284.3	0.07	0.06	-3.07	
5,039.0	0.92	173.46	5,025.5	270.0	-83.8	282.5	0.22	0.18	8.86	
5,165.0	0.88	174.69	5,151.4	268.0	-83.6	280.6	0.04	-0.03	0.98	
5,291.0	0.66	171.97	5,277.4	266.3	-83.4	278.9	0.18	-0.17	-2.16	
5,418.0	0.66	164.94	5,404.4	264.9	-83.1	277.4	0.06	0.00	-5.54	
5,543.0	0.48	124.60	5,529.4	263.9	-82.5	276.3	0.34	-0.14	-32.27	
5,669.0	0.66	87.42	5,655.4	263.6	-81.3	275.8	0.32	0.14	-29.51	
5,795.0	0.97	54.20	5,781.4	264.3	-79.7	276.0	0.44	0.25	-26.37	
5,920.0	0.79	41.54	5,906.4	265.5	-78.3	276.8	0.21	-0.14	-10.13	
6,045.0	1.36	46.55	6,031.4	267.2	-76.6	278.0	0.46	0.46	4.01	
6,170.0	2.24	33.89	6,156.3	270.3	-74.2	280.3	0.77	0.70	-10.13	
6,233.0	3.21	22.29	6,219.2	272.9	-72.8	282.5	1.76	1.54	-18.41	
Last MWD Survey 4914 MD/4900.5 TVD 272.9 N -72.8 W N: 663932.5 668293.6										
6,335.0	3.21	22.29	6,321.1	278.2	-70.7	287.0	0.00	0.00	0.00	
PTB 6335 MD 6321.1 TVD 278.2 N -70.7 W N: 663937.8 E: 668295.8 985.3 FNL & 990.1 FEL										


Microsoft
Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Jackson A 65
Project:	Eddy County, NM NAD 83	TVD Reference:	3714+17 @ 3731.0usft
Site:	Sec 24-T17S-R30E	MD Reference:	3714+17 @ 3731.0usft
Well:	Jackson A 65	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)

Survey Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
162.0	162.0	0.3	0.0	Rig Survey
535.0	534.8	-8.8	-1.4	1st MWD Survey
6,233.0	6,219.2	272.9	-72.8	Last MWD Survey 4914 MD/4900.5 TVD 272.9 N -72.8 W N: 663932.5 668293.
6,335.0	6,321.1	278.2	-70.7	PTB 6335 MD 6321.1 TVD 278.2 N -70.7 W N: 663937.8 E: 668295.8 985.3 FN

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
		1. WELL API NO. 30-015-47075								
		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN								
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Jackson A				
						6. Well Number: 65				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator Burnett Oil Co. Inc.						9. OGRID 03080				
10. Address of Operator Burnett Plaza - Suite 1500 801 Cherry Street - Unit 9 Fort Worth, Texas 76102						11. Pool name or Wildcat Cedar Lake Glorieta Yeso				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	A	24	17S	30E		1264	North	920	East	Eddy
BH:	A	24	17S	30E		986	North	991	East	Eddy
13. Date Spudded 1/6/2021	14. Date T.D. Reached 1/9/2021		15. Date Rig Released 1/11/2021		16. Date Completed (Ready to Produce) 5/15/2021			17. Elevations (DF and RKB, RT, GR, etc.) 3714'		
18. Total Measured Depth of Well 6335'			19. Plug Back Measured Depth 6277'		20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run CCL, GR, DSN CCL, GR		
22. Producing Interval(s), of this completion - Top, Bottom, Name Glorieta: Yeso Top: Bottom: Not Reached										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
16"		39		150'		20"				
8.625"		24		523'		12.25"		300 sxs		
5.5"		17		6281'		7.875"		1380 sxs		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT		SCREEN		25. TUBING RECORD			
							SIZE		DEPTH SET	PACKER SET
							2 875		5877	2601'
26. Perforation record (interval, size, and number)										
4671-4928' - 0.42, 40, Open										
4980-5264' 0.42, 40, Open										
5405-5659' 0.42, 40 Open										
5712-5946' 0.42, 40 Open										
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.										
DEPTH INTERVAL					AMOUNT AND KIND MATERIAL USED					
4671-4928'					Frac 561,540 gal SW+30,010# 100 Mesh+211,500# 40/70+38,050# 40/70 RC					
4980-5264'					Frac 558,474 gal SW+30,020# 100 Mesh+210,620# 40/70+38,010# 40/70 RC					
5405-5659'					Frac 559,062 gal SW+30,030# 100 Mesh+208,580# 40/70+38,060# 40/70 RC					
5712-5946'					Frac 560,490 gal SW+30,060# 100 Mesh+208,580# 40/70+38,040# 40/70 RC					
28. PRODUCTION										
Date First Production 5/15/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) Electric Pumping Unit				Well Status (Prod. or Shut-in) Producing				
Date of Test 5/20/21	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 283	Gas - MCF 376	Water - Bbl. 643	Gas - Oil Ratio			
Flow Tubing Press. 260	Casing Pressure 150	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.) 44				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold						30. Test Witnessed By				
31. List Attachments										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.						33. Rig Release Date:				
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Signature:  Latitude Longitude NAD83 Name: Leslie Jarvis Title: Regulatory & Government Affairs Manager Date: 6/23/21 E-mail Address: lgarvis@burnettoil.com										

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 46603

ACKNOWLEDGMENTS

Operator: BURNETT OIL CO INC 801 Cherry Street Unit #9 Fort Worth, TX 76102	OGRID: 3080
	Action Number: 46603
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 46603

CONDITIONS

Operator: BURNETT OIL CO INC 801 Cherry Street Unit #9 Fort Worth, TX 76102	OGRID: 3080
	Action Number: 46603
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	2/25/2022