

Well Name: FED CX	Well Location: T18S / R25E / SEC 7 / SENE /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM0440087	Unit or CA Name:	Unit or CA Number:
US Well Number: 300152096700X1	Well Status: Abandoned	Operator: EOG RESOURCES INCORPORATED

Accepted for record – NMOCD gc 2/24/2022

Subsequent Report

Sundry ID: 2657604

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 02/17/2022	Time Sundry Submitted: 10:48
Date Operation Actually Began: 01/05/2022	

Actual Procedure: Please see attached subsequent P&A. Thank you.

SR Attachments

Actual Procedure

Federal\_CX\_Com\_1\_2\_17\_22\_20220217104843.pdf

Received by OCD: 2/22/2022 11:13:58 AM

Page 2 of 5

Well Name: FED CX	Well Location: T18S / R25E / SEC 7 / SENE /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM0440087	Unit or CA Name:	Unit or CA Number:
US Well Number: 300152096700X1	Well Status: Abandoned	Operator: EOG RESOURCES INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: TINA HUERTA	Signed on: FEB 17, 2022 10:48 AM
Name: EOG RESOURCES INCORPORATED	
Title: Regulatory Specialist	
Street Address: 104 SOUTH FOURTH STREET	
City: Artesia	State: NM
Phone: (575) 748-4168	
Email address: tina_huerta@eogresources.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JAMES A AMOS	BLM POC Title: Acting Assistant Field Manager
BLM POC Phone: 5752345927	BLM POC Email Address: jamos@blm.gov
Disposition: Accepted	Disposition Date: 02/18/2022
Signature: James A. Amos	

**Federal CX Com 1 – Sub P&A**

**30-015-20967**

**H-7-18S-25E**

1/5/22 - MIRU and NU BOP. Set a CIBP at 6500'.

1/6/22 – Tagged CIBP. Pressure tested casing to 500 psi, held good. Spotted 25 sx Class C cement on top of CIBP to 6265', tagged. Jim Amos with BLM-Carlsbad gave approval to forego perforating at 6400'. Perforated at 5182'.























1/7/22 – Attempted to establish rate through perf, held at 1000 psi. Spotted a 25 sx Class C cement plug from 5239'-5015', tagged. Perforated at 4038'. Established rate through perf, 50 psi at 2 BPM. Squeezed with 50 sx Class C cement from 4038'-3880', tagged.

1/10/22 – Perforated at 1888'. Established rate through perf, 250 psi at 2-1/2 BPM. Squeezed with 45 sx Class C cement from 1888'-1745', tagged. Perforated at 1122'. Established rate through perf, 250 psi at 2-1/2 BPM. Squeezed with 45 sx Class C cement from 1122'-969', tagged.

1/11/22 – Perforated at 715'. Established rate through perf, 250 psi at 2-1/2 BPM. Squeezed with 45 sx Class C cement from 715'-595', tagged. Perforated at 265'. Established rate through perf, 150 psi at 2 BPM. Squeezed with 90 sx Class C cement from 265' and circulated up to surface.

2/15/22- Cut off wellhead. Installed above ground dry hole marker as per BLM. Cover cellar and cut off anchors.

**WELL IS PLUGGED AND ABANDONED.**

Federal CX Com 1			Sec-TWN-RNG: Sec. 07-18S-25E FOOTAGES: 1980'FNL & 660'FEL		API: 30-015-20967 GL: 3615 KB:								
Plug 7													
			CASING DETAIL										
			#	HOLE SIZE	SIZE	WGHT	GRADE	Top	Bottom	Sx Cmt	Circ/TOC	TOC Method	
Plug 6			A	17 1/2	13 3/8	48		0	215	125	Surface	Circ	
			B	12 1/4	9 5/8	32.3	H-40	0	1,077	350	Surface	Top off	
			C	8 3/4	5 1/2	15.5/17	J55/N80	0	7,503	300	6440	Temp Surv.	
Plug 5													
			FORMATION TOPS										
					Formation	Top			Formation	Top			
Plug 4					San Andres	665			Cisco		6413		
					Glorieta	1838			Canyon		7280		
					Abo	3988			Strawn		7787		
Plug 3					Wolfcamp	5132							
			Perforation Detail										
Plug 2				Formation	Top	Bottom			Treatment				
			A	Cisco	7,218	7,350		Acidize w/ 6000 g 15% IC Acid and 100 balls					
			B	Cisco	6,545	6,769		Spot 150 gal 15% NE. Treated w/ 1000 gal 15% NE. Acidize in 5 stages w/ 8900 gal 15% NE acid.					
Plug 1													
			PLUGS										
TOC @ 6440 per TS			#	sx	Class	Top	Bottom	Tag	Notes				
			1	25	C	6265	6500	Y	CIBP				
			2	25	C	5015	5239	Y	Perforate				
			3	50	C	3880	4038	Y	Perforate				
			4	45	C	1745	1888	Y	Perforate				
			5	45	C	969	1122	Y	Perforate				
			6	45	C	595	715	Y	Perforate				
			7	90	C	0	265	N	Perforate				
													
							2/22/22						

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 83210

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 83210
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	2/24/2022