

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO.
 30-015-44818

5. Indicate Type of Lease
 STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
 SWD-1756

7. Lease Name or Unit Agreement Name
 Mile Marker 5 SWD

8. Well Number 1

9. OGRID Number
 245872

10. Pool name or Wildcat
 96101 SWD: Devonian

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other SWD

2. Name of Operator
 Judah Oil, LLC

3. Address of Operator
 PO Box 568, Artesia, NM 88211-0568

4. Well Location

Unit Letter C : 660 feet from the North line and 2310 feet from the West line
 Section 10 Township 26S Range 28E NMPM County Eddy

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☒ Repair packer leak

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

MIRU PU
 RIH W/ Blanket plug
 Test tbg/ test anchor
 POOH w/ tbg
 NU 5 K BOP Hydraulic Pump
 RIH W/ New Packer if current packer fails
 Set new 7 5/8 x 5 1/2 tbg full bore permapak inconil packer
 Test
 RIH w/ 5 1/2 tbg string
 Circulate packer fluid
 Latch into
 Test tbg/ test packer
 ND BOP
 Land tbg
 NU wellhead
 Work to begin upon approval

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

DATE

Office manager 2/17/2022

Type or print name

Ashlie Quinones

E-mail address:

Ashlie@judahoff.com

PHONE:

575-748-4730

For State Use Only

APPROVED BY:

Philip R. Letz

TITLE

UIC Manager

DATE

03/07/2022

Conditions of Approval (if any):

Judah Oil, LLC

Mile Marker 5 State #1 SWD

API #30-015-44818 Permit SWD-1756

UL-C, Sec 10, T-26-S, R-28-E

660' FNL, 2310' FWL

Eddy County New Mexico

After Drilled

All Depths KB

KB 3021'

GL 2993'

Top Rustler 495'

Top Salt 2,060'

Base of Salt 2,360'

Top Bell Canyon 2,530'

Top Bone Spring 6,320'

Top Wolfcamp 9,420'

Top Strawn 12,020'

Top Atoka 12,278'

Top Morrow 12,878''

Top Barnett 13,590'

Top Mississippian 14,340'

Top Woodford 14,610'

Top Devonian 14,770'

Top of Montoya 15,740'

#2 DV/ECP Tool
Set @ 2502'

#1 DV/ECP Tool
Set @ 6334''

INJECTION STRING

0-9200' 5 1/2 HCP-110 20#
W/Buttress R-3 IPC-2000 Tbg

9200'-14,760' 5-1/2 HCP-110 20#
ULTFS (True Flush Joint) IPC-2000

7-5/8 X 5-1/2" Inconail
Permaset Packer Set
W/Wireline @14,760'

4-1/2" X 10' Pup sub

26" Hole 20" J-55 94# ST&C
Set @502' Cmt w/880 SX "C"
Cemented to surface

17 1/2" Hole TD 2390'
13 3/8" 54# J-55 ST&C Set @2000'
13-3/8 61# J-55 ST&C Set @2000'-2385'
Cmt w/1130 sx 35/65 PC
Tailed w/360 sx "C" Neat Circ 294 SX
Cemented to surface

12 1/4" Hole TD 9725'
9 5/8 43.5# & 47# HCL-80 LT&C Set @ 9725'
Cmt 1st Stg w/740 sx Circulated 107 sx
Cmt 2nd Stg w/740 sx No cement off DV Tool
Cmt 3rd Stg w/640 sx Circulated 127 sx
Cemented to Surface

9-1/2" Hole TD 14,780'
7-5/8 39# HCP-110 TFI Set @ 9428'-14695'
7-5/8 39# HC Chrome P-110 TFI Set @ 14695'-14777'
Cmt w/700 sx 50/50 POZ "H" Circulated 247 SX

14,305' Whip Stock

Centralizers and stop rings

Abandoned TD 14,765'

6 1/4" Hole TD 15,800'
Open Hole 14780' to 15,800'

Judah Oil, LLC

Mile Marker 5 State #1 SWD

API #30-015-44818 Permit SWD-1756

UL-C, Sec 10, T-26-S, R-28-E

660' FNL, 2310' FWL

Eddy County New Mexico

After Proposed Work over

All Depths KB

KB 3021'

GL 2993'

Top Rustler 495'

Top Salt 2,060'

Base of Salt 2,360'

Top Bell Canyon 2,530'

Top Bone Spring 6,320'

Top Wolfcamp 9,420'

Top Strawn 12,020'

Top Atoka 12,278'

Top Morrow 12,878''


Top Barnett 13,590'

Top Mississippian 14,340'

Top Woodford 14,610'

Top Devonian 14,770'

Top of Montoya 15'740'



District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 82352

CONDITIONS

Operator: JUDAH OIL LLC PO Box 568 Artesia, NM 88211	OGRID: 245872
	Action Number: 82352
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
pgoetze	NOI only authorizes the testing of the well and not any remedial action proposed as a result of the test. A separate Form C-103 NOI shall be submitted for remedial activities.	3/7/2022