

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30 - 0 25-48255	⁵ Pool Name WC-025 G-09 S243532M;WOLFBONE		⁶ Pool Code 98098
⁷ Property Code 329930	⁸ Property Name YADA FED COM		⁹ Well Number 215H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	35	24-S	35-E	-	239'	SOUTH	952'	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	26	24-S	35-E	-	35'	NORTH	976'	WEST	LEA
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 08/04/2021	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 3/20/2021	²² Ready Date 7/27/2021	²³ TD 22400'	²⁴ PBTD 22335'	²⁵ Perforations 12078' - 22265'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	687'	790 SKS		
12.25"	9.625"	5249'	1185 SKS		
8.75"	7.625"	11469'	558 SKS		
6.75"	5.5"	22380'	858 SKS		

V. Well Test Data

³¹ Date New Oil 08/04/2021	³² Gas Delivery Date 08/04/2021	³³ Test Date 08/25/2021	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 2125
³⁷ Choke Size 36/64	³⁸ Oil 1916	³⁹ Water 4051	⁴⁰ Gas 1971		⁴¹ Test Method FLOWING

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 	OIL CONSERVATION DIVISION Approved by: Leonard R. Lowe
Printed name: Bill Ramsey	Title: Engineer
Title: Regulatory Analyst	Approval Date: 03/16/22
E-mail Address: bramsey@taprk.com	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval
Date: 9/28/2021	Phone: 720-238-2787

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (505) 748-1283 Fax: (505) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48255	² Pool Code 98098	³ Pool Name WC-025 G-09 S243532M:WOLFBONE
⁴ Property Code 329930	⁵ Property Name YADA FED COM	⁶ Well Number 215H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3256'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	35	24-S	35-E	-	239'	SOUTH	952'	WEST	LEA


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	26	24-S	35-E	-	35'	NORTH	976'	WEST	LEA

¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



SECTION 35, TOWNSHIP 24-S, RANGE 35-E, N.M.P.M.
LEA COUNTY, NEW MEXICO



Operator: Tap Rock Resources
Well Name: Yada Fed Com #215H
County: Lea
State: New Mexico
Rig Name: H&P 376
API: 30-025-48255

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 200' MD – 22,328' MD
Projection to Bit: 22,400' MD
Dates Performed: 03/20/2021 – 05/15/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Survey Report

Service Company: Intrepid Directional Drilling Specialists

Location: Sec-35_T-24-S_R-35-E

Well: Yada Fed Com #215H

Rig: H&P376

API or UWI: 30-025-48255

Job Number: ID2840-1

State: New Mexico

Operating Company: Tap Rock Resources

County: Lea

Magnetic Declination: 5.90

Country: United States

Proposed Azimuth: 359.45

Comment

North Reference: GRID

Latitude: 32.1667

Longitude: -103.33395

Tie-In Data

MD	Inclination	Azimuth	TVD	NS	EW
0.00	0.00	0.00	0.00	0.00	0.00

Survey Data

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
200.00	0.75	273.26	199.99	0.07	-1.31	273.26	1.31	0.09	0.38
334.00	0.62	302.44	333.99	0.51	-2.79	280.41	2.84	0.54	0.27
428.00	0.53	300.95	427.98	1.01	-3.60	285.68	3.74	1.04	0.10
523.00	0.18	203.04	522.98	1.10	-4.03	285.24	4.18	1.14	0.61
618.00	0.66	279.77	617.98	1.05	-4.63	282.82	4.75	1.10	0.68
702.00	0.53	255.77	701.97	1.04	-5.48	280.74	5.58	1.09	0.33
796.00	0.53	34.55	795.97	1.29	-5.66	282.86	5.80	1.35	1.06
890.00	0.75	68.30	889.96	1.88	-4.84	291.20	5.19	1.92	0.45
986.00	0.40	55.56	985.96	2.30	-3.98	300.02	4.60	2.34	0.39
1081.00	0.35	22.51	1080.96	2.75	-3.59	307.46	4.53	2.79	0.23
1176.00	0.13	31.04	1175.96	3.11	-3.43	312.26	4.63	3.15	0.23
1271.00	0.40	59.34	1270.96	3.38	-3.09	317.56	4.57	3.41	0.31
1367.00	0.40	83.95	1366.95	3.58	-2.47	325.46	4.35	3.61	0.18
1461.00	0.35	51.52	1460.95	3.80	-1.91	333.23	4.25	3.81	0.23
1553.00	0.44	77.44	1552.95	4.05	-1.35	341.56	4.27	4.06	0.21
1647.00	0.40	88.43	1646.95	4.13	-0.67	350.80	4.19	4.14	0.10
1803.00	0.53	78.76	1802.94	4.29	0.58	7.73	4.33	4.28	0.10

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
1898.00	0.53	69.71	1897.94	4.53	1.43	17.47	4.75	4.51	0.09
1993.00	0.62	79.20	1992.93	4.78	2.34	26.12	5.32	4.75	0.14
2088.00	0.53	86.58	2087.93	4.90	3.29	33.85	5.90	4.87	0.12
2184.00	0.70	90.98	2183.92	4.92	4.32	41.28	6.54	4.87	0.18
2279.00	1.14	109.79	2278.91	4.59	5.79	51.59	7.38	4.53	0.56
2374.00	1.49	117.96	2373.89	3.69	7.77	64.60	8.60	3.61	0.42
2468.00	1.85	144.68	2467.85	1.88	9.72	79.08	9.90	1.78	0.90
2560.00	2.81	168.32	2559.77	-1.54	11.04	97.96	11.14	-1.65	1.46
2655.00	3.38	177.55	2654.63	-6.62	11.63	119.66	13.38	-6.73	0.80
2750.00	2.99	168.94	2749.49	-11.85	12.22	134.12	17.03	-11.97	0.65
2845.00	4.13	170.69	2844.30	-17.66	13.25	143.12	22.08	-17.79	1.21
2939.00	4.53	173.07	2938.03	-24.69	14.25	150.01	28.50	-24.82	0.47
3034.00	3.43	158.48	3032.81	-31.05	15.74	153.12	34.82	-31.20	1.57
3129.00	3.78	168.94	3127.62	-36.77	17.39	154.69	40.67	-36.94	0.78
3224.00	6.07	192.84	3222.27	-44.74	16.87	159.34	47.82	-44.90	3.19
3319.00	7.96	195.48	3316.56	-55.98	14.00	165.96	57.70	-56.11	2.02
3414.00	7.25	193.99	3410.72	-68.14	10.79	171.00	68.99	-68.24	0.78
3509.00	6.77	184.93	3505.01	-79.53	8.86	173.64	80.02	-79.61	1.27
3604.00	7.03	170.96	3599.33	-90.85	9.30	174.16	91.33	-90.94	1.78
3698.00	7.25	160.85	3692.61	-102.14	12.14	173.22	102.86	-102.25	1.36
3793.00	6.07	156.63	3786.96	-112.41	16.10	171.85	113.56	-112.56	1.34
3887.00	5.14	157.69	3880.51	-120.87	19.67	170.76	122.46	-121.05	1.00
3982.00	4.79	163.49	3975.16	-128.61	22.42	170.11	130.55	-128.82	0.64
4077.00	3.78	165.07	4069.89	-135.44	24.35	169.81	137.61	-135.67	1.07
4171.00	3.43	163.84	4163.70	-141.13	25.93	169.59	143.50	-141.38	0.38
4266.00	3.25	163.66	4258.54	-146.45	27.48	169.37	149.00	-146.70	0.19
4361.00	2.90	162.43	4353.41	-151.32	28.96	169.16	154.07	-151.59	0.37
4456.00	2.73	154.61	4448.29	-155.66	30.66	168.86	158.65	-155.94	0.44
4550.00	2.37	147.76	4542.20	-159.32	32.66	168.42	162.64	-159.63	0.50
4644.00	1.89	137.12	4636.13	-162.10	34.75	167.90	165.79	-162.43	0.66
4738.00	1.19	138.09	4730.10	-163.97	36.45	167.47	167.97	-164.31	0.75
4832.00	0.31	158.57	4824.09	-164.93	37.20	167.29	169.07	-165.28	0.96
4927.00	0.97	255.95	4919.09	-165.36	36.51	167.55	169.35	-165.71	1.11
5021.00	1.67	256.30	5013.06	-165.88	34.41	168.28	169.41	-166.20	0.74
5115.00	2.24	276.69	5107.01	-165.99	31.25	169.34	168.91	-166.28	0.95
5203.00	2.24	280.91	5194.94	-165.47	27.86	170.44	167.79	-165.72	0.19
5305.00	1.89	270.54	5296.87	-165.07	24.22	171.65	166.84	-165.30	0.50

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
5399.00	1.32	250.32	5390.84	-165.42	21.65	172.54	166.83	-165.62	0.85
5494.00	2.11	221.14	5485.79	-167.11	19.47	173.36	168.24	-167.29	1.21
5588.00	2.64	203.48	5579.71	-170.40	17.47	174.15	171.29	-170.56	0.95
5683.00	2.20	174.83	5674.63	-174.22	16.76	174.51	175.02	-174.37	1.34
5777.00	2.20	182.38	5768.56	-177.82	16.85	174.59	178.62	-177.97	0.31
5871.00	2.24	162.26	5862.49	-181.37	17.33	174.54	182.20	-181.53	0.83
5965.00	2.29	146.09	5956.42	-184.68	18.94	174.14	185.65	-184.85	0.68
6059.00	2.11	144.15	6050.35	-187.64	21.00	173.61	188.81	-187.83	0.21
6152.00	1.80	143.27	6143.30	-190.20	22.88	173.14	191.57	-190.41	0.33
6246.00	1.71	145.38	6237.25	-192.54	24.56	172.73	194.10	-192.76	0.12
6341.00	1.85	145.56	6332.21	-194.97	26.23	172.34	196.72	-195.21	0.15
6435.00	1.93	143.27	6426.16	-197.49	28.03	171.92	199.47	-197.75	0.12
6531.00	2.07	137.21	6522.10	-200.06	30.18	171.42	202.32	-200.34	0.26
6626.00	1.36	141.08	6617.06	-202.19	32.05	170.99	204.72	-202.49	0.76
6720.00	1.27	169.73	6711.03	-204.08	32.94	170.83	206.73	-204.39	0.70
6814.00	1.49	151.01	6805.01	-206.18	33.72	170.71	208.92	-206.49	0.53
6908.00	0.75	194.51	6898.99	-207.84	34.15	170.67	210.63	-208.16	1.15
7003.00	0.66	216.31	6993.98	-208.89	33.68	170.84	211.58	-209.20	0.30
7097.00	0.97	192.32	7087.97	-210.10	33.18	171.02	212.70	-210.41	0.48
7192.00	0.35	293.83	7182.97	-210.77	32.75	171.17	213.30	-211.07	1.15
7286.00	0.44	289.61	7276.96	-210.53	32.15	171.32	212.97	-210.83	0.10
7381.00	0.22	255.33	7371.96	-210.45	31.63	171.45	212.82	-210.75	0.30
7476.00	0.18	203.83	7466.96	-210.64	31.39	171.52	212.96	-210.93	0.19
7571.00	0.40	263.86	7561.96	-210.81	31.00	171.63	213.08	-211.10	0.37
7664.00	0.48	201.63	7654.96	-211.21	30.53	171.77	213.40	-211.49	0.49
7758.00	0.40	265.62	7748.96	-211.60	30.06	171.91	213.72	-211.88	0.50
7853.00	0.48	323.98	7843.95	-211.30	29.50	172.05	213.35	-211.57	0.46
7949.00	0.44	3.35	7939.95	-210.61	29.28	172.09	212.63	-210.88	0.33
8041.00	0.66	34.73	8031.95	-209.82	29.60	171.97	211.90	-210.09	0.40
8134.00	0.44	86.06	8124.94	-209.35	30.26	171.77	211.53	-209.64	0.55
8228.00	0.84	25.50	8218.94	-208.71	30.92	171.57	210.99	-209.00	0.78
8321.00	1.63	17.94	8311.92	-206.83	31.62	171.31	209.24	-207.13	0.87
8416.00	0.84	7.22	8406.89	-204.86	32.13	171.09	207.36	-205.16	0.86
8510.00	0.18	34.38	8500.89	-204.05	32.30	171.01	206.59	-204.35	0.73
8605.00	0.40	148.90	8595.89	-204.21	32.55	170.94	206.79	-204.52	0.53
8699.00	0.31	9.15	8689.89	-204.24	32.76	170.89	206.85	-204.55	0.71
8794.00	0.22	318.00	8784.89	-203.85	32.68	170.89	206.46	-204.16	0.26

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
8889.00	0.48	323.89	8879.89	-203.40	32.32	170.97	205.95	-203.70	0.28
8984.00	0.70	246.37	8974.88	-203.31	31.56	171.18	205.74	-203.60	0.80
9077.00	1.49	198.47	9067.87	-204.68	30.65	171.48	206.97	-204.97	1.23
9171.00	2.46	204.80	9161.81	-207.67	29.42	171.94	209.75	-207.95	1.06
9265.00	2.99	211.48	9255.70	-211.60	27.29	172.65	213.35	-211.85	0.66
9357.00	2.86	228.70	9347.58	-215.16	24.32	173.55	216.53	-215.38	0.96
9452.00	2.68	262.10	9442.48	-217.03	20.34	174.65	217.98	-217.21	1.68
9546.00	3.25	305.43	9536.36	-215.78	15.99	175.76	216.37	-215.93	2.40
9641.00	3.65	345.86	9631.21	-211.29	13.05	176.46	211.69	-211.40	2.54
9736.00	3.74	14.86	9726.02	-205.36	13.11	176.35	205.78	-205.48	1.95
9831.00	3.78	19.79	9820.81	-199.42	14.96	175.71	199.98	-199.56	0.34
9926.00	3.12	18.03	9915.64	-194.02	16.82	175.04	194.74	-194.17	0.70
10022.00	1.27	355.27	10011.57	-190.47	17.55	174.74	191.28	-190.63	2.09
10117.00	0.84	61.01	10106.55	-189.08	18.07	174.54	189.95	-189.25	1.26
10212.00	0.53	79.99	10201.55	-188.67	19.11	174.22	189.64	-188.84	0.40
10307.00	0.75	102.49	10296.54	-188.73	20.15	173.91	189.80	-188.91	0.35
10402.00	1.01	145.12	10391.53	-189.55	21.24	173.61	190.74	-189.74	0.72
10496.00	1.05	103.55	10485.52	-190.43	22.55	173.25	191.76	-190.64	0.78
10591.00	0.97	124.90	10580.50	-191.10	24.05	172.83	192.60	-191.32	0.40
10686.00	0.75	118.58	10675.49	-191.85	25.26	172.50	193.51	-192.09	0.25
10781.00	1.01	193.46	10770.48	-192.96	25.61	172.44	194.66	-193.20	1.15
10875.00	2.29	238.81	10864.44	-194.74	23.81	173.03	196.19	-194.96	1.85
10970.00	2.15	260.69	10959.38	-196.01	20.43	174.05	197.08	-196.20	0.90
11065.00	0.31	187.75	11054.35	-196.56	18.63	174.58	197.44	-196.73	2.19
11159.00	2.46	111.90	11148.32	-197.56	20.47	174.08	198.62	-197.75	2.56
11254.00	2.86	126.75	11243.22	-199.74	24.26	173.07	201.21	-199.96	0.84
11346.00	4.00	138.88	11335.05	-203.53	28.21	172.11	205.48	-203.79	1.46
11426.00	4.35	136.24	11414.84	-207.82	32.15	171.21	210.30	-208.12	0.50
11489.00	3.96	134.92	11477.68	-211.09	35.34	170.50	214.02	-211.42	0.64
11600.00	5.23	17.24	11588.49	-208.96	39.56	169.28	212.67	-209.33	7.11
11665.00	7.34	4.14	11653.10	-201.99	40.74	168.60	206.05	-202.37	3.90
11759.00	20.31	1.24	11744.18	-179.59	41.53	166.98	184.33	-179.98	13.81
11853.00	34.59	354.39	11827.40	-136.49	39.26	163.95	142.03	-136.86	15.54
11949.00	40.04	354.39	11903.72	-78.60	33.57	156.87	85.47	-78.92	5.68
12044.00	46.55	359.40	11972.85	-13.62	30.22	114.26	33.14	-13.91	7.74
12139.00	56.92	2.03	12031.61	60.85	31.27	27.20	68.42	60.55	11.13
12234.00	62.20	3.53	12079.72	142.63	35.27	13.89	146.92	142.28	5.72

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
12330.00	73.89	2.12	12115.56	231.40	39.61	9.71	234.77	231.01	12.25
12424.00	77.89	0.01	12138.47	322.53	41.28	7.29	325.16	322.12	4.78
12516.00	89.19	359.40	12148.80	413.79	40.81	5.63	415.80	413.38	12.30
12611.00	87.91	359.31	12151.21	508.75	39.74	4.47	510.30	508.35	1.35
12706.00	87.82	359.92	12154.75	603.69	39.10	3.71	604.95	603.28	0.65
12801.00	88.04	0.01	12158.18	698.62	39.04	3.20	699.71	698.22	0.25
12896.00	89.32	359.84	12160.37	793.60	38.92	2.81	794.55	793.19	1.36
12991.00	89.63	359.57	12161.24	888.59	38.43	2.48	889.42	888.18	0.43
13085.00	89.85	359.84	12161.66	982.59	37.95	2.21	983.32	982.18	0.37
13180.00	88.70	0.27	12162.87	1077.58	38.04	2.02	1078.25	1077.16	1.29
13275.00	90.99	359.92	12163.12	1172.57	38.20	1.87	1173.19	1172.15	2.44
13370.00	91.74	359.48	12160.86	1267.54	37.70	1.70	1268.10	1267.12	0.92
13465.00	92.00	359.31	12157.76	1362.49	36.70	1.54	1362.98	1362.07	0.33
13560.00	92.00	359.57	12154.44	1457.42	35.77	1.41	1457.86	1457.01	0.27
13654.00	90.73	359.04	12152.21	1551.39	34.63	1.28	1551.78	1550.99	1.46
13748.00	90.20	359.04	12151.44	1645.37	33.05	1.15	1645.70	1644.98	0.56
13843.00	89.19	358.43	12151.95	1740.35	30.96	1.02	1740.62	1739.97	1.24
13938.00	89.32	358.08	12153.18	1835.29	28.06	0.88	1835.51	1834.94	0.39
14032.00	89.45	358.52	12154.19	1929.25	25.28	0.75	1929.41	1928.92	0.49
14127.00	90.37	359.66	12154.34	2024.23	23.77	0.67	2024.37	2023.91	1.54
14222.00	88.88	358.78	12154.96	2119.22	22.47	0.61	2119.34	2118.90	1.82
14316.00	88.66	358.52	12156.98	2213.17	20.26	0.52	2213.26	2212.87	0.36
14411.00	89.05	358.17	12158.88	2308.11	17.52	0.43	2308.18	2307.84	0.55
14506.00	88.75	357.55	12160.70	2403.03	13.97	0.33	2403.07	2402.78	0.72
14599.00	90.59	358.08	12161.24	2495.95	10.42	0.24	2495.97	2495.74	2.06
14694.00	91.38	358.87	12159.61	2590.90	7.90	0.17	2590.92	2590.71	1.18
14788.00	91.21	358.34	12157.48	2684.85	5.61	0.12	2684.86	2684.67	0.59
14883.00	90.24	357.29	12156.28	2779.77	1.99	0.04	2779.77	2779.63	1.50
14977.00	91.25	359.04	12155.06	2873.71	-1.02	359.98	2873.71	2873.59	2.15
15071.00	92.35	359.22	12152.10	2967.65	-2.45	359.95	2967.65	2967.54	1.19
15166.00	92.62	0.10	12147.99	3062.56	-3.01	359.94	3062.56	3062.45	0.97
15260.00	93.27	359.57	12143.16	3156.44	-3.28	359.94	3156.44	3156.32	0.89
15355.00	93.14	0.27	12137.84	3251.29	-3.42	359.94	3251.29	3251.17	0.75
15450.00	91.65	1.33	12133.87	3346.19	-2.09	359.96	3346.19	3346.06	1.92
15544.00	89.98	0.89	12132.54	3440.16	-0.27	360.00	3440.16	3440.00	1.84
15638.00	90.86	0.98	12131.85	3534.14	1.26	0.02	3534.14	3533.97	0.94
15733.00	89.10	1.07	12131.88	3629.12	2.96	0.05	3629.13	3628.93	1.86

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
15827.00	87.78	0.19	12134.44	3723.08	4.00	0.06	3723.08	3722.87	1.69
15922.00	86.73	359.22	12138.99	3817.97	3.51	0.05	3817.97	3817.76	1.50
16016.00	90.29	359.48	12141.43	3911.91	2.44	0.04	3911.92	3911.71	3.80
16110.00	89.85	359.13	12141.32	4005.91	1.30	0.02	4005.91	4005.71	0.60
16204.00	89.54	358.43	12141.82	4099.88	-0.70	359.99	4099.88	4099.70	0.81
16298.00	89.63	357.73	12142.50	4193.83	-3.85	359.95	4193.83	4193.67	0.75
16392.00	92.75	357.46	12140.55	4287.71	-7.79	359.90	4287.72	4287.59	3.33
16485.00	93.27	357.37	12135.67	4380.49	-11.98	359.84	4380.51	4380.40	0.57
16580.00	93.45	357.20	12130.10	4475.22	-16.47	359.79	4475.25	4475.17	0.26
16675.00	92.18	356.76	12125.43	4569.97	-21.47	359.73	4570.02	4569.97	1.41
16770.00	93.01	358.17	12121.13	4664.78	-25.67	359.68	4664.85	4664.81	1.72
16865.00	94.24	359.40	12115.12	4759.56	-27.68	359.67	4759.64	4759.61	1.83
16959.00	93.32	359.31	12108.93	4853.35	-28.74	359.66	4853.44	4853.40	0.98
17053.00	93.01	0.71	12103.74	4947.21	-28.72	359.67	4947.29	4947.25	1.52
17148.00	91.91	0.98	12099.66	5042.11	-27.32	359.69	5042.18	5042.14	1.19
17242.00	92.22	1.42	12096.27	5136.02	-25.35	359.72	5136.09	5136.03	0.57
17337.00	91.91	1.68	12092.85	5230.93	-22.78	359.75	5230.98	5230.91	0.43
17431.00	90.90	2.65	12090.54	5324.83	-19.23	359.79	5324.87	5324.77	1.49
17526.00	90.64	2.56	12089.27	5419.72	-14.92	359.84	5419.74	5419.62	0.29
17621.00	89.49	1.51	12089.16	5514.66	-11.54	359.88	5514.67	5514.52	1.64
17715.00	91.69	1.94	12088.19	5608.61	-8.71	359.91	5608.61	5608.43	2.38
17810.00	92.00	1.94	12085.13	5703.50	-5.50	359.94	5703.51	5703.29	0.33
17903.00	92.57	1.68	12081.43	5796.38	-2.56	359.97	5796.38	5796.14	0.67
17997.00	92.70	1.51	12077.10	5890.25	0.05	0.00	5890.25	5889.97	0.23
18092.00	93.32	1.07	12072.12	5985.09	2.19	0.02	5985.09	5984.79	0.80
18188.00	91.25	0.63	12068.29	6081.00	3.61	0.03	6081.00	6080.68	2.20
18281.00	90.29	359.48	12067.04	6173.99	3.70	0.03	6173.99	6173.67	1.61
18373.00	91.30	359.92	12065.76	6265.98	3.22	0.03	6265.98	6265.66	1.20
18467.00	91.60	359.66	12063.38	6359.95	2.87	0.03	6359.95	6359.62	0.42
18560.00	92.70	359.75	12059.89	6452.88	2.39	0.02	6452.88	6452.56	1.19
18655.00	93.58	359.22	12054.69	6547.73	1.54	0.01	6547.73	6547.41	1.08
18749.00	93.98	358.87	12048.49	6641.51	-0.02	360.00	6641.51	6641.21	0.56
18844.00	94.37	359.48	12041.58	6736.25	-1.39	359.99	6736.25	6735.95	0.76
18938.00	91.65	0.27	12036.64	6830.11	-1.59	359.99	6830.11	6829.81	3.01
19033.00	92.40	0.36	12033.28	6925.05	-1.07	359.99	6925.05	6924.74	0.80
19128.00	91.65	0.19	12029.93	7019.99	-0.61	359.99	7019.99	7019.67	0.81
19223.00	92.00	0.54	12026.90	7114.94	-0.01	360.00	7114.94	7114.61	0.52

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
19316.00	91.78	0.19	12023.84	7207.88	0.58	0.00	7207.88	7207.55	0.44
19410.00	91.60	1.33	12021.06	7301.83	1.83	0.01	7301.83	7301.48	1.23
19504.00	90.02	0.89	12019.73	7395.80	3.65	0.03	7395.80	7395.43	1.74
19596.00	90.73	0.80	12019.13	7487.79	5.01	0.04	7487.79	7487.40	0.78
19691.00	90.81	359.92	12017.86	7582.78	5.60	0.04	7582.78	7582.38	0.93
19785.00	89.58	358.87	12017.54	7676.77	4.61	0.03	7676.77	7676.37	1.72
19880.00	88.88	358.17	12018.81	7771.73	2.16	0.02	7771.73	7771.35	1.04
19976.00	88.62	357.55	12020.91	7867.64	-1.43	359.99	7867.64	7867.29	0.70
20070.00	88.44	356.76	12023.32	7961.49	-6.09	359.96	7961.49	7961.18	0.86
20166.00	89.58	356.32	12024.98	8057.30	-11.88	359.92	8057.31	8057.04	1.27
20261.00	90.33	356.23	12025.05	8152.10	-18.05	359.87	8152.12	8151.90	0.80
20356.00	89.67	358.34	12025.05	8246.99	-22.55	359.84	8247.02	8246.82	2.33
20451.00	91.30	358.43	12024.25	8341.94	-25.23	359.83	8341.98	8341.80	1.72
20547.00	91.34	357.81	12022.04	8437.86	-28.38	359.81	8437.91	8437.75	0.65
20641.00	85.01	358.34	12025.03	8531.71	-31.54	359.79	8531.77	8531.62	6.76
20736.00	83.78	359.31	12034.31	8626.24	-33.48	359.78	8626.30	8626.16	1.65
20852.00	88.97	359.31	12041.64	8741.96	-34.87	359.77	8742.03	8741.89	4.47
20947.00	89.58	359.40	12042.84	8836.94	-35.94	359.77	8837.02	8836.88	0.65
21042.00	89.63	358.96	12043.49	8931.93	-37.30	359.76	8932.01	8931.88	0.47
21136.00	89.85	358.43	12043.92	9025.91	-39.44	359.75	9025.99	9025.87	0.61
21231.00	90.64	358.61	12043.52	9120.87	-41.89	359.74	9120.97	9120.85	0.85
21326.00	90.86	357.46	12042.27	9215.81	-45.15	359.72	9215.92	9215.82	1.23
21420.00	91.43	357.37	12040.39	9309.69	-49.39	359.70	9309.82	9309.74	0.61
21515.00	91.08	357.81	12038.31	9404.58	-53.38	359.67	9404.74	9404.66	0.59
21607.00	89.85	357.29	12037.57	9496.50	-57.31	359.65	9496.67	9496.61	1.45
21702.00	89.14	357.29	12038.40	9591.38	-61.81	359.63	9591.58	9591.54	0.75
21796.00	84.88	355.35	12043.31	9685.04	-67.83	359.60	9685.27	9685.24	4.98
21891.00	87.30	358.52	12049.79	9779.66	-72.89	359.57	9779.93	9779.91	4.19
21985.00	87.82	0.27	12053.79	9873.57	-73.88	359.57	9873.84	9873.82	1.94
22080.00	85.41	359.92	12059.40	9968.39	-73.72	359.58	9968.67	9968.64	2.56
22174.00	86.37	359.92	12066.13	10062.15	-73.85	359.58	10062.42	10062.40	1.02
22268.00	87.91	0.63	12070.82	10156.03	-73.40	359.59	10156.29	10156.27	1.80
22328.00	86.51	0.10	12073.74	10215.96	-73.02	359.59	10216.22	10216.19	2.49

Projected Survey

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
22400.00	86.51	0.10	12078.13	10287.82	-72.90	359.59	10288.08	10288.05	0.00

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-48255										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name Yada Fed Com		
								6. Well Number: 215H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat WC-025 G-09 S243532M;WOLFBONE		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	35	24S	35E	-	239	SOUTH	952	WEST	LEA
BH:	D	26	24S	35E	-	35	NORTH	946	WEST	LEA
13. Date Spudded 3/20/2021	14. Date T.D. Reached 5/15/2021		15. Date Rig Released 5/18/2021			16. Date Completed (Ready to Produce) 7/27/2021		17. Elevations (DF and RKB, RT, GR, etc.) 3256 GR		
18. Total Measured Depth of Well 22400			19. Plug Back Measured Depth 22335			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12078' - 22265'								WOLFBONE		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		687'		17.5"		790 SKS		
9.625"		40		5249'		12.25"		1185 SKS		
7.625"		29.7		11469'		8.75"		558 SKS		
5.5"		23		22380'		6.75"		858 SKS		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
12078 ft to 22265 ft, 1 SPF, .6 inch holes with 624 total shots						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12078' - 22265'		48 stage frac with 23,712,040 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 08/04/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) PRODUCING				
Date of Test 08/25/2021	Hours Tested 24 HRS	Choke Size 36/64	Prod'n For Test Period	Oil - Bbl 1916	Gas - MCF 1971	Water - Bbl. 4051	Gas - Oil Ratio 1028			
Flow Tubing Press. 0	Casing Pressure 2125	Calculated 24-Hour Rate	Oil - Bbl. 1916	Gas - MCF 1971	Water - Bbl. 4051	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By		
31. List Attachments DIRECTIONAL SURVEY, AS DRILLED C-102										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Bill Ramsey			Title Regulatory Analyst			Date 9/28/2021	
E-mail Address bramsey@t+										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	916		QUATERNARY					
916	1406		RUSTLER ANHYDRITE					
1406	5021		TOP OF SALT					
5021	5258		BASE OF SALT					
5258	5280		DELAWARE					
5280	6124		BELL CANYON					
6124	7572		CHERRY CANYON					
7572	8882		BRUSHY CANYON					
8882	9113		BONE SPRING					
9113	10073		AVALON					
10073	10749		BONE SPRING 1ST					
10749	11723		BONE SPRING 2ND					
11723	12060		BONE SPRING 3RD					
12060	12068		WOLFBONE					
12068			WOLFCAMP					

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 52496

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 52496
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 52496

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 52496
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
Ilowe	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval	3/17/2022