

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-48607	⁵ Pool Name WC-025 G-09 S263504N; WOLFCAMP	⁶ Pool Code 98117
⁷ Property Code 329955	⁸ Property Name TALCO STATE FED COM	⁹ Well Number 201H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
C	16	26-S	35-E	-	306'	NORTH	1340'	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	21	26-S	35-E	-	24'	SOUTH	715'	WEST	LEA
¹² Lse Code S/F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 12/7/2021	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
14021	MARATHON OIL CO P.O. BOX 552 MIDLAND, TX 79701	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 7/7/2021	²² Ready Date 12/7/2021	²³ TD 22962'	²⁴ PBTB 22898'	²⁵ Perforations 12670 ft to 22812 ft	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1129'	985 sks		
9.875"/8.75"	7.625"	8459'/12032'	1226 sks		
6.75"	5.5"	22942'	1120 sks		

V. Well Test Data

³¹ Date New Oil 1/8/2022	³² Gas Delivery Date 1/8/2022	³³ Test Date 2/14/2022	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 1600
³⁷ Choke Size 35/64	³⁸ Oil 1154	³⁹ Water 3367	⁴⁰ Gas 1754	⁴¹ Test Method Flowing	
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: Leonard R. Lowe		
Title: Regulatory Analyst			Title: Engineer		
E-mail Address: jtrlica@taprk.com			Approval Date: 03/16/22		
Date: 2/15/2021		Phone: 720-772-5910	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (505) 748-1283 Fax: (505) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48607		² Pool Code 98117		³ Pool Name WC-025 G-09 S263504N; WOLFCAMP	
⁴ Property Code 329955		⁵ Property Name TALCO STATE FED COM			⁶ Well Number 201H
⁷ OGRID No. #372043		⁸ Operator Name TAP ROCK OPERATING, LLC.			⁹ Elevation 3200'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	16	26-S	35-E	-	306'	NORTH	1340'	WEST	LEA


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	21	26-S	35-E	-	24'	SOUTH	715'	WEST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



SECTION 16, TOWNSHIP 26-S, RANGE 35-E, N.M.P.M.
LEA COUNTY, NEW MEXICO

LEASE NAME & WELL NO.: TALCO STATE FED COM 201H
 SECTION 16 TWP 26-S RGE 35-E SURVEY N.M.P.M.
 COUNTY LEA STATE NM ELEVATION 3200'
 DESCRIPTION 306' FNL & 1340' FWL



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
 TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
 2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
 TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
 WWW.TOPOGRAPHIC.COM

**INTERNAL
PRE-COMPLETION
PLAT**

TALCO STATE FED COM 201H PRE-COMPLETION	REVISION:		NOTES:
	INT	DATE	
DATE: 10/25/2021			1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
FILE: C:\TALCO_STATE_FED_COM_201H			
DRAWN BY: IMU			
SHEET: 2 OF 2			

S:\SURVEY\TAPROCK\TALCO_STATE\FINAL_PRODUCTS\TALCO_STATE_FED_COM_201H.DWG 10/28/2021 1:26:22 PM kmatheny



Operator: TapRock Resources LLC
Well Name: Talco State Fed Com #201H
County: Lea
State: New Mexico
Rig Name: H&P 425
API: 30-025-48607

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 179' MD – 22,897' MD
Projection to Bit: 22,962' MD
Dates Performed: 07/06/2021 – 09/24/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: **Tap Rock Resources, LLC.**
 Well Name: **Talco State Fed Com 201H**
 Job Number: **ID2938**
 Survey Company: **Intrepid Directional Drilling Specialists**
 Rig Name: **H&P 425**

Target KBTVD: **12709.00**
 Target Inclination: **90.50°**
 Declination Correction: **5.82°**
 KB Elevation: **3226**

Vertical Section Calculated Along Azimuth:

179.44°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	179	1.27	172.13	179	178.99	1.97	-1.97	0.27	0.71
MWD	2	238	1.54	178.02	59	237.97	3.41	-3.41	0.39	0.52
MWD	3	330	1.63	172.92	92	329.93	5.94	-5.94	0.59	0.18
MWD	4	420	1.27	174.77	90	419.90	8.21	-8.20	0.84	0.40
MWD	5	510	0.66	181.80	90	509.89	9.72	-9.71	0.92	0.69
MWD	6	601	0.09	123.35	91	600.89	10.29	-10.28	0.96	0.68
MWD	7	691	0.53	13.57	90	690.89	9.92	-9.91	1.12	0.63
MWD	8	782	0.84	6.46	91	781.88	8.85	-8.84	1.29	0.35
MWD	9	872	0.84	0.74	90	871.87	7.54	-7.52	1.37	0.09
MWD	10	963	1.01	356.88	91	962.86	6.07	-6.06	1.34	0.20
MWD	11	1052	1.14	353.54	89	1051.84	4.40	-4.39	1.20	0.16
MWD	12	1078	1.19	351.69	26	1077.84	3.88	-3.87	1.13	0.24
MWD	13	1233	0.79	354.85	155	1232.81	1.22	-1.21	0.80	0.26
MWD	14	1327	0.40	26.58	94	1326.81	0.28	-0.27	0.89	0.53
MWD	15	1421	0.40	12.70	94	1420.81	-0.33	0.34	1.11	0.10
MWD	16	1514	0.44	356.61	93	1513.80	-1.00	1.01	1.16	0.13
MWD	17	1608	0.18	3.20	94	1607.80	-1.51	1.52	1.14	0.28
MWD	18	1702	0.53	306.51	94	1701.80	-1.92	1.93	0.80	0.49
MWD	19	1796	0.40	0.83	94	1795.80	-2.51	2.51	0.46	0.47
MWD	20	1890	0.04	69.56	94	1889.80	-2.85	2.85	0.49	0.41
MWD	21	1984	0.18	139.79	94	1983.80	-2.75	2.75	0.62	0.18
MWD	22	2078	0.57	101.20	94	2077.80	-2.54	2.55	1.17	0.47
MWD	23	2172	0.09	239.45	94	2171.79	-2.40	2.42	1.57	0.68
MWD	24	2267	0.53	288.85	95	2266.79	-2.51	2.52	1.09	0.50
MWD	25	2361	1.54	288.85	94	2360.78	-3.08	3.07	-0.52	1.07
MWD	26	2456	2.55	293.15	95	2455.71	-4.35	4.32	-3.67	1.07
MWD	27	2551	3.34	299.39	95	2550.59	-6.58	6.50	-8.02	0.90
MWD	28	2645	4.26	308.97	94	2644.38	-10.17	10.04	-13.13	1.19
MWD	29	2740	4.84	310.38	95	2739.08	-15.04	14.86	-18.92	0.62
MWD	30	2834	6.29	312.40	94	2832.64	-21.15	20.90	-25.75	1.56
MWD	31	2929	7.47	312.58	95	2926.95	-28.92	28.59	-34.14	1.24
MWD	32	3023	8.57	313.98	94	3020.03	-38.01	37.59	-43.68	1.19
MWD	33	3117	8.75	302.12	94	3112.97	-46.79	46.25	-54.77	1.91
MWD	34	3211	9.76	298.08	94	3205.74	-54.47	53.81	-67.86	1.28
MWD	35	3306	9.27	300.19	95	3299.43	-62.24	61.44	-81.58	0.63
MWD	36	3400	9.67	298.43	94	3392.15	-69.94	69.01	-95.06	0.53
MWD	37	3494	10.02	298.08	94	3484.77	-77.68	76.62	-109.22	0.38
MWD	38	3588	10.20	293.51	94	3577.31	-85.00	83.79	-124.07	0.87
MWD	39	3682	10.51	289.02	94	3669.78	-91.26	89.90	-139.80	0.92
MWD	40	3777	9.71	290.61	95	3763.31	-97.06	95.54	-155.49	0.89
MWD	41	3871	8.92	291.92	94	3856.07	-102.71	101.06	-169.68	0.87
MWD	42	3966	9.98	288.06	95	3949.78	-108.15	106.36	-184.34	1.30
MWD	43	4060	11.91	285.60	94	4042.06	-113.46	111.49	-201.42	2.11
MWD	44	4154	12.09	287.00	94	4134.01	-119.12	116.98	-220.18	0.36
MWD	45	4248	11.91	287.27	94	4225.95	-125.06	122.74	-238.86	0.20
MWD	46	4341	11.12	287.44	93	4317.08	-130.77	128.27	-256.58	0.85
MWD	47	4436	10.51	287.00	95	4410.39	-136.22	133.55	-273.60	0.65
MWD	48	4529	9.45	288.32	93	4501.99	-141.25	138.43	-288.96	1.17
MWD	49	4623	7.34	289.64	94	4594.97	-145.82	142.88	-301.94	2.25

MWD	50	4717	6.24	288.32	94	4688.31	-149.55	146.50	-312.45	1.18
MWD	51	4811	7.16	289.02	94	4781.67	-153.16	150.01	-322.84	0.98
MWD	52	4905	6.29	290.34	94	4875.02	-156.96	153.71	-333.20	0.94
MWD	53	4999	4.88	293.15	94	4968.57	-160.41	157.08	-341.71	1.53
MWD	54	5094	5.45	300.71	95	5063.19	-164.37	160.97	-349.30	0.93
MWD	55	5189	7.96	300.71	95	5157.53	-170.13	166.63	-358.84	2.64
MWD	56	5283	7.91	302.03	94	5250.63	-176.99	173.39	-369.92	0.20
MWD	57	5377	9.19	301.50	94	5343.58	-184.46	180.74	-381.80	1.36
MWD	58	5472	8.53	302.82	95	5437.45	-192.37	188.52	-394.19	0.73
MWD	59	5566	8.79	298.60	94	5530.38	-199.70	195.74	-406.36	0.73
MWD	60	5660	9.32	295.26	94	5623.21	-206.52	202.43	-419.55	0.79
MWD	61	5754	9.14	294.65	94	5715.99	-213.01	208.79	-433.22	0.22
MWD	62	5848	8.92	293.33	94	5808.83	-219.14	214.79	-446.69	0.32
MWD	63	5941	8.44	291.66	93	5900.76	-224.64	220.16	-459.66	0.58
MWD	64	6035	8.4	290.96	94	5993.75	-229.77	225.16	-472.48	0.12
MWD	65	6129	8.35	291.05	94	6086.75	-234.80	230.07	-485.26	0.05
MWD	66	6223	8.18	289.46	94	6179.77	-239.61	234.75	-497.94	0.30
MWD	67	6316	7.69	287.18	93	6271.88	-243.77	238.79	-510.12	0.63
MWD	68	6410	6.99	287.09	94	6365.11	-247.42	242.33	-521.59	0.74
MWD	69	6504	6.59	286.12	94	6458.45	-250.70	245.51	-532.24	0.44
MWD	70	6598	6.33	285.16	94	6551.85	-253.65	248.36	-542.43	0.30
MWD	71	6692	5.58	288.41	94	6645.34	-256.54	251.16	-551.77	0.87
MWD	72	6787	4.40	284.01	95	6739.98	-258.96	253.50	-559.68	1.30
MWD	73	6881	2.20	286.83	94	6833.82	-260.41	254.90	-564.91	2.35
MWD	74	6976	1.49	309.41	95	6928.77	-261.75	256.21	-567.61	1.06
MWD	75	7070	1.58	358.46	94	7022.74	-263.83	258.28	-568.59	1.36
MWD	76	7163	1.19	30.01	93	7115.72	-265.94	260.40	-568.14	0.90
MWD	77	7258	1.32	43.46	95	7210.69	-267.58	262.05	-566.89	0.34
MWD	78	7352	1.89	66.84	94	7304.66	-268.95	263.44	-564.72	0.91
MWD	79	7446	2.11	66.57	94	7398.60	-270.22	264.74	-561.71	0.23
MWD	80	7540	1.8	57.52	94	7492.55	-271.67	266.22	-558.88	0.46
MWD	81	7633	1.71	57.78	93	7585.50	-273.17	267.75	-556.47	0.10
MWD	82	7727	1.54	53.21	94	7679.46	-274.65	269.25	-554.27	0.23
MWD	83	7821	1.41	61.04	94	7773.43	-275.95	270.57	-552.25	0.25
MWD	84	7914	1.23	71.32	93	7866.41	-276.81	271.44	-550.30	0.32
MWD	85	8007	1.45	114.03	93	7959.39	-276.63	271.28	-548.28	1.07
MWD	86	8102	1.93	143.56	95	8054.35	-274.83	269.50	-546.24	1.03
MWD	87	8196	1.85	141.1	94	8148.29	-272.36	267.05	-544.34	0.12
MWD	88	8290	1.63	138.38	94	8242.25	-270.16	264.87	-542.50	0.25
MWD	89	8384	1.36	146.99	94	8336.22	-268.21	262.93	-541.01	0.37
MWD	90	8464	1.71	146.55	80	8416.19	-266.41	261.14	-539.83	0.44
MWD	91	8558	1.01	132.4	94	8510.16	-264.66	259.41	-538.45	0.82
MWD	92	8652	1.58	156.4	94	8604.14	-262.91	257.67	-537.31	0.82
MWD	93	8746	1.27	134.25	94	8698.11	-260.98	255.75	-536.05	0.67
MWD	94	8840	0.97	170.37	94	8792.09	-259.46	254.24	-535.17	0.80
MWD	95	8934	1.01	139.52	94	8886.08	-258.04	252.83	-534.50	0.56
MWD	96	9029	1.45	168.17	95	8981.06	-256.22	251.01	-533.71	0.78
MWD	97	9123	0.84	161.85	94	9075.04	-254.40	249.20	-533.25	0.66
MWD	98	9218	1.10	174.59	95	9170.03	-252.82	247.63	-532.95	0.35
MWD	99	9312	0.75	158.86	94	9264.01	-251.35	246.15	-532.64	0.46
MWD	100	9407	0.97	146.38	95	9359.00	-250.09	244.90	-531.97	0.30
MWD	101	9501	0.92	165.71	94	9452.99	-248.69	243.51	-531.35	0.34
MWD	102	9595	1.32	153.50	94	9546.97	-246.99	241.81	-530.68	0.49
MWD	103	9690	1.01	144.00	95	9641.95	-245.32	240.15	-529.70	0.38
MWD	104	9784	0.75	166.24	94	9735.94	-244.05	238.89	-529.06	0.45
MWD	105	9879	0.04	53.83	95	9830.94	-243.46	238.30	-528.89	0.81
MWD	106	9974	0.31	39.15	95	9925.94	-243.68	238.52	-528.70	0.29
MWD	107	10068	0.57	145.67	94	10019.94	-243.48	238.33	-528.27	0.77
MWD	108	10163	0.57	21.66	95	10114.94	-243.53	238.38	-527.83	1.06
MWD	109	10257	0.13	333.76	94	10208.93	-244.06	238.91	-527.71	0.52
MWD	110	10351	0.44	4.35	94	10302.93	-244.51	239.37	-527.73	0.36
MWD	111	10446	0.70	31.42	95	10397.93	-245.37	240.22	-527.40	0.39
MWD	112	10541	0.84	351.95	95	10492.92	-246.55	241.41	-527.19	0.56

MWD	113	10635	1.10	7.42	94	10586.91	-248.13	242.99	-527.17	0.39
MWD	114	10729	0.92	326.64	94	10680.89	-249.66	244.51	-527.47	0.77
MWD	115	10824	0.48	319.26	95	10775.89	-250.60	245.45	-528.15	0.47
MWD	116	10918	0.70	238.49	94	10869.88	-250.61	245.45	-528.90	0.83
MWD	117	11012	0.97	250.53	94	10963.87	-250.05	244.88	-530.14	0.34
MWD	118	11106	1.54	249.38	94	11057.85	-249.36	244.17	-532.07	0.61
MWD	119	11200	2.15	243.85	94	11151.80	-248.17	242.95	-534.83	0.68
MWD	120	11295	1.89	223.72	95	11246.74	-246.28	241.03	-537.52	0.79
MWD	121	11389	1.89	223.28	94	11340.69	-244.05	238.78	-539.65	0.02
MWD	122	11483	2.20	216.34	94	11434.63	-241.49	236.20	-541.78	0.42
MWD	123	11578	2.02	235.23	95	11529.57	-239.09	233.78	-544.24	0.75
MWD	124	11672	1.98	244.02	94	11623.51	-237.46	232.12	-547.06	0.33
MWD	125	11767	2.29	250.26	95	11718.45	-236.13	230.76	-550.32	0.41
MWD	126	11861	2.29	261.25	94	11812.37	-235.25	229.84	-553.94	0.47
MWD	127	11956	2.11	260.55	95	11907.30	-234.71	229.27	-557.54	0.19
MWD	128	12051	1.67	267.75	95	12002.25	-234.39	228.93	-560.65	0.53
MWD	129	12097	1.49	280.74	46	12048.23	-234.49	229.01	-561.91	0.87
MWD	130	12198	4.09	176.24	101	12149.14	-231.15	225.66	-562.97	4.64
MWD	131	12245	8.26	174.31	47	12195.86	-226.11	220.63	-562.52	8.88
MWD	132	12292	13.23	176.50	47	12242.02	-217.37	211.89	-561.86	10.61
MWD	133	12339	18.55	177.03	47	12287.21	-204.52	199.05	-561.14	11.32
MWD	134	12387	23.69	177.73	48	12331.97	-187.24	181.78	-560.36	10.72
MWD	135	12434	29.45	182.22	47	12373.99	-166.25	160.78	-560.44	12.97
MWD	136	12481	34.29	186.00	47	12413.90	-141.54	136.05	-562.27	11.13
MWD	137	12528	38.33	184.68	47	12451.77	-113.86	108.34	-564.84	8.75
MWD	138	12576	42.68	182.66	48	12488.26	-82.78	77.24	-566.81	9.46
MWD	139	12623	48.22	181.69	47	12521.21	-49.33	43.78	-568.07	11.88
MWD	140	12671	51.91	182.74	48	12552.02	-12.58	7.01	-569.50	7.87
MWD	141	12718	54.99	185.56	47	12580.01	25.04	-30.63	-572.25	8.13
MWD	142	12766	59.60	186.08	48	12605.94	65.17	-70.80	-576.35	9.65
MWD	143	12813	64.40	184.41	47	12628.00	106.44	-112.12	-580.13	10.68
MWD	144	12860	69.45	182.83	47	12646.42	149.55	-155.25	-582.85	11.18
MWD	145	12907	72.09	182.22	47	12661.89	193.86	-199.58	-584.80	5.75
MWD	146	12955	75.21	184.06	48	12675.41	239.81	-245.57	-587.33	7.47
MWD	147	13002	79.82	185.20	47	12685.56	285.50	-291.29	-591.04	10.09
MWD	148	13049	85.05	184.24	47	12691.75	331.88	-337.71	-594.87	11.31
MWD	149	13145	87.30	182.66	96	12698.15	427.42	-433.31	-600.63	2.86
MWD	150	13239	90.64	182.13	94	12699.84	521.27	-527.20	-604.56	3.60
MWD	151	13333	91.56	182.48	94	12698.04	615.13	-621.11	-608.34	1.05
MWD	152	13428	92.13	181.60	95	12694.98	709.98	-715.99	-611.72	1.10
MWD	153	13523	93.19	180.37	95	12690.57	804.84	-810.87	-613.35	1.71
MWD	154	13617	93.41	180.20	94	12685.16	898.68	-904.72	-613.81	0.30
MWD	155	13711	91.87	179.67	94	12680.83	992.57	-998.61	-613.71	1.73
MWD	156	13745	90.37	179.32	34	12680.17	1026.56	-1032.61	-613.41	4.53
MWD	157	13840	88.97	179.14	95	12680.71	1121.56	-1127.59	-612.13	1.49
MWD	158	13934	89.54	179.58	94	12681.94	1215.55	-1221.58	-611.08	0.77
MWD	159	14029	89.49	179.49	95	12682.74	1310.54	-1316.57	-610.31	0.11
MWD	160	14124	88.22	177.91	95	12684.64	1405.51	-1411.52	-608.16	2.13
MWD	161	14218	88.04	178.26	94	12687.71	1499.44	-1505.42	-605.02	0.42
MWD	162	14312	88.57	175.54	94	12690.49	1593.29	-1599.23	-599.93	2.95
MWD	163	14407	88.53	176.42	95	12692.89	1688.09	-1693.97	-593.28	0.93
MWD	164	14502	87.87	176.59	95	12695.87	1782.92	-1788.74	-587.49	0.72
MWD	165	14596	88.62	177.47	94	12698.75	1876.79	-1882.57	-582.62	1.23
MWD	166	14691	88.44	178.70	95	12701.19	1971.73	-1977.49	-579.45	1.31
MWD	167	14786	87.30	177.38	95	12704.72	2066.63	-2072.36	-576.20	1.84
MWD	168	14881	88.62	180.90	95	12708.10	2161.55	-2167.27	-574.78	3.95
MWD	169	14976	90.02	182.22	95	12709.23	2256.48	-2262.23	-577.36	2.03
MWD	170	15070	90.59	182.39	94	12708.73	2350.36	-2356.15	-581.14	0.63
MWD	171	15165	89.32	181.16	95	12708.81	2445.27	-2451.10	-584.09	1.86
MWD	172	15259	92.00	181.51	94	12707.72	2539.21	-2545.06	-586.28	2.88
MWD	173	15353	91.82	182.48	94	12704.59	2633.06	-2638.95	-589.55	1.05
MWD	174	15447	91.91	185.38	94	12701.53	2726.71	-2732.67	-595.98	3.08
MWD	175	15541	88.70	180.28	94	12701.03	2820.50	-2826.51	-600.62	6.41

MWD	176	15636	89.10	181.60	95	12702.85	2915.45	-2921.48	-602.18	1.45
MWD	177	15729	88.00	179.05	93	12705.21	3008.40	-3014.44	-602.71	2.99
MWD	178	15823	88.66	179.67	94	12707.95	3102.36	-3108.39	-601.66	0.96
MWD	179	15918	88.66	180.37	95	12710.17	3197.33	-3203.36	-601.69	0.74
MWD	180	16013	88.79	181.07	95	12712.28	3292.28	-3298.33	-602.89	0.75
MWD	181	16107	89.89	179.32	94	12713.37	3386.26	-3392.32	-603.21	2.20
MWD	182	16201	89.85	179.32	94	12713.58	3480.26	-3486.31	-602.09	0.04
MWD	183	16296	90.11	179.32	95	12713.61	3575.26	-3581.31	-600.96	0.27
MWD	184	16390	90.73	177.82	94	12712.92	3669.24	-3675.27	-598.62	1.73
MWD	185	16485	93.41	177.73	95	12709.49	3764.13	-3770.13	-594.93	2.82
MWD	186	16579	93.85	178.17	94	12703.54	3857.91	-3863.88	-591.58	0.66
MWD	187	16673	93.63	178.09	94	12697.41	3951.69	-3957.63	-588.52	0.25
MWD	188	16768	93.01	177.56	95	12691.91	4046.49	-4052.40	-584.92	0.86
MWD	189	16862	92.79	177.38	94	12687.15	4140.31	-4146.19	-580.77	0.30
MWD	190	16957	92.18	176.59	95	12683.03	4235.14	-4240.97	-575.78	1.05
MWD	191	17052	90.73	178.44	95	12680.62	4330.05	-4335.84	-571.66	2.47
MWD	192	17146	89.49	178.61	94	12680.44	4424.03	-4429.81	-569.24	1.33
MWD	193	17241	89.41	179.49	95	12681.35	4519.02	-4524.79	-567.67	0.93
MWD	194	17335	88.44	179.23	94	12683.11	4613.01	-4618.77	-566.62	1.07
MWD	195	17430	91.21	179.58	95	12683.40	4708.00	-4713.75	-565.63	2.94
MWD	196	17524	90.24	179.23	94	12682.22	4801.99	-4807.74	-564.66	1.10
MWD	197	17620	89.19	177.56	96	12682.69	4897.97	-4903.69	-561.97	2.05
MWD	198	17714	88.70	177.47	94	12684.42	4991.90	-4997.59	-557.89	0.53
MWD	199	17809	88.26	177.38	95	12686.94	5086.80	-5092.46	-553.63	0.47
MWD	200	17904	90.02	178.44	95	12688.37	5181.75	-5187.38	-550.16	2.16
MWD	201	17999	92.04	179.05	95	12686.66	5276.73	-5282.34	-548.08	2.22
MWD	202	18094	92.62	179.05	95	12682.80	5371.65	-5377.24	-546.51	0.61
MWD	203	18188	92.62	179.40	94	12678.50	5465.55	-5471.14	-545.24	0.37
MWD	204	18283	91.56	178.53	95	12675.04	5560.48	-5566.06	-543.52	1.44
MWD	205	18378	92.22	178.88	95	12671.90	5655.42	-5660.98	-541.38	0.79
MWD	206	18472	91.56	179.32	94	12668.80	5749.36	-5754.92	-539.90	0.84
MWD	207	18566	93.27	180.28	94	12664.84	5843.27	-5848.83	-539.57	2.09
MWD	208	18661	93.05	179.67	95	12659.61	5938.13	-5943.68	-539.53	0.68
MWD	209	18756	92.79	179.40	95	12654.77	6033.00	-6038.56	-538.76	0.39
MWD	210	18850	92.35	178.96	94	12650.55	6126.91	-6132.45	-537.42	0.66
MWD	211	18943	89.58	177.73	93	12648.99	6219.86	-6225.39	-534.73	3.26
MWD	212	19037	91.52	178.00	94	12648.08	6313.82	-6319.31	-531.23	2.08
MWD	213	19131	92.88	178.70	94	12644.48	6407.73	-6413.20	-528.53	1.63
MWD	214	19226	92.53	179.67	95	12639.99	6502.62	-6508.09	-527.18	1.08
MWD	215	19321	91.25	180.90	95	12636.86	6597.56	-6603.03	-527.65	1.87
MWD	216	19416	90.51	181.07	95	12635.40	6692.51	-6698.00	-529.28	0.80
MWD	217	19510	90.11	181.34	94	12634.89	6786.46	-6791.98	-531.26	0.51
MWD	218	19604	88.31	179.76	94	12636.19	6880.43	-6885.96	-532.16	2.55
MWD	219	19698	89.71	178.53	94	12637.81	6974.41	-6979.93	-530.76	1.98
MWD	220	19793	89.93	179.32	95	12638.11	7069.41	-7074.91	-528.98	0.86
MWD	221	19887	89.27	178.70	94	12638.77	7163.40	-7168.90	-527.35	0.96
MWD	222	19981	88.88	178.44	94	12640.28	7257.38	-7262.86	-525.01	0.50
MWD	223	20075	89.54	178.79	94	12641.58	7351.36	-7356.82	-522.73	0.79
MWD	224	20169	89.01	178.44	94	12642.77	7445.34	-7450.78	-520.46	0.68
MWD	225	20263	87.96	178.00	94	12645.25	7539.28	-7544.70	-517.54	1.21
MWD	226	20356	87.60	178.35	93	12648.86	7632.19	-7637.59	-514.58	0.54
MWD	227	20450	89.27	179.93	94	12651.42	7726.15	-7731.53	-513.17	2.45
MWD	228	20543	91.16	182.30	93	12651.08	7819.10	-7824.50	-514.98	3.26
MWD	229	20637	91.69	183.18	94	12648.74	7912.91	-7918.37	-519.48	1.09
MWD	230	20731	91.38	182.92	94	12646.22	8006.69	-8012.20	-524.48	0.43
MWD	231	20825	90.95	182.57	94	12644.31	8100.52	-8106.07	-528.98	0.59
MWD	232	20920	91.08	183.27	95	12642.63	8195.32	-8200.93	-533.81	0.75
MWD	233	21013	88.75	183.01	93	12642.76	8288.12	-8293.79	-538.91	2.52
MWD	234	21108	88.04	182.39	95	12645.42	8382.93	-8388.64	-543.38	0.99
MWD	235	21203	87.60	182.13	95	12649.04	8477.75	-8483.50	-547.13	0.54
MWD	236	21296	88.53	179.05	93	12652.18	8570.66	-8576.43	-548.08	3.46
MWD	237	21390	90.81	178.09	94	12652.72	8664.64	-8670.39	-545.74	2.63
MWD	238	21484	91.56	179.40	94	12650.78	8758.61	-8764.35	-543.68	1.61

MWD	239	21579	90.51	178.09	95	12649.06	8853.59	-8859.31	-541.60	1.77
MWD	240	21672	92.79	179.49	93	12646.38	8946.54	-8952.24	-539.63	2.88
MWD	241	21766	93.76	179.23	94	12641.01	9040.38	-9046.08	-538.59	1.07
MWD	242	21860	92.97	178.26	94	12635.49	9134.21	-9139.89	-536.53	1.33
MWD	243	21954	92.88	178.26	94	12630.70	9228.07	-9233.72	-533.68	0.10
MWD	244	22048	92.66	178.44	94	12626.16	9321.94	-9327.58	-530.98	0.30
MWD	245	22143	91.96	178.88	95	12622.33	9416.85	-9422.47	-528.76	0.87
MWD	246	22237	91.78	178.70	94	12619.26	9510.80	-9516.40	-526.77	0.27
MWD	247	22331	91.43	178.79	94	12616.63	9604.75	-9610.34	-524.71	0.38
MWD	248	22426	90.29	180.11	95	12615.20	9699.74	-9705.32	-523.80	1.84
MWD	249	22520	88.97	180.46	94	12615.81	9793.73	-9799.32	-524.27	1.45
MWD	250	22615	87.74	180.11	95	12618.53	9888.67	-9894.27	-524.74	1.35
MWD	251	22709	90.15	179.32	94	12620.26	9982.65	-9988.25	-524.28	2.70
MWD	252	22803	90.15	179.32	94	12620.02	10076.65	-10082.24	-523.16	0.00
MWD	253	22897	90.42	180.99	94	12619.55	10170.64	-10176.24	-523.41	1.80
PTB	254	22962	90.42	180.99	65	12619.07	10235.61	-10241.23	-524.54	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-48607										
2. Type of Lease ☒ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name TALCO STATE FED COM		
								6. Well Number: 201H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043			
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat WC-025 G-09 S263504N; WOLFCAMP			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	C	16	26-S	35-E	-	306'	NORTH	1340'	WEST	LEA
BH:	M	21	26-S	35-E	-	24'	SOUTH	715'	WEST	LEA
13. Date Spudded 7/7/2021	14. Date T.D. Reached 9/24/2021		15. Date Rig Released 9/27/2021		16. Date Completed (Ready to Produce) 12/7/2021			17. Elevations (DF and RKB, RT, GR, etc.) 3200 GR		
18. Total Measured Depth of Well 22962'			19. Plug Back Measured Depth 22898'		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12670 ft to 22812 ft, WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		1129'		17.5"		985 SKS		0
7.625"		29.7		8459'/12032"		9.875"/8.75"		1226 SKS		0
5.5"		20		22942'		6.75"		1120 SKS		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD		SIZE		DEPTH SET
26. Perforation record (interval, size, and number) Perforate from 12670 ft to 22812 ft, 1 SPF, .55 inch holes with 616 total shots.						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 12670 ft to 22812 ft 44 stage frac with 28,475,706 lbs of 100 mesh sand.				
28. PRODUCTION										
Date First Production 2/5/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) PRODUCING				
Date of Test 2/14/2022	Hours Tested 24	Choke Size 35/64	Prod'n For Test Period	Oil - Bbl 1154	Gas - MCF 1754	Water - Bbl. 3367	Gas - Oil Ratio 658			
Flow Tubing Press. 0	Casing Pressure 1600	Calculated 24-Hour Rate	Oil - Bbl. 1154	Gas - MCF 1754	Water - Bbl. 3367	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments DIRECTIONAL SURVEY, C-102 AS DRILLED										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature			Printed Name Jeff Trlica			Title Regulatory Analyst			Date 2/15/2022	
E-mail Address jtrlica@tapr										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	1077		QUATERNARY					
1077	1755		RUSTLER					
1755	3019		TOP OF SALT					
3019	5407		BASE OF SALT					
5407	5435		DELAWARE					
5435	6376		BELL CANYON					
6376	7898		CHERRY CANYON					
7898	9307		BRUSHY CANYON					
9307	9679		BONE SPRING LIME					
9679	10525		AVALON					
10524	11013		1ST BONE SPRING SAND					
11013	12169		2ND BONE SPRING SAND					
12169	12530		3RD BONE SPRING SAND					
12530	12652		WOLFCAMP A					
12652			WOLFCAMP LOWER					

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 82166

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 82166
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 82166

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 82166
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	3/16/2022