

Well Name: CENTRAL BISTI UNIT	Well Location: T25N / R12W / SEC 5 / NWNW / 36.435272 / -108.140732	County or Parish/State: SAN JUAN / NM
Well Number: 83	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMSF078056	Unit or CA Name: CENTRAL BISTI UNIT	Unit or CA Number: NMNM78386X
US Well Number: 3004525793	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2660872

Type of Submission: Subsequent Report

Date Sundry Submitted: 03/08/2022

Date Operation Actually Began: 03/01/2022

Type of Action: Plug and Abandonment

Time Sundry Submitted: 02:23

**Actual Procedure:** The subject well was Plugged & Abandoned on 03/01/2022 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

**Actual Procedure**

EOW\_Summary\_\_Central\_Bisti\_Unit\_83\_20220308142341.pdf

<b>Well Name:</b> CENTRAL BISTI UNIT	<b>Well Location:</b> T25N / R12W / SEC 5 / NWNW / 36.435272 / -108.140732	<b>County or Parish/State:</b> SAN JUAN / NM
<b>Well Number:</b> 83	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMSF078056	<b>Unit or CA Name:</b> CENTRAL BISTI UNIT	<b>Unit or CA Number:</b> NMNM78386X
<b>US Well Number:</b> 3004525793	<b>Well Status:</b> Abandoned	<b>Operator:</b> DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

<b>Operator Electronic Signature:</b> SHAW-MARIE FORD	<b>Signed on:</b> MAR 08, 2022 02:23 PM
<b>Name:</b> DJR OPERATING LLC	
<b>Title:</b> Regulatory Specialist	
<b>Street Address:</b> 1 Road 3263	
<b>City:</b> Aztec	<b>State:</b> NM
<b>Phone:</b> (505) 632-3476	
<b>Email address:</b> sford@djrlc.com	

Field Representative

<b>Representative Name:</b>		
<b>Street Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip:</b>
<b>Phone:</b>		
<b>Email address:</b>		

BLM Point of Contact

<b>BLM POC Name:</b> KENNETH G RENNICK	<b>BLM POC Title:</b> Petroleum Engineer
<b>BLM POC Phone:</b> 5055647742	<b>BLM POC Email Address:</b> krennick@blm.gov
<b>Disposition:</b> Accepted	<b>Disposition Date:</b> 03/09/2022
<b>Signature:</b> Kenneth Rennick	

DJR Operating, LLC  
P&A End of Well Report  
Central Bisti Unit 83  
API # 30-045-25793  
NW/NW, Unit D, Sec 5, T25N, R12W  
San Juan County, NM  
Spud Date: 10-1-1983  
Plug Date: 3-1-2022

2-24-2022:

MIRU rig and equipment. SITP = N/A, SICP = 0, BH = 0.

TIH with bit and string mill to 4896'.

2-25-2022:

TIH with 5 ½" cement retainer, set CR at 4738'.

Roll hole, PT casing, casing did not test.

P&A Plug 1&2: Gallup perfs and Gallup formation top: Mix and pump 20 sx cement under CR into Gallup perfs. Sting out of CR, place 22 sx cement above CR from 4738'. WOC. Tagged Plug 2 at 4510'. PT casing, casing did not test.

P&A Plug 3: Mancos formation top: Pull up to 3836', mix and pump balanced plug of 25 sx from 3836'. WOC ON.

2-28-2022:

TIH, tagged Plug 3 at 3632'. PT casing, casing did not test.

P&A Plug 4: Mesa Verde and Chacra formation tops: Pull up to 1921', mix and pump balanced plug of 71 sx from 1921'. WOC. Tagged Plug 4 at 1258'. PT casing, good test.

P&A Plug 5: Pictured Cliffs formation top: Pull up to 1203', mix and pump balanced plug of 20 sx from 1203' to 1031'.

P&A Plug 6: Fruitland, Kirtland and Ojo Alamo formation tops to surface: Pull up to 690', mix and pump plug of 82 sx from 690' to surface.

3-1-2022:

Cut off WH. Check TOC; casing at 58', annulus at 100'. Install P&A marker. Top off casing, 5 ½ x 8 5/8" annulus and cellar with 42 sx.

Release rig.

All cement used: Class G cement mixed at 15.8 ppg, yield 1.15

Regulatory Representative: Ken Christensen, BLM and Monica Kuehling, NMOCD via phone

GPS Coordinates: Lat; 36.43533N, Long; 108.14164W

DJR Operating, LLC  
P&A End of Well Report  
Central Bisti Unit 83  
API # 30-045-25793  
NW/NW, Unit D, Sec 5, T25N, R12W  
San Juan County, NM  
Spud Date: 10-1-1983  
Plug Date: 3-1-2022



**End of Well Report**  
**DJR Operating, LLC**  
**Central Bisti Unit 83**  
 API # 30-045-25793  
 NW/NW, Unit D, Sec 5, T25N, R12W  
 San Juan County, NM

GL        6159'  
 KB        6173'  
 Spud Date    10/1/1983

**SURF CSG**

Hole size    12.25"  
 Csg Size:    8.625"  
 Wt:          24#  
 Grade:       J-55  
 ID:          8.097"  
 Depth       216'  
 Csg cap ft<sup>3</sup>: 0.3576  
 TOC:        Surface

**FORMATION TOPS**

Nacimiento	Surface
Ojo Alamo	110'
Kirtland	230'
Fruitland	638'
Pictured Cliffs	1150'
Chacra	1460'
Mesa Verde	1860'
Mancos	3785'
Gallup	4700'

**PROD CSG**

Hole size    7.875"  
 Csg Size:    5.5"  
 Wt:          15.5#  
 Grade:       J-55  
 ID:          4.95"  
 Depth       5019'  
 Csg cap ft<sup>3</sup>: 0.1336  
 Csg/Csg Ann  
 ft<sup>3</sup>:          0.1926  
 Csg/OH cap  
 ft<sup>3</sup>:          0.1732  
 TOC:        Circ cement to surface

Perfs 4788-4876'

PBTD 4981'  
 TD 5020'

3-1-2022: Cut off WH. TOC in casing 58', in annulus at 100'. Install P&A marker. Mix top off of 42 sx for casing, annulus and cellar.  
 2-28-2022: Plug 6: Fruitland, Kirtland, Ojo Alamo, and surface plugs: Pump plug of 82 sx from 690' to surface.

2-28-2022: Plug 5: Pictured Cliffs top: Spot balanced plug of 20 sx from 1203' to 1031'.

2-28-2022: Plug 4: Mesa Verde and Chacra tops: Spot balanced plug of 71 sx from 1921'. WOC. Tagged Plug 4 at 1258'. PT casing, good test.

2-25-2022: Plug 3: Mancos top: Spot balanced plug of 25 sx from 3836'. WOC. 2-28-2022, tagged Plug 3 at 3632'.  
 2-25-2022: Plug 2: Gallup top: Mix and place 22 sx above CR. WOC. Tagged Plug 2 at 4510'.  
 2-25-2022: Plug 1: Gallup perfs: Mix and pump 20 sx through CR.

2-25-2022: TIH, Set CR at 4738'. Load and roll hole. PT casing, Did not test.

All cement used was Class G mixed at 15.8 ppq. yield 1.15 ft<sup>3</sup>  
 Regulatory Representative: Ken Christenen, BLM; Monica Kuehling, NMOCD via phone  
 GPS Coordinates: 36..43533N, 108.14164W

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 88780

CONDITIONS

Operator:  DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID:  371838
	Action Number:  88780
	Action Type:  [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	3/21/2022