

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-26454
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Foster AN
8. Well Number 2
9. OGRID Number 7377
10. Pool name or Wildcat Dagger Draw; Upper Penn, North

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other P&A	
2. Name of Operator EOG Resources, Inc.	
3. Address of Operator 104 South Fourth Street, Artesia, NM 88210	
4. Well Location Unit Letter <u>B</u> : <u>660</u> feet from the <u>North</u> line and <u>1980</u> feet from the <u>East</u> line Section <u>1</u> Township <u>20S</u> Range <u>24E</u> NMPM Eddy County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3592'GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

2/24/22 – MIRU and NU BOP. Set a CIBP at 7630, tagged. Pressured up to 550 psi for 15 min, held good. Spotted 30 sx Class "H" cement on top of CIBP to 7486' estimated TOC.
 2/25/22 – Tagged TOC 7512'. Spoke with David Alvarado with NMOCD-Artesia concerning tag, have 85' cement over top of Canyon. Good tag. Perforated at 5743'. Attempted to establish injection rate. Pressured up to 700 psi for 5 min, held. Bled off. Spotted a 65 sx Class "C" cement plug from 5849'-5535', tagged.
 2/28/22 – David Alvarado required to pump another 25 sx. Pumped another 25 sx Class "C" cement from 5535'-5475', tagged. David Alvarado approved tag.
 3/1/22 – Perforated at 5233'. Attempted to establish injection rate into perf, unable to. Pressured up to 500 psi for 5 min, good. Spotted a 60 sx Class "C" cement plug from 5288'-5072', tagged. Good tag.
 3/2/22 – Perforated at 3444'. Attempted injection rate, not able to pump in. Pressured up to 500 psi for 10 min, held good. Bled pressure off. Pumped a 42 sx Class "C" cement plug from 3503'-3351', tagged.
 3/3/22 – Spotted another 25 sx Class "C" cement from 3351'-3270', tagged. David Alvarado approved tag. Perforated at 2232'. Attempted injection rate. Pressured up to 500 psi for 10 min, held good. David Alvarado gave approval to drop 50' below perfs and pump cement. Pumped a 40 sx Class "C" cement plug from 2289'-2030', tagged. David Alvarado good with tag.
 3/4/22 – Perforated at 1136'. Attempted injection rate. Pressured up to 650 psi for 10 min, held good. Pumped a 40 sx Class "C" cement plug from 1189'-925', tagged. David Alvarado good with tag. Perforated at 640'. Attempted injection rate. Pressured up to 650 psi for 10 min, held good. David Alvarado gave approval to spot cement. Pumped 40 sx Class "C" cement 731'-450', tagged. David Alvarado was good with tag.
 3/7/22 – Perforated at 200'. Attempted injection rate. Pressured up to 900 psi for 10 min, held. David Alvarado gave approval to drop down to 268' and pump cement to surface. Pumped 45 sx Class "C" cement at 268' and circulated up to surface. Topped off well with cement. David Alvarado with NMOCD-Artesia ok'd cement to surface by picture. Cut off wellhead and installed above ground dry hole marker. Cut off anchors and cleaned location. **WELL IS PLUGGED AND ABANDONED.**

Spud Date:

Rig Release Date:

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE Tina Huerta TITLE Regulatory Specialist DATE March 24, 2022

Type or print name Tina Huerta E-mail address: tina.huerta@eogresources.com PHONE: 575-748-4168

For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 3/31/2022

Conditions of Approval (if any):



Sec-TWN-RNG:		Sec. 1 - T20S - R24E			API: 30-015-26454				
FOOTAGES:		660' FNL & 1980' FEL			GR: 3,592'				
CASING DETAIL									
#	HOLE SIZE	SIZE	WGHT	GRADE	Top	Bottom	Sx Cmt	Circ/TOC	TOC Method
A	14 3/4	9 5/8	36	J-55	0	1,086	1100	Surface	Redi-Mix
B	8 3/4	7	23/26	J-55/N-80	0	8,275	1750	679	Calc
FORMATION TOPS									
	Formation	Top (MD)		Formation	Top (MD)		Formation	Top (MD)	
	San Andres	570		Wolfcamp	5526				
	Glorieta	2182		Canyon	7597				
	Bone Springs	3394							
	3rd Bone Springs	4800							
	Abo	5183							
PLUGS									
#	SX	Class	Top	Bottom	Tag	Notes			
1	30	H	7512	7630	Y	CIBP			
2	65	C	5535	5849	Y	Perforate			
3	25	C	5475	5535	Y				
4	60	C	5072	5288	Y	Perforate			
5	42	C	3351	3503	Y	Perforate			
6	25	C	3270	3351	Y				
7	40	C	2030	2289	Y	Perforate			
8	40	C	925	1189	Y	Perforate			
9	40	C	450	731	Y	Perforate			
10	45	C	0	268	N	Perforate			
PERFORATION DETAIL									
	Formation	Top	Bottom						
	Canyon	7,680	7,790						
	Yeso [Sqz'd]	2,686	2,706						
3/23/22									

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 92870

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 92870
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	3/31/2022