# Received by OCD: 4/13/2022 8:12:31 AM 1625 N. French Dr., Hobbs, NM 88240

1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

<u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 <u>District IV</u>

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462 State of New Mexico

Page 1 of 11

Form C-101
Revised July 18, 2013

#### **Energy Minerals and Natural Resources**

**Oil Conservation Division** 

1220 South St. Francis Dr.

Santa Fe, NM 87505

☐AMENDED REPORT

APPLI	CATIO	N FOR	PERMIT T	O DRILL, RE-E	NTER. D	EEPEN.	PLUGBA	CK. OR A	ADD A ZONE
			I Operator Name a  IACX Production 5001 LBJ Freeway Dallas, TX 7	nd Address on, LLC. , Suite 300	<sup>2</sup> OGRID Number 329877				
			Dallas, 1A /	<i>32</i> <del>44</del>				<sup>3.</sup> API Nui 30-005-63	
	erty Code 7881			5. Property Biplane BLW S	Name State Com	Name 6. Well No. 6			
				7. Surface L					
UL - Lot N	Section 16	Township 6S	Range 27E	Lot Idn Feet 1		N/S Line South	Feet From 1980	E/W Line	e County Chaves
L				8 Proposed Botto	m Hole Lo	cation			
UL - Lot	Section	Township	Range	Lot Idn Feet i	from ]	N/S Line	Feet From	E/W Line	e County
				9. Pool Infor	mation				
				Pool Name Pecos Slope; Abo (Gas)	)				Pool Code 82730
				Additional Well		n			62730
	11. Work Type 12. Well Type 13. Cable/I				Rotary		14. Lease Type State		Ground Level Elevation 3,981'
	$^{16.}$ Multiple $^{17.}$ Proposed Depth $^{18.}$ Form $^{18.}$ Form $^{10.}$ Wolfe				Spud Date			<sup>20.</sup> Spud Date	
Depth to Grou	ınd water			ce from nearest fresh water				face water	
We will b	e using a c	losed-loop	system in lieu of	lined pits					
3	<u> </u>	<u> </u>	21. ]	Proposed Casing and	Cement P	rogram		***************************************	
Туре		Size	Casing Size	Casing Weight/ft		ng Depth			Estimated TOC
Surface		75"	9.625"	36				n place)	0(circ)
Prod	/.8	75"	5.5"	15.5	6,	355'	1360 (i	n place)	0(circ)
			Casing	g/Cement Program:	Additional	Comment	·s		
							.5		
		······································	22.	Proposed Blowout Pr	revention P	rogram	e e		
	Туре		W	orking Pressure	Test Pressure		Manufacturer		
	Manual BOP	)		3000 psi	3000 psi		Whiche	Whichever company is available	
23. I hamahar an	.4:C. 414 41.								
of my knowle	dge and beli	ief.		e and complete to the best		OIL	CONSERVA	ATION DIV	VISION
19.15.14.9 (B Signature:	) NMACE	ave complied, if applicat	d with 19.15.14.9 ble.	(A) NMAC 🔲 and/or	Approved By:				
Printed name:	Keith Hutch	hens			Title:				
Title: Product	ion Supervis	sor			Approved I	Date:		Expiration Date	e:
E-mail Addres	ss: keithhutc	chens@iacxp	oduction.com						
Date: 3/9/2022	2	P*P* *********************************	Phone: 575-416	-3240	Conditions of Approval Attached				

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true

and correct to the best of my belief.

Signature and Seal of Professional Surveyor:

Date of Survey

Certificate Number

		<sup>2</sup> Pool Code								
30-005-0	3979			82730			Pecos Slope; Abo	Pecos Slope; Abo (Gas)		
<sup>4</sup> Property Code					<sup>5</sup> Property Na				6 W	ell Number
327881					Biplane BLW Sta				6	
<sup>7</sup> OGRID No. 329877			8 Operator Na				<sup>9</sup> Elevation			
323611				· · · · · · · · · · · · · · · · · · ·	IACX Production					3,981'
II. I.i. I G					<sup>10</sup> Surface Lo					
JL or lot no. Se	ction Towns		Range 27E	Lot Idn	Feet from the 990	North/South line South	Feet from the 1980	East/We West	est line	County Chaves
			п Bot	tom Hole	Location If I	Different From	Surface			
UL or lot no. Se	ction Towns	hip	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/We	est line	County
160	e assigned		s completion			een consolidated or	a non-standard	unit has be	een app	roved by the
16				1						

1980' W

#### **IACX Production LLC**

#### Natural Gas Management Plan – Attachment

- VI. IACX Production, LLC. production tank batteries include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool in conjunction with the total number of wells planned to or existing within the facility. Separation equipment is upgraded prior to well being drilled or completed, if determined to be undersized or needed. The separation equipment is designed and built according to the relevant industry specifications (API specification 12J and ASME Sec VIII DIv I). Other recognized industry publications such as the Gas Processors Suppliers Association (GPSA) are referenced when designing separation equipment to optimize gas capture.
- VII. IACX Production LLC will take the following actions to comply with the regulations listed in 19.15.27.8:
- A. IACX Production will maximize the recovery of natural gas by minimizing waste, as defined by 19.15.2 NMAC, of natural gas through venting and flaring. IACX Production will ensure that our wells will be connected to a natural gas gathering system with sufficient capacity to transport natural gas.
- B. All drilling operations will be equipped with a rig flare at least 100 feet from the nearest surface hole location. Rig flare will be utilized to combust any natural gas that is brought to surface during normal operations. In the case of emergency, flaring volumes will be reported appropriately.
- C. During completion operations any natural gas brought to surface will be flared rather than vented, where technically feasible. Immediately following completion operations, wells will flow to permanent separation equipment. Produced natural gas from separation equipment will be sent to sales. If natural gas does not meet gathering pipeline specifications, IACX Production will flare for 60 days or until natural gas meets the pipeline specifications. IACX Production will ensure flare is properly sized and is equipped with an automatic igniter or continuous pilot. Gas samples will be taken twice per week and natural gas will be routed into a gathering system as soon as the pipeline specifications are met.
- D. Natural gas will not be flared with the exception of 19.15.27.8(D)(1-4). If there is no adequate takeaway for the separator gas, wells will be shut-in until that natural gas gathering system is available with exception of emergency or malfunction situations. Volumes will be reported appropriately.
- E. IACX Production will comply with performance standards pursuant to 19.15.27.8(E)(1-8). All equipment will be designed and sized to handle maximum pressures to minimize waste. Storage tanks constructed after May 25, 2021 will be equipped with an automatic gauging system that reduces venting of natural gas. Flare stacks installed or replaced after May 25, 2021 will be equipped with an automatic ignitor or continuous pilot. IACX Production will conduct AVO inspections as described in 19.15.27.8(E)(5)(a) with frequencies specified in 19.15.27.8(E)(5)(b) and (c). All emergencies or malfunctions will be resolved as quickly and safely as possible to minimize waste.
- F. The volume of natural gas that is vented or flared as the result of an emergency or malfunction during drilling and/or completion operations will be estimated and reported accordingly. The volume of natural gas that is vented, flared or beneficially used during production operations, will be measured and reported accordingly. IACX Production will install equipment to measure the volume of natural gas

flared from existing piping or a flowline piped from equipment such as high-pressure separators, heater treaters, or VRUs associated with a well or facility associated with a well authorized by an APD after May 25, 2021 that has an average daily production of less than 60,000 cubic feet of natural gas. If metering is not practicable due to circumstances such as low flow rate or low pressure venting or flaring, IACX Production will estimate the volume of flared or vented natural gas. Measuring equipment will conform to industry standards and will not be equipped with a manifold

VIII. For maintenance activities involving production equipment and compression, venting will be limited to the depressurization of the subject equipment to ensure safe working conditions. For maintenance of production equipment, the associated producing wells will be shut-in to eliminate venting. For maintenance of VRUs, all natural gas normally routed to the VRU will be routed to flare.

#### State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

#### NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

			n 1 – Plan D Effective May 25				
I. Operator: <u>IACX Pro</u>	oduction, LLC	CO	GRID: 329877	•	Date:_0	04/13/_	2022
II. Type: 🛛 Original	☐ Amendmen	at due to □ 19.15.2	7.9.D(6)(a) NMA	.C □ 19.15.27.9.D	(6)(b) NMA	AC □ Other	
If Other, please describe	ə:						
III. Well(s): Provide the be recompleted from a s	e following in single well pac	formation for each	new or recomple central delivery p	eted well or set of soint.	wells propo	sed to be dr	illed or proposed t
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipa Gas MC		Anticipated Produced Water BBL/D
Biplane BLW State Com #6	30-005- 63979	N-16-6S-27E	990'S 1980'W	0	450		0
IV. Central Delivery P V. Anticipated Schedu proposed to be recomple	le: Provide the	e following inform	ation for each nev	v or recompleted w			D)(1) NMAC]  osed to be drilled of
Well Name	API	Spud Date	TD Reached Date	Completion Commencement	100000	nitial Flow Back Date	First Production Date
Biplane BLW State Com #6	<u>30-005-</u> <u>63979</u>			5/12/2022	5/2	24/2022	5/29/2022
VI. Separation Equipm	nent: ⊠ Attac	h a complete descr	ription of how Op	erator will size sep	aration equ	ipment to op	otimize gas capture
VII. Operational Prac Subsection A through F	tices: ⊠ Atta of 19.15.27.8	ch a complete dese NMAC.	cription of the ac	tions Operator wil	l take to co	omply with t	he requirements of
VIII. Best Management during active and planned	nt Practices: ed maintenanc	⊠ Attach a compl e.	ete description of	Operator's best n	nanagement	t practices to	o minimize ventin

#### Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

 $\boxtimes$  Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

#### IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

#### X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

- XI. Map.  $\square$  Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.
- XII. Line Capacity. The natural gas gathering system  $\square$  will  $\square$  will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.
- XIII. Line Pressure. Operator  $\square$  does  $\square$  does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).
- ☐ Attach Operator's plan to manage production in response to the increased line pressure.
- XIV. Confidentiality: 
  Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

Page 2 of 4

(i)

## Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🗵 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. 

Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan. 

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: (a) power generation on lease; (b) power generation for grid: compression on lease; (c) (d) liquids removal on lease; (e) reinjection for underground storage: (f) reinjection for temporary storage: (g) reinjection for enhanced oil recovery; (h) fuel cell production; and

#### Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:

Frinted Mane: Keith Hutchens

Title: Production Supervisor

E-mail Address: keithhutchens@iacxproduction.com

Date: 4/13/2022

Phone: 575-416-3240

OIL CONSERVATION DIVISION

(Only applicable when submitted as a standalone form)


Approved By:

Title:

Approval Date:

Conditions of Approval:

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct



	e BLW State Com #6		Field:	Casing Pro	gram
	& 1980' FWL Sec 16-69	S-27E Chaves ( KB:	County	9-5/8" 36# J55	1,114'
GL: 3,981' pud Date: 09/28/Gomments: API No			5-1/2" 15.5# J55	6,355'	
			0.6	Formation	Tops
			After	Yates	190'
				7 rivers	251'
	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			Queen	746'
	The control of the			Penrose	850'
	1			Grayburg	996'
	1			San Andres	1196'
4.75" hole	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			Glorieta	2274'
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$			Yeso	2386'
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			Tubb	3806'
	1 T a a b T a T a a a a a a a a a a a a a			Abo	4427'
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	9.625" @	1,114'	Wolfcamp	5126'
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	w/1145 s>		Wolf B	5200'
	10 2 2 3 4 1 2			Cisco	5663'
	121 72 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			Strawn	5802'
	2 17 20 4 1 6 10 20 2 2 10 10 20 4 2 10 10 20 4 1 20 10 20 4 1 20 10 20 4 2 10 20 20 20 20 4 2 10 20 20 20 20 20 20 20 20 20 20 20 20 20			Miss	6020'
	1			Silurian	6132'
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
7 07511 1 1 -	$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
7.875" hole	[ 1	<u> </u>			
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Abo perfs: 4,5	56'-60' 83'-92', 4,654'-62',	4,774'-88', 4,808'-13'	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
CIBP @ 5,648' +35'cmt	$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
C 2,2.3 .33 till	1 (2 (4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	Cisco perfs:	5,698'-5,712' (60)		7
	$\begin{pmatrix} I_{\alpha}^{(1)} & I_{\alpha}^{(1)} \\ I_{\alpha}^{(1)} & I_{\alpha}^{(1)} \\ I_{\alpha}^{(1)} & I_{\alpha}^{(1)} \\ I_{\alpha}^{(1)} & I_{\alpha}^{(1)} \\ I_{\alpha}^{(1)} & I_{\alpha}^{(1)} \\ I_{\alpha}^{(1)} & I_{\alpha}^{(1)} \\ I_{\alpha}^{(1)} & I_{\alpha}^{(1)} \\ I_{\alpha}^{(1)} & I_{\alpha}^{(1)} \\ I_{\alpha}^{(1)} & I_{\alpha}^{(1)} $	0.000 pc113.	5,050 5,712 (00)		
IBP @ 6.084' +35' cmt	$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Silurian perfs:	6,134'-6,140' (28)		
	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	L			
IBP @ 6,206' +35' cmt	" a b " a 2 a b " a				
	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Silurian per	fs: 6,256'-6,262' (28)		
	1 12 12 13 13 13 13 13 13 13 13 13 13 13 13 13	5.5" @ 6,3			
		w/1360sx	(Circ.)		
	FC: 6,312'			Not to se	cala
	TD: 6,355'			1100 10 31	care

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

### **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 98085

#### **CONDITIONS**

Operator:	OGRID:
IACX Production LLC	329877
5001 LBJ Freeway, Suite 300	Action Number:
Dallas, TX 75244	98085
	Action Type:
	[C-101] Drilling Non-Federal/Indian (APD)

#### CONDITIONS

Created By	Condition	Condition Date
kpickford	Notify NMOCD 24 hours before beginning operations	4/15/2022