

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: BETONNIE TSOSIE Well Location: T23N / R8W / SEC 10 / County or Parish/State: SAN

WASH UNIT NESE / 36.240989 / -107.661625 JUAN / NM

Well Number: 110H Type of Well: OIL WELL Allottee or Tribe Name:

NAVAJO NATION

Lease Number: NMNM76842 Unit or CA Name: Unit or CA Number:

NMNM135219A

US Well Number: 3004535513 Well Status: Drilling Shut In Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2638351

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 10/12/2021 Time Sundry Submitted: 12:13

Date Operation Actually Began: 09/11/2021

Actual Procedure: Completion Sundry 9/11/21: PT 4.5 inch x 7 inch to 2000 psi for 5 min. Bleed down 7 inch to 900 psi, pressure 4.5 inch up to 7000 psi & hold for 15 min. All tests good & recorded on chart. 9/12/21: Install wellhead. NU 10K lower master. PT void seals: low 400 psi for 5 min. high 9600 psi for 15 min. All test good & recorded on chart. WSI & secured. 9/15/21: RU pumps. PT to 9400 psi & hold for 5 min. Test good. Pressure up 7 inch to 1240 psi & hold. Pump down 4.5 inch starting at 3 bpm to 7000 psi. Step up. Alpha Sleeve opened at 8709 psi, 18 bpm. Pause ops. WSI & secured. 9/24/21: PT zipper manifold & frac stack: low 400 psi for 5 min. high 9400 psi for 15 min. 9/25/21: MIRU frac & N2 fleet. Stage equipment. 9/26/21: PT 4.5 inch x 7 inch iron to 3000 psi for 30 min. PT frac iron & flowback to 9200 psi for 5 min. All tests good & recorded on chart, 9/26/21 to 10/3/21; RIH, 3,125 inch gun string, 180 phs. 3 spf. .35 diameter. 20 stages from 11608' to 5470' (5266' to 5308' TVD). Total of 700 open holes. Isolation plugs set from 11324' to 5750'. Kill plug #1 at 5406'. Kill plug #2 at 5443'. Frac'd with 31,752 bbls of fluid, 1,928,028 scf of N2, 5,996,360 lbs of proppant. WSI & secured. 10/4/21: MI AWS 812. 10/5/21: RU AWS 812. NU BOP. PT pipe rams, flowlines, manifold: low 300 psi for 5 min. high 3500 psi for 10 min. PT annular: low 300 psi for 5 min. high 3500 psi for 10 min. PT blind rams: low 300 psi for 5 min. high 3500 psi for 10 min. 10/6/21: PT N2 iron: low 2350 psi, high 3200 psi, All tests good & recorded on chart. TIH. Start N2 down 7 inch annulus to unload water. Mill plugs 1 - 6 10/7/21: Mill plugs 7 - 19. TOH. 10/8/21: PT BOP & 2.875 inch pipe rams: low 500 psi, high 2000 psi. Test good & recorded on chart. TIH with production string. Land 169 jts of 2.875 inch 6.5# L80 tubing. EOT: 5558'. Six GLVs installed & set at 4743', 4022', 3333', 2611', 1922', 1200'. PT 2.875 inch 6.5# L80 tubing hanger/production tree: high 4000 psi for 30 min. Test good & recorded on chart. Rig AWS 812 released on 10/9/21.

WASH UNIT

NESE / 36.240989 / -107.661625

Well Location: T23N / R8W / SEC 10 /

County or Parish/State: SAN

JUAN / NM

Well Number: 110H

Type of Well: OIL WELL

Allottee or Tribe Name:

NAVAJO NATION

Lease Number: NMNM76842

Unit or CA Name:

Unit or CA Number: NMNM135219A

US Well Number: 3004535513

Well Status: Drilling Shut In

Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD Signed on: OCT 12, 2021 12:13 PM

Name: DJR OPERATING LLC Title: Regulatory Specialist Street Address: 1 Road 3263

City: Aztec State: NM

Phone: (505) 632-3476

Email address: sford@djrllc.com

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Phone: 5055647742

Disposition: Accepted

Signature: Kenneth Rennick

BLM POC Title: Petroleum Engineer

BLM POC Email Address: krennick@blm.gov

Disposition Date: 11/01/2021

Page 2 of 2

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 78454

CONDITIONS

Operator:	OGRID:
DJR OPERATING, LLC	371838
1 Road 3263	Action Number:
Aztec, NM 87410	78454
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartine	Going forward submit attached form as a [C-103] Sub. (Re) Completion Sundry (C-103T).	4/28/2022