

Well Name: FEDERAL G GAS	Well Location: T20S / R30E / SEC 21 / NWSE /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM06299	Unit or CA Name: FEDERAL G GAS COM	Unit or CA Number: NMNM72453
US Well Number: 3001520848	Well Status: Abandoned	Operator: WPX ENERGY PERMIAN LLC

Accepted for record – NMOCD gc 5/19/2022

Subsequent Report

Sundry ID: 2670429

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 05/05/2022

Time Sundry Submitted: 04:10

Date Operation Actually Began: 03/25/2022

Actual Procedure: Please see the attached P&A procedure and final wellbore diagram.

SR Attachments

Actual Procedure

FEDERAL__G__GAS_COM_1_subsequent_report_FINAL_WELLBORE_SIGNED_20220505160943.pdf

Well Name: FEDERAL G GAS

Well Location: T20S / R30E / SEC 21 /
NWSE /County or Parish/State: EDDY /
NM

Well Number: 1

Type of Well: CONVENTIONAL GAS
WELL

Allottee or Tribe Name:

Lease Number: NMNM06299

Unit or CA Name: FEDERAL G GAS
COMUnit or CA Number:
NMNM72453

US Well Number: 3001520848

Well Status: Abandoned

Operator: WPX ENERGY
PERMIAN LLC**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LAUREN WATSON

Signed on: MAY 05, 2022 04:10 PM

Name: WPX ENERGY PERMIAN LLC

Title: Regulatory Compliance Professional

Street Address: 333 W. SHERIDAN AVE.

City: OKLAHOMA CITY

State: OK

Phone: (405) 552-3379

Email address: LAUREN.WATSON@DVN.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927

BLM POC Email Address: jamos@blm.gov

Disposition: Accepted

Disposition Date: 05/10/2022

Signature: James A. Amos

Form 3160-5
(August 2007)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM06299

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE – Other instructions on page 2.

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

DEVON ENERGY PRODUCTION COMPANY, LP

3a. Address

333 West Sheridan Avenue, Oklahoma City, OK 73102-5015

3b. Phone No. (include area code)

405-228-3047

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No.
FEDERAL 'G' GAS COM 1

9. API Well No.

30-015-20848

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 21 T20S R30E; 1650 FSL 1900 FEL10. Field and Pool or Exploratory Area
GOLDEN LANE; STRAWN (GAS)11. Country or Parish, State
EDDY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	_____
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	_____

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleting horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleting in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

3/25 - MIRU EQUIP.

4/6 - MI RU WL; RIH W/ JB AND GR; TO 10950'; POH; PU 5.5 CIBP; RIH; SET @ 10923'; (BLM WITNESS PRESENT)

4/7 - TIH TAG CIBP @ 10,923'; CIRC 260 BBLs OF MUD; LEAK TEST CSG (TESTED GOOD) PLUG #1 SPOT 25 SXS OF CL H CMT FROM 10,923 TO 10,723'; PUH PLUG #2 SPOT 25 SXS CL H CMT 9880 TO 9680'; WOC

4/11 - TIH TAG TOC @ 9672'; PUH TO 6400'; MI RU WL; RIH PERF @ 6560'; ATTEMPT TO EST INJ RATE; NO SUCCESS; TIH; TO 6610; PLUG #3 SPOT 25 SXS CL C CMT FROM 6610 TO 6400'; WOC;

4/13 - TIH TAG TOC @ 6344'; MI RU WL; PERF @ 4295'; PLUG #4 SQZ 30 SXS OF CL C CMT IN AND OUT FROM 4295'-4185 WOC; RIH TO TAG TOC AT 4124' POOH; MIRU WIRELINE RIH PERF @ 3716'; PLUG #5 SQZ 30 SXS CLASS C CEMENT IN AND OUT FROM 3716'-3605'; WOC

4/14 - RIH; TAG TOC @ 3534'; POOH; MIRU W/L; RIH TO PERF @ 2277' POOH; ATTEMPT SQZ; PRESSURED UP TO 1500PSI; HELD; INFORMED RAMI/BLM; RIH W/ W/L PERF @ 2235'; POOH W/ W/L; ATTEMPT SQZ; PRESSURED UP TO 1500PSI; HELD; SPK TO RAMI/BLM; INSTRUCTED TO RUN CBL; PREP FOR CEMENT BOND LOG MONDAY A.M.

4/18 - TOH W/ 32 STANDS; MI RU WL; PERFORM CBL; FROM 3534' TO SRFC'; FOUND CLEAR PIPE FROM 1050' TO 700'; INFORMED BLM

4/19 - TOH W/ WRK STRG; EOT 2325'; PLUG #6 SPOT 120 SXS OF CL C CMT; FROM 2325' TO 1050'; WOC; TIH; TAG TOC W/ BLM WITNESS PRESENT; TAGGED @ 1150'; TOH; SHUT IN SECURE WELL

4/20 - TIH W/ TBG; EOT @ 1150'; PLUG #7 SPOT 25 SXS CL C CMT; FROM 1150'-900'; PUH W/ TBG; EOT @ 1050'; REVERSE CIRC; TOTAL OF 40 BBLs BRINE -WOC-; TIH; TAG TOC @ 1053'; BLM WITNESS PRESENT (RAMI); TOH; MIRU WL; RIH; PERF @ 1030'; POOH; RD MO WL; EST RATE OF 1 BPM @ 1000PSI; PLUG #8 CIRCULATED 270 SXS CL C CMT; FROM 1030' TO SURF; SHUT IN SECURE WELL

4/22 - RD WSU; PERFORM WH CUT OFF; INSTALL DRY HOLE MRKR

14. I hereby certify that the foregoing is true and correct.

Name (Printed/Typed)

Karsan Sprague

Title Production Engineer

Signature

Karsan Sprague

Date 05/05/2022

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

DEVON ENERGY PRODUCTION COMPANY LP

Well Name:	FEDERAL `G` GAS COM 1			Field:	Hackberry South		
Location:	1650 FSL	1900 FEL	SEC 21-T20S-R30E	County:	Eddy	State:	New Mexico
Elevation:	3323' GL			Spud Date:	1/30/1974	Compl Date:	8/1/1985
API#:	30-015-20848	Prepared by:	Karsan Sprague	Date:	5/5/22	Rev:	

PROPOSED WELLBORE

26" Hole

20", 94#, @ 370'

Cmt'd w/700 sx to surface

17-1/2" Hole

13-3/8", 48#, @ 1632'

Cmt'd w/1550 sx to surface

DV Tool @ 2227'

12-1/4" Hole

8-5/8", 32# & 24#, @ 4245'

Cmt'd w/1650 sx to surface

TOC @ unknown

Perforations: (Strawn)

10,973'-10,996'

Perforations: (Morrow)

11,742'-12,134' (Abandoned)

Perforations: (Morrow)

11,922'-12,324' (Abandoned)

7-7/8" Hole

5-1/2", 17# & 20#, @ 12,611'

Cmt'd w/700 sx Cl C cmt to unknown

11,500' TVD

1. Perf @ 2277'
2. Perf @ 2235'
3. Spot 120 sx Cl C from 2325'-1150'
4. Spot 25 sx Cl C from 1150'-1053'
5. Perf @ 1030'
6. Pump 270 sx Cl C from 1030' to surface.
3. Cut WH off 3' BGL, Set dry hole marker.
(DV Tool @ 2277'; B. Salt @ 1773'; T. Salt @ 524'; Shoe @ 370')

1. Perf @ 3716'
2. Pump 30 sx Cl C from 3716'-3534'. WOC & tag.
(Capitan Reef @ 3666';)

1. Perf @ 4295'
2. Pump 30 sx Cl C from 4295'-4124'. WOC & tag.
(Shoe @ 4245')

1. Perf @ 6560'
2. Spot 25 sx Cl C from 6610'-6344'. WOC & tag.
(T. Bone Spring @ 6510')

Spot 25 sx Cl H from 9880'-9672'. WOC & tag.
(T. Wolfcamp @ 9830')

1. Set CIBP @ 10,923'. Tag. Circ 10# salt gel. Leak test.
2. Spot 25 sx Cl H from 10,923'-10,723'.
(Perfs @ 10,973'; T. Strawn @ 10,800')

PBTD @ 11,030'

CIBP @ 11,660' (7/15/85)

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 105789

CONDITIONS

Operator: WPX Energy Permian, LLC Devon Energy - Regulatory Oklahoma City, OK 73102	OGRID: 246289
	Action Number: 105789
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	5/19/2022