Centred by WCD: 5/3/2022 7:30:38 AM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Repo
Well Name: FOXTAIL AJX COM	Well Location: T20S / R24E / SEC 1 / SWSW /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM22994	Unit or CA Name:	Unit or CA Number:
US Well Number: 300152687300X1	Well Status: Abandoned	<b>Operator:</b> EOG RESOURCES INCORPORATED
	Accepted for record – NMOCD gc 5/9/2022	

## Subsequent Report

Sundry ID: 2668150

Type of Submission: Subsequent Report Date Sundry Submitted: 04/21/2022 Date Operation Actually Began: 03/15/2022 Type of Action: Plug and Abandonment Time Sundry Submitted: 03:41

Actual Procedure: Please see attached subsequent P&A. Thank you.

SR Attachments

#### **Actual Procedure**

Foxtail\_AJX\_Federal\_Com\_1\_4\_21\_22\_20220421154033.pdf

Received by OCD: 5/3/2022 7:30:38 AM Well Name: FOXTAIL AJX COM	Well Location: T20S / R24E / SEC 1 / SWSW /	County or Parish/State: EDDY/2 of NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM22994	Unit or CA Name:	Unit or CA Number:
<b>US Well Number:</b> 300152687300X1	Well Status: Abandoned	<b>Operator:</b> EOG RESOURCES INCORPORATED

#### Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TINA HUERTA					
Name: EOG RESOURCES INCORPORATED					
Title: Regulatory Specialist					
Street Address: 104 SOUTH FOURTH STREET					
City: Artesia	State: NM				
Phone: (575) 748-4168					

Email address: tina\_huerta@eogresources.com

#### Field

Representative Name: Street Address: City: State: Phone: Email address:

### **BLM Point of Contact**

BLM POC Name: JAMES A AMOS BLM POC Phone: 5752345927 Disposition: Accepted Signature: James A. Amos

BLM POC Title: Acting Assistant Field Manager BLM POC Email Address: jamos@blm.gov Disposition Date: 04/22/2022

Zip:

Signed on: APR 21, 2022 03:40 PM

Foxtail AJX Federal Com 1 – Sub P&A 30-015-26873 M-1-20S-24E

3/15/22 - MIRU and NU BOP. RIH with GR/JB to 7650'. Set a CIBP at 7613', tagged.

3/16/22 – Pressured up to 550 psi for 10 min, held good. Sent Terry Cartwright with BLM-Carlsbad picture of gauge on pressure test, thumbs up given. Spotted 25 sx Class H cement on top of CIBP to 7460', tagged. Sent text to Terry Cartwright.

3/17/22 - Perforated at 5895'.

3/18/22 – Pressured up to 500 psi for 10 min, held good. Spotted a 35 sx Class C cement plug from 5933'-5849', tagged. Talked to Terry Cartwright with BLM and plug too low. Spotted a 25 sx Class C cement plug from 5849'-5697' calc TOC.

3/21/22 – Tagged TOC 5790'. Still too low. Talked to Terry Cartwright with BLM and re-spot. Spotted a 25 sx Class C cement plug from 5790'-5639', tagged. Spotted a 28 sx Class C cement plug from 5574'-5476', tagged. As per Terry Cartwright re-spot.

3/22/22 – Spotted a 25 sx Class C cement plug from 5476'-5323' calc TOC.

3/23/22 – Tagged TOC 5318'. Terry Cartwright on location and good tag. Spotted a 25 sx Class C cement plug from 5221'-5066' estimated TOC.

3/24/22 – Tagged TOC 5057'. Good tag. Spotted a 25 sx Class C cement plug from 3458'-3315', tagged. Terry Cartwright on location, good tag. Spotted a 25 sx Class C cement plug from 2188'-2055', tagged. Spoke with Terry Cartwright concerning tag, good tag.

3/25/22 – Perforated at 1137'. Pressured up to 500 psi for 10 min, held good. Terry Cartwright gave approval to drop down 50' below perf and spot cement. Pumped a 40 sx Class C cement plug from 1207'-1109', tagged. Spoke with Terry Cartwright concerning tag, will spot another 25 sx on TOC. Spotted a 25 sx Class C cement plug from 1109'-772', tagged. 184' too high. Terry Cartwright witnessed tag and gave ok to spot surface plug. 3/29/22 – Pumped 120 sx Class C cement from 619' and circulated up to surface. Terry Cartwright on site to witness cement at surface. Topped off well with cement.

4/2/22 - Cut off wellhead. Installed above ground dry hole marker as per BLM. Cover cellar and cut off anchors. <u>WELL IS PLUGGED AND ABANDONED.</u>

.

Foxtail A	JX Federal CO	M 1		Sec-TWN-RNG: FOOTAGES:	Sec. 1 - T2 660' FSL 8	0S - R24E 660' FWL		API: GL:	30-015-26873 3,601'			
			CASING	G DETAIL								
				HOLE SIZE	SIZE	WGHT	GRADE	Тор	Bottom	Sx Cmt	Circ/TOC	TOC Meth
			А	14 3/4	9 5/8	36	J-55	0	1,087	1100	Surface	1"
∘lug 10			в	8 3/4	7	23/26	J-55/N-80	0	8,273	1830	Unknown	0% Exce Calc - C
Plug 10	A								-,			-
												-
												<u> </u>
			FORMA	TION TOPS								
lug 9				Formation	Top (MD)		Formation	Top (MD)		Formation	Top (MD)	_
				San Andres	561		Wolfcamp	5507				+
				Glorieta Bone Springs	2138 3408		Canyon	7586	5			
				3rd Bone Springs	4919							
				Abo	5168		ļ					ļ
lug 8			PLUGS									
-3-			#	SX	Class	Тор	Bottom	Tag	Notes			
			1	25	Н	7460	7613	Y	CIBP			
			2	35	С	5849	5933	Y	Perforate			
_					c			Y	renorate			
ug 7			3	25		5790	5849					
			4	25	С	5639	5790	Y				
			5	28	С	5476	5574	Y				
lug 6			6	25	С	5318	5476	Y				
ug 5			7	25	С	5057	5221	Y				
-			8	25	С	2055	2188	Y				
ug 4					С		1207	Y	Derferete			
-			9	40		1109			Perforate			
ug 3			10	25	С	772	1109	Y				
/ Tool at 5,845'			11	120	С	0	619	N				
ıg 2			PERFO	RATION DETAIL	1							
				Formation	Тор	Bottom						
	_			Canyon	7,663	7,761						
ug 1												
kisting Canyon Perfs: 7,663' - 7,761'							l	I		I		L
			ADDITI	ONAL DETAIL								
			DV Too	l set at 5,845'								
				Unknown - Cement to					1			
			riugs 8	& 9 cement volumes n	nay change if pr	ior plugs perfora	auons preakdown					

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	103479
	Action Type:
	[C-103] Sub. Plugging (C-103P)
CONDITIONS	

# Created By Condition Condition gcordero None 5/9/2022

CONDITIONS

Page 5 of 5

.

Action 103479